## Form 3160-5 (June 2015)

SEL CONSERVATION

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT ARTESIA DISTRICT APR 1 0 2017

FORM APPROVED OMB NO. 1004-0137

Expires: January 31, 2018 5. Lease Serial No.

SUNDRY N	OTICES AND F	REPORTS ON	WELLS	
Do not use this	form for propos	als to drill or to	re-enter an	TI IEF
handanad wall	Hen form 2160	2 (ADD) for our	th proposition	ハヘビド

OUNDIVI	MOTICES AND KELC	NICIO ON WELLO	TAMEGOZOGO	20	
Do not use ti abandoned w	6. If Indian, Allott	6. If Indian, Allottee or Tribe Name			
SUBMIT IN TRIPLICATE - Other instructions on page 2				7. If Unit or CA/Agreement, Name and/or No. SRM1403	
Type of Well     Oil Well	ther	8. Well Name and No. GREENWOOD PRE-GRAYBURG FED CO			
Name of Operator     RAY WESTALL OPERATING	Contact:	RENE HOPE e@yahoo.com	9. API Well No. 30-015-2260	9. API Well No. 30-015-22601-00-S1	
3a. Address		3b. Phone No. (include area co Ph: 574.677.2372		10. Field and Pool or Exploratory Area SHUGART	
LOCO HILLS, NM 88255					
4. Location of Well (Footage, Sec.,	T., R., M., or Survey Description	)	11. County or Paris	11. County or Parish, State	
Sec 27 T18S R31E NWSW 1	980FSL 660FWL		EDDY COUN	EDDY COUNTY, NM	
12. CHECK THE A	PPROPRIATE BOX(ES)	TO INDICATE NATURE	OF NOTICE, REPORT, OR O	THER DATA	
TYPE OF SUBMISSION		OF ACTION			
□ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off	
	☐ Alter Casing	☐ Hydraulic Fracturing	g 🗖 Reclamation	■ Well Integrity	
Subsequent Report	☐ Casing Repair	■ New Construction	☐ Recomplete	☐ Other	
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon		
		Plug Back	■ Water Disposal		
PLUG AT 10838? (PBTD). CO 02/22/17. 2) 02/22/17 ? RIG UP PUMP T PRESSURE TEST CSG TO 2	to Start of All Operations. TIFY WE WERE RIGGING T CREW TO SPOT 25 SA ME OUT OF HOLE WITH TRUCK AND CHART REC 100 PSI, NO BLEED OFF 10 T.O.C. AT 2260? FROM 12 10,458? (32 HOLES), 10,66 HOLES), 10,728? ? 10,	G UP ON WELL TO CONVE (S CLASS H PLUG. SPOT I I TBG, CONTACT BLM TO CORDER. WAIT ON BLM UP (CHART ATTACHED). RIG SURFACE. CBL SENT ELE 1,6222 2 10,6442 (88 HOLF	ermit SWD-1664 ERT TO SWD. CEMENT PLUG, W.O.C. 8 HOUWITNESS C.I.T. AT 8:00 AM O NTIL 8:45 AM. NO SHOWED U. UP WIRELINE TO RUN CBL F ECTRONICALLY TO BLM ATTI	N P. FROM	
, , ,	Electronic Submission #37 For RAY WESTAL	71338 verified by the BLM We LL OPERATING INC, sent to t ing by DEBORAH MCKINNEY	he Carlsbad		
Name (Printed/Typed) BEN STON	E	Title AGENT	/ CONSULTANT	· · · · · · · · · · · · · · · · · · ·	
Signature (Electronic Su	bmission)	Date 03/28/2	017		
	THIS SPACE FOR	R FEDERAL OR STATE	OFFICE USE		
pproved By ACCEPTED		PAUL SW/ TitleTECHNICA		Date 04/06/2016	
ditions of approval, if any, are attached. Ify that the applicant holds legal or equit h would entitle the applicant to conduct	able title to those rights in the su		1		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

## Additional data for EC transaction #371338 that would not fit on the form

## 32. Additional remarks, continued

3) R02/23/17 ? RIH w/ TBG & TREATING PKR TO 10350?. 02/24/17 ? RIG UP ACID COMPANY TO ACIDIZE PERFS 10,450? ? 10,769?. PUMP 5000 GALLONS 15% ACID WITH BALL SEALERS. FORMATION BROKE AT 4820 PSI. AVERAGE ON ACID 2.0 BPM AT 4350 PSI. FLUSH 2.0 BPM AT 4370 PSI, I.S.I.P 4097 PSI. 240 BBL LOAD TO RECOVER.

4) 02/27/17 ? 300 PSI ON WELL. OPEN WELL TO START FLOWING BACK. WELL DIED IN 5 MINUTES.FLOW BACK 5 BBLS, STATR SWABBING. SWABBED 85 BBLS TO TANK. 150 BBLS TO RECOVER LOAD. 02/28/17 ? SWAB TO TANK 95 BBLS. SWAB FROM SEATING NIPPLE, NO ENTRY IN 60 MINUTES, 55 BBLS TO RECOVER.

03/01/17 ? SWAB TO TANK 50 BBLS, NO HYDROCARBONS OR GAS. 5 BBLS TO RECOVER. 03/02/17 ? SWAB TO TANK 50 BBLS, SWABBED DRY. NO HYDROCARBONS OR GAS SHOW IN SWAB RUN. 45 BBLS OVER

LOAD RECOVERED.
03/03/17 ? RIH WITH SWAB, NO ENTRY OVER NIGHT. CALLED BLM, PAUL SWARTZ, HE SAID WE DIDN?T NEED TO

CONTINUE SWABBING AS THERE WERE NO HYDROCARBONS IN SAMPLES.
5)03/06/17 ? POOH w/WRKSTRNG & PKR. 03/07/17 ? START IN HOLE WITH INJ. PACKER AND IPC 2 7/8? TBG. 03/08/17 ? FINISH RIH w/ INJ PKR AND IPS 2 7/8? TBG. 03/10/17 ? PUMP PACKER FLUID. SET PACKER AT 10,370? 🗸

6)03/22/17 ? NOTIFY OCD DIST 2 AND BLM FOR MIT SCHEDULED FOR 03/24/17

7)PERFORM MIT @ 620 PSI FOR 30 MINS. GOOD TEST. a) FULL PROCEDURE & DAILY RPT ATTACHED.

b) MIT CHART ATTACHED.

## Revisions to Operator-Submitted EC Data for Sundry Notice #371338

**Operator Submitted** 

**BLM Revised (AFMSS)** 

Sundry Type:

Lease:

NMLC029392B

Agreement:

Operator:

RAY WESTALL OPERATING, INC.

PO BOX 4 LOCO HILLS, NM 88255 Ph: 575-677-2372

Admin Contact:

RENE HOPE

**ADMINISTRATIVE** 

E-Mail: hope\_rene@yahoo.com

Ph: 575-677-2372

Tech Contact:

BEN STONE AGENT / CONSULTANT E-Mail: ben@sosconsulting.us

Ph: 903-488-9850 Fx: 866-400-7628

Location:

State: County:

NM EDDY

Field/Pool:

SHUGART

Well/Facility:

GREENWOOD PRE-GRBG FED COM 1 Sec 27 T18S R31E Mer NMP 1980FSL 660FWL

INJ SR

NMLC029392B

SRM1403 (NMNM72061)

RAY WESTALL OPERATING INC

LOCO HILLS, NM 88255 Ph: 575.677.2370

RENE HOPE BOOKKEEPPER

E-Mail: hope\_rene@yahoo.com

Ph: 574.677.2372

BEN STONE AGENT / CONSULTANT E-Mail: ben@sosconsulting.us

Ph: 903.488.9850 Fx: 866.400.7628

NM EDDY

SHUGART

GREENWOOD PRE-GRAYBURG FED COM 1 Sec 27 T18S R31E NWSW 1980FSL 660FWL