
			,	States and the states of the s	A	44.3		
Form 3160-5 (March 2012)	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT			OCD-ARTESIA			FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2014	
	SUNDRY NOTICES AND REPORTS ON WELLS					5. Lease Ser	5. Lease Serial No.	
	Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.				6. If Indian, A	6. If Indian, Allottee or Tribe Name		
S	UBMIT IN TRIF	PLICATE - Other in	structio	ns on page 2.		7. If Unit or C	CA/Agreement, Name and/or No.	
1. Type of Well						NMNM8	7890	
X Oil Well Gas Well Other						8. Well Nam	8. Well Name and No.	
2. Name of Operator							Mojave AJY Com #2	
Yates Petroleum Corporation				No. (include area code)			9. API Weli No. 30-015-28531	
			3D. Phone					
105 S. 4th Str., Artesia, NM 88210 4. Location of Well (Footage, Sec., T., R., M., OR Survey Description)				575-748-1471			10. Field and Pool or Exploratory Area Dagger Draw;Upper Penn,S	
660' FSL & 1980' FEL, Sec. 35-T201/2SR23E, Unit O							11. County or Parish, State	
							Eddy County, NM	
and the second		OPRIATE BOX(ES)			E OE NIC			
	······································	UNATE DUA(E3)			_			
TYPE OF SU	JRWISSION			TYPE	E OF AC	110N		
		Acidize		Deepen	Pr	oduction (Start/Resume)	Water Shut-Off	
Y Notice of	f Intent	Alter Casing		Fracture Treat		clamation	Well Integrity	
X Notice of]				
Subseque	ent Report	Casing Repair		New Construction		complete	Other	
00000qu0		Change Plans		Plug and Abandon	Te	mporarily Abandon		
Final Aba	andonment Notice	Convert to Injection	n	Plug Back	X	ater Disposal		
		nplete horizontally, give subsurfa		-		ork and approximate dura s of all pertinent markers a		
the proposal is to deep Attach the Bond under following completion o testing has been comp determined that the sit Yates Petroleu The well, at pro pipelined to the Sec. 9-T20S-R	pen directionally or recom r which the work will be of the involved operations. pleted. Final Abandonme te is ready for final inspec um Corporation is esent, produces a e State CO system 225E with order #	nplete horizontally, give subsurfa performed or provide the Bond . If the operation results in a r int Notices must be filed only af stion. submitting an applica and average of 0-10 k m including King SW SWD-5250 and Archi K-5250	ace locations a I No. on file w nultiple comple ter all requirer ation for v obls of wa D #1 and	ind measured and true of ith BLM/BIA. Required tion or recompletion in a nents, including reclama vater pursuant to ter per day. The Archimedes SW	vertical depths I subsequent r a new interval ation, have be o order #7 e water is VD #1. Ki	s of all pertinent markers a reports must be filed with , a Form 3160-4 must be en completed and the ope 7 and requests you s stored in a 500 b ing SWD #1 is loo	nd zones. in 30 days filed once rator has ur approval. obl tank and is cated at	
the proposal is to deep Attach the Bond under following completion of testing has been comp determined that the sit Yates Petroleu The well, at pre pipelined to the Sec. 9-T20S-R	pen directionally or recom r which the work will be of the involved operations. pleted. Final Abandonme te is ready for final inspec um Corporation is esent, produces a e State CO system 25E with order #	pplete horizontally, give subsurfative performed or provide the Bond. If the operation results in a mint Notices must be filed only afficient. Submitting an application application of 0-10 k mincluding King SW SWP-5250 and Archite R-5250	ace locations a I No. on file w nultiple comple ter all requirer ation for v obls of wa D #1 and	ind measured and true of ith BLM/BIA. Required tion or recompletion in a nents, including reclama vater pursuant to ter per day. The Archimedes SW	vertical depths I subsequent r a new interval ation, have be o order #7 e water is VD #1. Ki	s of all pertinent markers a reports must be filed with , a Form 3160-4 must be en completed and the ope 7 and requests you s stored in a 500 b ing SWD #1 is loo	nd zones. in 30 days filed once rator has ur approval. obl tank and is cated at	
the proposal is to deep Attach the Bond under following completion of testing has been comp determined that the sill Yates Petroleu The well, at pre pipelined to the Sec. 9-T20S-R Accepted Accepted for J Approval Sub	pen directionally or recom r which the work will be of the involved operations. pleted. Final Abandonme te is ready for final inspec um Corporation is esent, produces a e State CO system R25E with order # ed for record - N - 4 - 18 - 2 Record Purpos	nplete horizontally, give subsurfative performed or provide the Bond. If the operation results in a mint Notices must be filed only affection. Submitting an application application and average of 0-10 k mincluding King SWI SWD-5250 and Architer R-5250 IMOCD	ace locations a I No. on file w nultiple comple ter all requirer ation for v obls of wa D #1 and	ind measured and true of ith BLM/BIA. Required tion or recompletion in a nents, including reclama vater pursuant to ter per day. The Archimedes SW	vertical depths I subsequent r a new interval ation, have be to order #7 e water is /D #1. Ki 18-T21S-	s of all pertinent markers a reports must be filed with , a Form 3160-4 must be en completed and the ope 7 and requests you stored in a 500 b ing SWD #1 is loc R24E with order a	nd zones. in 30 days filed once rator has ur approval. bbl tank and is cated at #SWD-814. D FOR ARTESIA DISTRICT	
the proposal is to deep Attach the Bond under following completion of testing has been comp determined that the sit Yates Petroleu The well, at pro- pipelined to the Sec. 9-T20S-R	pen directionally or recom r which the work will be of the involved operations. pleted. Final Abandonme te is ready for final inspec um Corporation is esent, produces a e State CO system R25E with order # ed for record - N - 4 - 18 - 2 Record Purpos	nplete horizontally, give subsurfative performed or provide the Bond. If the operation results in a mint Notices must be filed only affection. Submitting an application application and average of 0-10 k mincluding King SWI SWD-5250 and Architer R-5250 IMOCD	ace locations a I No. on file w nultiple comple ter all requirer ation for v obls of wa D #1 and	ind measured and true of ith BLM/BIA. Required tion or recompletion in a nents, including reclama vater pursuant to ter per day. The Archimedes SW	vertical depths I subsequent r a new interval ation, have be to order #7 e water is /D #1. Ki 18-T21S-	s of all pertinent markers a reports must be filed with , a Form 3160-4 must be en completed and the ope 7 and requests you stored in a 500 b ing SWD #1 is loc R24E with order a	nd zones. in 30 days filed once rator has ur approval. bbl tank and is cated at #SWD-814. D FOR PROVAL CONSERVATE	
the proposal is to deep Attach the Bond under following completion of testing has been comp determined that the sill Yates Petroleu The well, at pre pipelined to the Sec. 9-T20S-R Accepted Accepted for J Approval Sub	pen directionally or recom r which the work will be of the involved operations. pleted. Final Abandonme te is ready for final inspec um Corporation is esent, produces a e State CO system 25E with order # 25E with orde	pplete horizontally, give subsurfa performed or provide the Bond . If the operation results in a m int Notices must be filed only af stion. submitting an applica and average of 0-10 k m including King SW SWD-5250 and Archi R-5250 iMOCD Ses. Inspection.	ace locations a I No. on file w nultiple comple- ter all requirer ation for v obls of wa D #1 and imedes is	ind measured and true of ith BLM/BIA. Required tion or recompletion in a nents, including reclama vater pursuant to ter per day. The Archimedes SW	vertical depths I subsequent r a new interval ation, have be to order #7 e water is /D #1. Ki 18-T21S-	s of all pertinent markers a reports must be filed with , a Form 3160-4 must be en completed and the ope 7 and requests you stored in a 500 b ing SWD #1 is loc R24E with order a SEE ATTACHE ONDITIONS OF A	nd zones. in 30 days filed once rator has ur approval. bbl tank and is cated at #SWD-814. D FOR ARTESIA DISTRICT	
the proposal is to deep Attach the Bond under following completion of testing has been comp determined that the sill Yates Petroleu The well, at pre pipelined to the Sec. 9-T20S-R Accepted Accepted for J Approval Sub	pen directionally or recom r which the work will be of the involved operations. pleted. Final Abandonme te is ready for final inspec um Corporation is esent, produces a e State CO system 25E with order # 25E with orde	nplete horizontally, give subsurfative performed or provide the Bond. If the operation results in a mint Notices must be filed only affection. Submitting an application application and average of 0-10 k mincluding King SWI SWD-5250 and Architer R-5250 IMOCD	ace locations a I No. on file w nultiple comple- ter all requirer ation for v obls of wa D #1 and imedes is	ind measured and true with BLM/BIA. Required tion or recompletion in a nents, including reclamativater pursuant to ter per day. The Archimedes SW located at Sec.	vertical depths I subsequent r a new interval ation, have be to order #7 e water is /D #1. Ki 18-T21S-	s of all pertinent markers a reports must be filed with , a Form 3160-4 must be en completed and the ope 7 and requests you stored in a 500 b ing SWD #1 is loc R24E with order a SEE ATTACHE ONDITIONS OF A	nd zones. in 30 days filed once rator has ur approval. bbl tank and is cated at #SWD-814. D FOR ARTESIA DISTRICT	
the proposal is to deep Attach the Bond under following completion of testing has been comp determined that the sill Yates Petroleu The well, at pre pipelined to the Sec. 9-T20S-R Accepted Accepted for J Approval Sub	pen directionally or recom r which the work will be of the involved operations. pleted. Final Abandonme te is ready for final inspec um Corporation is esent, produces a e State CO system 25E with order # 25E with orde	nplete horizontally, give subsurfate performed or provide the Bond. If the operation results in a mint Notices must be filed only af- stion. Submitting an application and average of 0-10 k mincluding King SW SWD-5250 and Archi R-5250 MOCD Ses. Inspection.	ace locations a I No. on file w nultiple comple- ter all requirer ation for v obls of wa D #1 and imedes is	ind measured and true with BLM/BIA. Required tion or recompletion in a nents, including reclamativater pursuant to ter per day. The Archimedes SW located at Sec.	vertical depths I subsequent r a new interval ation, have be to order #T e water is /D #1. Ki 18-T21S-	s of all pertinent markers a reports must be filed with , a Form 3160-4 must be en completed and the ope 7 and requests you stored in a 500 b ing SWD #1 is loc R24E with order a SEE ATTACHE ONDITIONS OF A	nd zones. in 30 days filed once rator has ur approval. bbl tank and is cated at #SWD-814. D FOR ARTESIA DISTRICT APR 1 7 2017 RECEIVED	
the proposal is to deep Attach the Bond under following completion of testing has been comp determined that the sill Yates Petroleu The well, at pre pipelined to the Sec. 9-T20S-R Accepted Accepted for J Approval Sub	pen directionally or recom r which the work will be of the involved operations. pleted. Final Abandonme te is ready for final inspec IIM Corporation is esent, produces a e State CO system R25E with order # ed for record - N M - 18 - 1 Record Purpos ject to Onsite is solve M - 18 - 1 Record Purpos ject to Onsite is M - 18 - 18	nplete horizontally, give subsurfate performed or provide the Bond. If the operation results in a mint Notices must be filed only af- stion. Submitting an application and average of 0-10 k mincluding King SW SWD-5250 and Archi R-5250 MOCD Ses. Inspection.	ace locations a I No. on file w nultiple comple- ter all requirer ation for v obls of wa D #1 and imedes is	ind measured and true with BLM/BIA. Required tion or recompletion in a nents, including reclamativater pursuant to ter per day. The Archimedes SW located at Sec.	vertical depths I subsequent r a new interval ation, have be to order #T e water is /D #1. Ki 18-T21S-	s of all pertinent markers a reports must be filed with , a Form 3160-4 must be en completed and the ope 7 and requests you s stored in a 500 b ing SWD #1 is loc R24E with order a SEE ATTACHE ONDITIONS OF A	nd zones. in 30 days filed once rator has ur approval. bbl tank and is cated at #SWD-814. D FOR ARTESIA DISTRICT APR 1 7 2017 RECEIVED	
the proposal is to deep Attach the Bond under following completion of testing has been comp determined that the silt Yates Petroleu The well, at pro- pipelined to the Sec. 9-T20S-R Accepted for 1 Approval Sub Date:	pen directionally or recom r which the work will be of the involved operations. pleted. Final Abandonme te is ready for final inspec IIM Corporation is esent, produces a e State CO system R25E with order # ed for record - N M - 18 - 1 Record Purpos ject to Onsite is solve M - 18 - 1 Record Purpos ject to Onsite is M - 18 - 18	nplete horizontally, give subsurfa performed or provide the Bond . If the operation results in a m int Notices must be filed only af the operation and application. submitting an application and average of 0-10 k m including King SW SWD-5250 and Archi R-5250 IMOCD Ses. Inspection.	ace locations a No. on file with nultiple completer the rall requirer ation for vision for vision D #1 and imedes is <i>D</i> #1 and <i>imedes</i> is	Ind measured and true with BLM/BIA. Required tion or recompletion in a nents, including reclamativater pursuant to ter per day. The Archimedes SW located at Sec.	vertical depths I subsequent r a new interval ation, have be to order #7 e water is /D #1. Ki 18-T21S- (/30/// uction R	s of all pertinent markers a reports must be filed with , a Form 3160-4 must be en completed and the ope 7 and requests you is stored in a 500 b ing SWD #1 is loc R24E with order a SEE ATTACHE ONDITIONS OF A	nd zones. in 30 days filed once rator has ur approval. bbl tank and is cated at #SWD-814. D FOR ARTESIA DISTRICT APR 1 7 2017 RECEIVED	
the proposal is to deep Attach the Bond under following completion of testing has been comp determined that the silt Yates Petroleu The well, at pro- pipelined to the Sec. 9-T20S-R Accepted for 1 Approval Sub Date:	pen directionally or recom r which the work will be of the involved operations. pleted. Final Abandonme te is ready for final inspec IIM Corporation is esent, produces a e State CO system R25E with order # ed for record - N M - 18 - 1 Record Purpos ject to Onsite is solve M - 18 - 1 Record Purpos ject to Onsite is M - 18 - 18	nplete horizontally, give subsurfa performed or provide the Bond . If the operation results in a m int Notices must be filed only af the operation and application. submitting an application and average of 0-10 k m including King SW SWD-5250 and Archi R-5250 IMOCD Ses. Inspection.	ace locations a No. on file with nultiple completer the rall requirer ation for vision for vision D #1 and imedes is <i>D</i> #1 and <i>imedes</i> is	Ind measured and true with BLM/BIA. Required tion or recompletion in a nents, including reclamativater pursuant to ter per day. The Archimedes SW located at Sec.	vertical depths I subsequent ra a new interval ation, have be to order #7 e water is /D #1. Ki 18-T21S- () /J #-T21S- () /J #-T21S- () //J #-T21S- () ///J #-T21S- () ///J #-T21S- () ///////////////////////////////////	s of all pertinent markers a reports must be filed with , a Form 3160-4 must be en completed and the ope 7 and requests you s stored in a 500 b ing SWD #1 is loc R24E with order a SEE ATTACHE ONDITIONS OF A egulatory Analys	nd zones. in 30 days filed once rator has ur approval. bbl tank and is cated at #SWD-814. D FOR ARTESIA DISTRICT APR 1 7 2017 RECEIVED st	
the proposal is to deep Attach the Bond under following completion of testing has been comp determined that the sill Yates Petroleu The well, at pre pipelined to the Sec. 9-T20S-R Accepted for I Approval Sub Date:	pen directionally or recom r which the work will be of the involved operations. pleted. Final Abandonme te is ready for final inspec um Corporation is esent, produces a e State CO system 225E with order # d for record - N H - 18 - Record Purpos ject to Onsite is solic the foregoing is true Miriam Mi	nplete horizontally, give subsurfa performed or provide the Bond . If the operation results in a m int Notices must be filed only af tion. submitting an applica and average of 0-10 k m including King SWI SWD-5250 and Archi R-5250 MOCD Ses. Inspection. Ses. Inspection. THIS SPACE Machine THIS SPACE	ace locations a No. on file w nultiple comple- ter all requirer ation for v obls of wa D #1 and imedes is <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Constant <i>Constant <i>Constant <i>Constant</i> <i>Constant</i> <i>Constant</i> <i>Co</i></i></i></i>	Ind measured and true with BLM/BIA. Required tion or recompletion in a nents, including reclamativater pursuant to ter per day. The Archimedes SW located at Sec.	vertical depths I subsequent r a new interval ation, have be to order #T e water is VD #1. Ki 18-T21S- 18-T21S- (((((((((((((((((((s of all pertinent markers a reports must be filed with , a Form 3160-4 must be en completed and the ope 7 and requests you is stored in a 500 b ing SWD #1 is loc R24E with order a SEE ATTACHE ONDITIONS OF A	nd zones. in 30 days filed once rator has ur approval. bbl tank and is cated at #SWD-814. D FOR ARTESIA DISTRICT APR 1 7 2017 RECEIVED	



BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Disposal of Produced Water From Federal Wells Conditions of Approval

Approval of the produced water disposal methodology is subject to the following conditions of approval:

- 1. This agency shall be notified of any change in your method or location of disposal.
- 2. Compliance with all provisions of Onshore Order No. 7.
- 3. This agency shall be notified of any spill or discharge as required by NTL-3A.
- 4. This agency reserves the right to modify or rescind approval whenever it determines continued use of the approved method may adversely affect the surface or subsurface environments.
- 5. Any on-lease open top storage tanks shall be covered with a protective cover to prevent entry by birds and other wildlife.
- 6. This approval should not constitute the granting of any right-of-way or construction rights not granted by the lease instrument.
- 7. If water is transported via a pipeline that extends beyond the lease boundary, then you need to submit within 30 days an application for right-of-way approval to the Realty Section in this office if you have not already done so.
- 8. Disposal at any other site will require prior approval.
- 9. Subject to like approval by NMOCD.

7/10/14