Form 3160-5 (June 2015)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					Lease Serial No.     NMNM1372     If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No. NMNM85319	
Type of Well     ☐ Oil Well    ☐ Gas Well					8. Well Name and No. JOHNSTON BE FEDERAL COM 1	
Name of Operator Contact: TINA HUERTA     EOG Y RESOURCES, INC. E-Mail: tina_huerta@eogresources.com					9. API Well No. 30-015-20054	
3a. Address 104 SOUTH FOURTH STREET ARTESIA, NM 88210		3b. Phone No. (include area code) Ph: 575.748.4168 ONSERVATION		10. Field and Pool or Exploratory Area DAGGER DRAW; UPPER PENN,N		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description,		ARTESIA DISTRICT		11. County or Parish, State		
Sec 8 T19S R25E NENE 330FNL 330FEL		MAY <b>3 1</b> 2017		EDDY COUNTY, NM		
12. CHECK THE AF	PROPRIATE BOX(ES)	TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR OTH	IER DATA
TYPE OF SUBMISSION TYPE OF ACTION						
☐ Notice of Intent	☐ Acidize	☐ Dee	pen	☐ Product	ion (Start/Resume)	☐ Water Shut-Off
_	☐ Alter Casing	🗀 Нус	Iraulic Fracturing	☐ Reclama	ation	■ Well Integrity
Subsequent Report	☐ Casing Repair	□ Nev	☐ New Construction ☐ Recon		lete	☐ Other
☐ Final Abandonment Notice	☐ Change Plans	🛛 Plu	g and Abandon	☐ Temporarily Abandon		
	☐ Convert to Injection	Plu <sub>l</sub>	g Back	Back		
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.  5/9/17 - MIRU. Tubing and casing had 250 psi, bled down.  5/10/17 - NU BOP. Pumped 50 bbls down 4-1/2 inch casing. After 40 bbls, communicated up 7 inch casing, close valve. Pumped 50 bbls down 4-1/2 inch casing.  5/11/17 - Tubing and rods were parted, left in the hole tubing, SN, perf sub, bull plug, rods and pump. Tubing measurement at 7414 ft. RIH with 3.5 inch GR/JB and tagged at 7420 ft. As per Michael Elliot with BLM, set a CIBP at 6905 ft. Run gyro tool to 500 ft. Could not get reading due to gas migration. Pumped 65 bbls fresh water. RIH with gyro tool to 6905 ft.  5/12/17 - Tagged CIBP at 6905 ft. Displaced hole with 110 bbls brine mud gel. Spotted 25 sx Class C cement on top of CIBP and across Cisco top. Approximate TOC at 6537 ft. Spotted 25 sx Class C cement at 4762 ft across top of Wolfcamp. Approximate TOC at 6537 ft. Spotted 45 sx Class C cement at 4762 ft across DV tool and Abo at 4070 ft. Spotted 25 sx Class C cement at 3279 ft						
14. I hereby certify that the foregoing is true and correct.  Electronic Submission #376875 verified by the BLM Well Information System For EOG Y RESOURCES, NC., sent to the Carlsbad  Name (Printed/Typed) TINA HUERTA  Title REGULATORY SPECIALIST						
Name (Printed/Typed) TINA HUERTA			Title REGULA	ATORY SPE	CIALIST	
Signature (Electronic Submission)			Date 05/22/20	17		
_	THIS SPACE FO	R FEDERA	L OR STATE C	OFFICE ''	- n ONLY.	
Approved By  Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to conduct the second of the se						
States any false, fictitious or fraudulent st	atements or representations as t	o any matter wi	INH.			

## Additional data for EC transaction #376875 that would not fit on the form

## 32. Additional remarks, continued

across intermediate shoe. WOC. Tagged TOC for intermediate casing shoe at 2972 ft. Isolate hole in casing from surface to 20 ft. Come around 7 inch casing from 20 ft - 2972 ft. Tested to 500  $\,$ 

psi, good.
5/16/17 - Perforated at 2250 ft. Broke circulation up 7 inch casing. Pumped 24 bbls, 2 bpm at 0
psi. Pumped 400 sx Class C cement down 4-1/2 inch casing up 7 inch casing. ND BOP. Topped off
4-1/2 inch casing with cement. Robert Girndt with BLM witnessed.
5/19/17 - Dug up cellar and cut off wellhead. Installed dry hole marker. Covered cellar and cut
off all anchors. WELL IS PLUGGED AND ABANDONED.