

In Reply Refer to 3162.4 (P0220)

OXY USA Inc P O Box 50250 Midland, TX 79710

## United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 E. Greene Carlsbad, New Mexico 88220-6292 www.nm.blm.gov



MAY 1 6 2017

ARTESIA DISTRICT

Gentlemen:

## RECEIVED

Your Application for Permit to Drill (APDs) for the well listed below has expired because drilling has not commenced per Onshore Order #1:

| <u>LEASE</u> | WELL NAME AND LOCATION  | <b>EXPIRATION</b> |
|--------------|---|-------------------|
| NM104730     | Sundance 4 Federal – 1H 15-42368  | May 10, 2016      |
|              | 235'/S & 500'/E, sec. 33, T 23 S., R 31 E.  |                   |
| NM15303      | Quick Draw 9 Federal – 1H <b>/5 - 43/24</b><br>2100'/S & 380'/W, sec. 9, T. 25 S., R. 29 E. | May 13, 2017      |
|              | 2100'/S & 380'/W, sec. 9, T. 25 S., R. 29 E.  |                   |
| NM90586      | Federal 17 – 2H <b>25 - 425 76</b>  | May 13, 2017      |
|              | 187'/S & 480'/W, sec. 17, T. 22 S., R. 32 E.  |                   |

If the well has not been spud, but site construction activities have occurred please contact Jim Amos at (575) 234-5909 for surface reclamation instructions. If drilling operations have commenced send all necessary reports (spud, casing/cementing, etc., 1 original and 3 copies) to the BLM so we may correct our records.

If you wish to drill this wells at a later date, please submit a complete application (1 original and 3 copies) to this office. Since the original APD has expired, the resubmitted APD will be subject to all processing requirements including the \$6,500 application fee and the 30-day posting period. Please note on the resubmitted APD that it was previously approved and we will review the expired file for information which will help expedite the processing.

If you have any questions, please contact Jim Amos at (575) 234-5909.

Accepted for record - NMOCD

Sincerely, OMKinn

Cody Layton Assistant Field Manager, Lands & Minerals

cc: NMOCD