

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

Ken McQueen
Cabinet Secretary-Designate

Matthias Sayer
Deputy Cabinet Secretary

David R. Catanach, Division Director
Oil Conservation Division



09-Jun-17

EOG Y RESOURCES, INC.
105 S 4TH ST
ARTESIA NM 88210

LETTER OF VIOLATION - Inspection

Dear Operator:

RULE 19.15.16.8 SIGN ON WELLS

- A.** An operator shall identify wells and related facilities the division regulates by a sign, which shall remain in place until the operator plugs and abandons the well and closes the related facilities.
- B.** For drilling wells, the operator shall post the sign on the derrick or not more than 20 feet from the well.
- C.** The sign shall be of durable construction and the lettering shall be legible and large enough to be read under normal conditions at a distance of 50 feet.
- D.** The wells on each lease or property shall be numbered in non-repetitive, logical and distinctive sequence.
- F.** An operator shall have 90 days from the effective date of an operator name change to change the operator name on the well sign unless the division grants an extension of time, for good cause shown along with a schedule for making the changes.

Each sign shall show the:

- (1) well number;
- (2) property name;
- (3) operator's name;
- (4) location by footage, quarter-quarter section, township and range (or unit letter can be substituted for the quarter-quarter section), and
- (5) API number.

INSPECTION DETAIL SECTION**PRESTON FEDERAL No.001**

L-35-20S-24E

30-015-20349-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:
06/08/2017	Routine/Periodic	Tim Gum	Yes	No	8/1/2017

Inspection No.

iTWG1715945551

Comments on Inspection: OK. All Equipment and Location in Good Shape.FW.. TYPE ?? Tbg & csg valves closed .
LRP_4/17.
No Well sign. LOV>

DIAMOND AKI FEDERAL**No.001**

N-34-20S-24E

30-015-27086-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:
06/08/2017	Routine/Periodic	Tim Gum	Yes	No	8/1/2017


Inspection No.

iTWG1715942823

Comments on Inspection: OK. All Equipment and Location in Good Shape.FW.TYPE ?? All valves partially opened. >
LRP--4/17.
No well sign. LOV.
Pictures taken.

In the event that a "PLAN OF ACTION" is not received within thirty days of this letter and all compliance issues completed by the "Corrective Action Due By:" date shown above, further enforcement will occur.

Sincerely,



Artesia OCD District Office