## **NM OIL CONSERVATION**

ARTESIA DISTRICT

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

#### State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 OCT 3 1 2017 Form C-129
Revised August 1, 2011

RECEIVED post to appropriate District Office

NFO Permit No. (For Division Use Only)

## APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

	(See Rule 19.15.18.12 NMAC	and Rule 19.15.7.37 NMAC)
Α.	Applicant Apache Corporation	,
	whose address is1945 Bluestem Road	i, Artesia, NM 88210
	hereby requests an exception to Rule 19.15.1	8.12 fordays or until
	JAN UARY 30 , Yr 2018	for the following described tank battery (or LACT):
	Name of Lease D State #49 Battery	Name of Pool Yeso
		Section 36 Township 17S Range 28E
	Number of wells producing into battery	17 (30-15-32487)
B.		barrels per day, the estimated * volume
	of gas to be flared is	MCF; Valueper day.
C.	Name and location of nearest gas gathering f	acility:
D.	DistanceEstimated c	ost of connection
E.	This exception is requested for the following	reasons: This is for an extension to the
	previous one that will expire October	30, 2017
	***************************************	
OPERATOR .		OIL CONSERVATION DIVISION
Division have be	hat the rules and regulations of the Oil Conservation en complied with and that the information given above etc to the best of my knowledge and belief.	Approved Until Can. 30, 2018
Signature	(my falls	By Amalia Bantamant
Printed Name & Title	Emily Folis - Regulatory Analyst	Title Business Operations Specialist-O
E-mail Addres	emily.follis@apachecorp.com	Date Date:
Date	Telephone No. (432) 818-1801	PLEASE REFER TO ATTACHED
Gas-Oil ration	o test may be required to verify estimated gas	CONDITIONS OF APPROVAL volume.

Energy, Minerals and Natural Resources   June 19, 2008
District
130 W Grand Ave. Arsis, NM 8210   1220 South St. Francis Dr.   1220 Sout
District
Santa Fe, NM 87505
123.5 & Famics Dr. Sams Fe. NM   Sams Fe. NM   Sams Fe. NM   SUNDRY NOTICES AND REPORTS ON WELLS   To DRIEFERST RESERVOR USE: "APPLICATION FOR PERMIT (FORM-C-101) FOR SUCH   S. Well Number   D. State 49 Battery   D. St
SUNDRY NOTICES AND REPORTS ON WELLS    DO NOT USE THIS FORM NOR PROPOSALS TO DRIELL OR TO DEPEND REPUGB BACK TO A DIFFERENT RESERVOR. USE "APPLICATION FOR FERNIT" (FORM C-IOI) FOR SUCH   Proposals   Do Notice   Do Notice   Report   Do Notice   Report   Do Notice   Report
D State 49 Battery
RROPOSALS   Name of Operator   State   Other
1. Type of Well:
2. Name of Operator
3.3 Address of Operator 303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705  4. Well Location Unit Letter E : feet from the line and feet from the Line Section 36 Township 175 Range 28E NMPM County Eddy  11. Elevation (Show whether DR, RKB, RT, GR, etc.)  12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data  NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK   PLUG AND ABANDON   REMEDIAL WORK   ALTERING CASING   COMMENCE DRILLING OPNS   PAND A   DULL OR ALTER CASING   MULTIPLE COMPL   CASING/CEMENT JOB   PAND A   DOWNHOLE COMMINGLE   OTHER Fiare Gas   OTHER   OTHER Fiare Gas   OTHER    13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE I 103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.  Apache is requesting an extension to flare gas from the D State wells. Intermittent flaring will occur due to DCP's repair and plant problems. Gas will be measured prior to flaring. Wells included in the above battery are as follows: 90 DAYS 10/31/17 - 01/31/18 The last 5 digits of the API #'s to the 17 wells that go to the D State 49 Battery are  D State #11
303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705   Yeso
4. Well Location Unit Letter E : feet from theline andfeet from theline Section 36
Unit Letter E : feet from the line and feet from the line Section 36 Township 178 Range 28E NMPM County Eddy    11. Elevation (Show whether DR, RKB, RT, GR, etc.)
Section 36  Township 175 Range 28E NMPM County Eddy  11. Elevation (Show whether DR, RKB, RT, GR, etc.)  12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data  NOTICE OF INTENTION TO:  PERFORM REMEDIAL WORK   PLUG AND ABANDON   CAMPORARILY ABANDON   CHANGE PLANS   COMMENCE DRILLING OFNS   PAND A   CASING/CEMENT JOB    PULL OR ALTER CASING   MULTIPLE COMPL   CASING/CEMENT JOB   CASING/CEMENT JOB    OTHER: Flare Gas  OTHER: Flare Gas  OTHER   OTHER: Flare Gas   OTHER   CASING   COMMENCE DRILLING OFNS   PAND A   CASING/CEMENT JOB    OTHER: Flare Gas   OTHER   COMPL   CASING/CEMENT JOB   CASING/CEMENT JOB   CASING/CEMENT JOB   CASING/CEMENT JOB   CASING/CEMENT JOB   COMMENCE DRILLING OFNS   PAND A   COMMENCE
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data  NOTICE OF INTENTION TO:  PERFORM REMEDIAL WORK   PLUG AND ABANDON   CHANGE PLANS   COMMENCE DRILLING OPNS   PAND A   PAND A    DULL OR ALTER CASING   MULTIPLE COMPL   CASING/CEMENT JOB    OTHER: Flare Gas   OTHER:  13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.  Apache is requesting an extension to flare gas from the D State wells. Intermittent flaring will occur due to DCP's repair and plant problems. Gas will be measured prior to flaring. Wells included in the above battery are as follows: 90 DAYS 10/31/17 - 01/31/18  The last 5 digits of the API #'s to the 17 wells that go to the D State 49 Battery are  D State #11 - 32487   D State #49 - 38413   D State #66 - 39739  D State #12 - 32488   D State #54 - 38586   D State #67 - 39740  D State #22 - 31866   D State #51 - 38586   D State #67 - 39740  D State #22 - 31860   D State #61 - 38586   D State #74 - 39924  D State #29 - 31940   D State #61 - 389067   D State #75 - 39925  D State #48 - 38410   D State #65 - 39738  Spud Date:  Rig Release Date:  Rig Release Date:
NOTICE OF INTENTION TO:  PERFORM REMEDIAL WORK   PLUG AND ABANDON   REMEDIAL WORK   ALTERING CASING   COMMENCE DRILLING OPNS   P AND A   CASING/CEMENT JOB   P AND A   CASING/CEMENT JOB   DOWNHOLE COMMINGLE   OTHER: Flare Gas   OTHER: Flare G
NOTICE OF INTENTION TO:  PERFORM REMEDIAL WORK   PLUG AND ABANDON   REMEDIAL WORK   ALTERING CASING   COMMENCE DRILLING OPNS   P AND A   CASING/CEMENT JOB   P AND A   CASING/CEMENT JOB   DOWNHOLE COMMINGLE   OTHER: Flare Gas   OTHER: Flare G
NOTICE OF INTENTION TO:  PERFORM REMEDIAL WORK   PLUG AND ABANDON   REMEDIAL WORK   ALTERING CASING   COMMENCE DRILLING OPNS   P AND A   CASING/CEMENT JOB   P AND A   CASING/CEMENT JOB   DOWNHOLE COMMINGLE   OTHER: Flare Gas   OTHER: Flare G
PERFORM REMEDIAL WORK   PLUG AND ABANDON   REMEDIAL WORK   ALTERING CASING   PAND A    PULL OR ALTER CASING   MULTIPLE COMPL   CASING/CEMENT JOB   PAND A    OTHER: Flare Gas   WILTIPLE COMPL   CASING/CEMENT JOB   PAND A    OTHER: Flare Gas   OTHER:   CASING   PAND A    OTHER: Flare Gas   OTHER:   CASING/CEMENT JOB    OTHER: Intermittent dates, including estimated date of starting any proposed work). SEE RULE I 103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.  Apache is requesting an extension to flare gas from the D State wells. Intermittent flaring will occur due to DCP's repair and plant problems. So will be measured prior to flaring. Wells included in the above battery are as follows: 90 DAYS 10/31/17 - 01/31/18  The last 5 digits of the API #'s to the 17 wells that go to the D State 49 Battery are as follows: 90 DAYS 10/31/17 - 01/31/18  D State #11    -32487   D State #49    -38413   D State #66    -39739  D State #11    -32487   D State #49    -38413   D State #66    -39739  D State #12    -32488   D State #41    -38586   D State #67    -39740  D State #22    -31960   D State #61    -39669   D State #68    -39741  D State #23    -35659   D State #61    -39679   D State #74    -39925  D State #46    -38410   D State #54    -38586   D State #75    -39925  D State #46    -38410
PERFORM REMEDIAL WORK   PLUG AND ABANDON   REMEDIAL WORK   ALTERING CASING   PAND A    PULL OR ALTER CASING   MULTIPLE COMPL   CASING/CEMENT JOB   PAND A    OTHER: Flare Gas   WILTIPLE COMPL   CASING/CEMENT JOB   PAND A    OTHER: Flare Gas   OTHER:   CASING   PAND A    OTHER: Flare Gas   OTHER:   CASING/CEMENT JOB    OTHER: Intermittent dates, including estimated date of starting any proposed work). SEE RULE I 103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.  Apache is requesting an extension to flare gas from the D State wells. Intermittent flaring will occur due to DCP's repair and plant problems. So will be measured prior to flaring. Wells included in the above battery are as follows: 90 DAYS 10/31/17 - 01/31/18  The last 5 digits of the API #'s to the 17 wells that go to the D State 49 Battery are as follows: 90 DAYS 10/31/17 - 01/31/18  D State #11    -32487   D State #49    -38413   D State #66    -39739  D State #11    -32487   D State #49    -38413   D State #66    -39739  D State #12    -32488   D State #41    -38586   D State #67    -39740  D State #22    -31960   D State #61    -39669   D State #68    -39741  D State #23    -35659   D State #61    -39679   D State #74    -39925  D State #46    -38410   D State #54    -38586   D State #75    -39925  D State #46    -38410
PULL OR ALTER CASING DOWNHOLE COMMINGLE DOWNHOLE COMMINGLE DOTHER: Flare Gas DITHER: D
DOWNHOLE COMMINGLE  OTHER: Flare Gas  I3. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE I103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.  Apache is requesting an extension to flare gas from the D State wells. Intermittent flaring will occur due to DCP's repair and plant problems. Gas will be measured prior to flaring. Wells included in the above battery are as follows: 90 DAYS 10/31/17 - 01/31/18  The last 5 digits of the API #'s to the 17 wells that go to the D State 49 Battery are:  D State #11 - 32487
OTHER: Flare Gas  I3. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.  Apache is requesting an extension to flare gas from the D State wells. Intermittent flaring will occur due to DCP's repair and plant problems. Gas will be measured prior to flaring. Wells included in the above battery are as follows: 90 DAYS 10/31/17 - 01/31/18  The last 5 digits of the API #'s to the 17 wells that go to the D State 49 Battery are:  D State #11 -32487 D State #49 -38413 D State #66 -39739 D State #11 -32488 D State #54 -38586 D State #66 -39739 D State #22 -31965 D State #55 -38587 D State #68 -39741 D State #22 -31965 D State #55 -38587 D State #68 -39741 D State #29 -31940 D State #61 -38969 D State #74 -39924 D State #29 -31940 D State #65 -39738  NM OIL CONSERVATION ARTESIA DISTRICT  OCT 3 1 2017  Spud Date:  Rig Release Date:
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.  Apache is requesting an extension to flare gas from the D State wells. Intermittent flaring will occur due to DCP's repair and plant problems. Gas will be measured prior to flaring. Wells included in the above battery are as follows: 90 DAYS 10/31/17 - 01/31/18  The last 5 digits of the API #s to the 17 wells that go to the D State 49 Battery are:  D State #11 -32487 D State #49 -38413 D State #66 -39739 D State #12 -32488 D State #54 -38586 D State #67 -39740 D State #22 -31966 D State #55 -38587 D State #68 -39741 D State #25 -35869 D State #61 -38969 D State #68 -39741 D State #29 -31940 D State #62 -39067 D State #74 -39924 D State #29 -31940 D State #62 -39067 D State #75 -39925 D State #46 -38410 D State #65 -39738  NM OIL CONSERVATION ARTESIA DISTRICT  OCT 3 1 2017  Spud Date:  Rig Release Date:
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.  Apache is requesting an extension to flare gas from the D State wells. Intermittent flaring will occur due to DCP's repair and plant problems. Gas will be measured prior to flaring. Wells included in the above battery are as follows: 90 DAYS 10/31/17 - 01/31/18  The last 5 digits of the API #s to the 17 wells that go to the D State 49 Battery are:  D State #11 - 32487 D State #49 - 38413 D State #66 - 39739 D State #12 - 32488 D State #54 - 38586 D State #67 - 39740 D State #22 - 31966 D State #55 - 38587 D State #68 - 39741 D State #25 - 35869 D State #61 - 38969 D State #68 - 39741 D State #29 - 31940 D State #61 - 38969 D State #74 - 39924 D State #29 - 31940 D State #65 - 39738  NM OIL CONSERVATION ARTESIA DISTRICT  OCT 3 1 2017  Spud Date:  Rig Release Date:
or recompletion.  Apache is requesting an extension to flare gas from the D State wells. Intermittent flaring will occur due to DCP's repair and plant problems. Gas will be measured prior to flaring. Wells included in the above battery are as follows: 90 DAYS 10/31/17 - 01/31/18  The last 5 digits of the API #'s to the 17 wells that go to the D State 49 Battery are:  D State #11 -32487    D State #49 -38413    D State #66 -39739  D State #12 -32488    D State #54 -38586    D State #67 -39740  D State #22 -31966    D State #55 -38587    D State #68 -39741  D State #25 -35869    D State #61 -38969    D State #74 -39924  D State #29 -31940    D State #62 -39067    D State #75 -39925  D State #46 -38410    D State #65 -39738  NM OIL CONSERVATION ARTESIA DISTRICT  OCT 3 1 2017  Spud Date:  Rig Release Date:
Apache is requesting an extension to flare gas from the D State wells. Intermittent flaring will occur due to DCP's repair and plant problems. Gas will be measured prior to flaring. Wells included in the above battery are as follows: 90 DAYS 10/31/17 - 01/31/18  The last 5 digits of the API #s to the 17 wells that go to the D State 49 Battery are  D State #11 -32487 D State #49 -38413 D State #66 -39739 D State #12 -32488 D State #54 -38586 D State #67 -39740 D State #22 -31966 D State #55 -38587 D State #68 -39741 D State #25 -35869 D State #61 -38969 D State #68 -39741 D State #29 -31940 D State #62 -39067 D State #75 -39925 D State #46 -38410 D State #65 -39738  NM OIL CONSERVATION ARTESIA DISTRICT  OCT 3 1 2017  Spud Date:  Rig Release Date:
problems. Gas will be measured prior to flaring. Wells included in the above battery are as follows: 90 DAYS 10/31/17 - 01/31/18  The last 5 digits of the API #s to the 17 wells that go to the D State 49 Battery are:  D State #11 -32487    D State #49 -38413    D State #66 -39739  D State #12 -32488    D State #54 -38586    D State #67 -39740  D State #22 -31966    D State #55 -38587    D State #68 -39741  D State #25 -35869    D State #61 -38969    D State #74 -39924  D State #29 -31940    D State #62 -39067    D State #75 -39925  D State #46 -38410    D State #65 -39738  NM OIL CONSERVATION  ARTESIA DISTRICT  OCT 3 1 2017  Rig Release Date:
The last 5 digits of the API #'s to the 17 wells that go to the D State 49 Battery are:  D State #11 -32487
D State #12 -32488 D State #54 -38586 D State #67 -39740 D State #22 -31966 D State #55 -38587 D State #68 -39741 D State #25 -35869 D State #61 -38969 D State #62 -39067 D State #29 -31940 D State #62 -39067 D State #46 -38410 D State #65 -39738  NM OIL CONSERVATION ARTESIA DISTRICT  OCT 3 1 2017  Rig Release Date:  RECEIVED
D State #12 -32488 D State #54 -38586 D State #67 -39740 D State #22 -31966 D State #55 -38587 D State #68 -39741 D State #25 -35869 D State #61 -38969 D State #62 -39067 D State #29 -31940 D State #62 -39067 D State #46 -38410 D State #65 -39738  NM OIL CONSERVATION ARTESIA DISTRICT  OCT 3 1 2017  Rig Release Date:  RECEIVED
D State #25 -35869 D State #61 -38969 D State #74 -39924 D State #29 -31940 D State #62 -39067 D State #46 -38410 D State #65 -39738  NM OIL CONSERVATION ARTESIA DISTRICT  OCT 3 1 2017  Spud Date:  Rig Release Date:
D State #29 -31940 D State #62 -39067 D State #75 -39925  D State #46 -38410 D State #65 -39738  NM OIL CONSERVATION ARTESIA DISTRICT  OCT 3 1 2017  Rig Release Date:
D State #46 -38410 D State #65 -39738  NM OIL CONSERVATION ARTESIA DISTRICT  OCT 3 1 2017  Rig Release Date:
Spud Date:  Rig Release Date:  RECEIVED
Spud Date: Rig Release Date: RECEIVED
Spud Date: Rig Release Date: RECEIVED
Spud Date: Rig Release Date: RECEIVED
RECEIVED
I hereby certify that the information above is true and complete to the best of my knowledge and belief.
SIGNATURE AND THE S. Population Applied
SIGNATURE DATE 10/31/2017
Type or print name EMILY FOLLIS E-mail address: emily follis@apachecorp com PHONE: (432) 818-1801
For State Use Only
1 or order out out
APPROVED BY: AB TITLE GOOD 0-120 DATE 11/1/17

## NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

### CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days.

  <a href="http://www.gacc.nifc.gov/swcc">http://www.gacc.nifc.gov/swcc</a> (go to "Predictive Services" on SWCC website) to check for red flag warnings.</a>
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.
- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here A

DATE: 11/01/2017

# State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

David Martin Cabinet Secretary

Tony Delfin Deputy Cabinet Secretary David Catanach
Division Director
Oll Conservation Division



FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

## Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <a href="https://www.nmforestry.com">www.nmforestry.com</a> for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth
  within 30 feet of each structure. Single trees and shrubs may be retained if they are well
  spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for
  any vegetation near structures.
- · Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: http://activefiremaps.fs.fed.us/current.php

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.

# State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

David Martin Cabinet Secretary

Tony Deifin
Deputy Cabinet Secretary

David R. Catanach, Division Director
Oil Conservation Division



#### NOTICE TO OPERATORS

The Oil Conservation Division ("OCD") has been tasked to study flaring and develop a gas capture plan by the end of the year with the ultimate goal to reduce natural gas emissions.

Current OCD reporting has no specific method to differentiate flared and vented volumes reported on C-115 reports. This prevents the OCD from having quantifiable flaring data per Rule 19.15.18.12.F NMAC.

Therefore, to collect flaring volumes and differentiate actual vented volumes going forward, NMOCD will implement a new "Non-Transported Disposition" Code (for gas) to be reported on the C-115 reports. The new code will be "F" for Flared. The new code "F" is to be used to report the volume of gas that is flared on a well basis, or total volume if flared at a common battery or gathering system and reported under one point of disposition. Operators must report vented and flared volumes separately to their respective "Non Transported Disposition" code ("V" for vented and "F" for flared).

The change will become effective for the November 2015 production month with reporting due by January 15, 2016.

The NMOCD will be conducting operator outreach training sessions in the Southeast and Northwest to provide information and answer questions regarding the process.

Meeting notices will be posted on NMOCD website at: http://www.emnrd.state.nm.us/OCD/announcements.html

The C-115 instructions are available on NMOCD website at: <a href="http://www.emnrd.state.nm.us/OCD/documents/eC115\_FullInstructions.pdf">http://www.emnrd.state.nm.us/OCD/documents/eC115\_FullInstructions.pdf</a>

#### RULES

### 19.15.7.24 OPERATOR'S MONTHLY REPORT (Form C-115):

A. An operator shall file a form C-115 for each non-plugged well completion for which the division has approved a form C-104 and for each secondary or other enhanced recovery project or pressure maintenance project injection well or other injection well within the state, setting forth complete information and data indicated on the forms in the order, format and style the director prescribes. The operator shall estimate oil production from wells producing into common storage as accurately as possible on the basis of periodic tests.

#### 19.15.18.12 CASINGHEAD GAS:

F. Pending connection of a well to a gas-gathering facility, or when a well has been excepted from the provisions of Subsection A of 19.15.18.12 NMAC, the operator shall burn all gas produced and not used, and report the estimated volume on form C-115.

Thank you for your assistance in this matter. If you have any questions please contact the appropriate OCD District Office.

Sincerely,

David R. Catanach

Director, Oil Conservation Division