

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED  
OMB NO. 1004-0137  
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.  
NMNM82993

6. If Indian, Allottee or Tribe Name

**SUBMIT IN TRIPLICATE - Other instructions on page 2**7. If Unit or CA/Agreement, Name and/or No.  
NMNM84628

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other8. Well Name and No.  
GOVERNMENT U 2

2. Name of Operator

OXY USA WTP LIMITED PTNRSHIP E-Mail: david\_stewart@oxy.com

Contact: DAVID STEWART

9. API Well No.

30-015-26402-00-S1

3a. Address

HOUSTON, TX 77210

3b. Phone No. (include area code)

Ph: 432-685-5717

10. Field and Pool or Exploratory Area  
N BURTON FLAT

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 22 T20S R28E SENW

11. County or Parish, State

EDDY COUNTY, NM

**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

6/21-6/23/17 RU PU. RU WL w/ WL cutter & cut tbg @ 8405', ND tree, NU BOP & POOH w/ tbg. RIH & tag @ 8457'.

6/26-9/5/17 Work to fish & POOH w/ tbg to P&A well. Detail of fishing and milling tbg from 6/26-9/5/17 will be available upon request.

9/6/17 Continue POOH w/ tbg & wash pipe. RIH w/ overshot w/ grapple, tag TOF @ 9701', latch on, engage collar @ 9728'. PU & set jars 6 times @ 70000, no movement, set jars 3 times @ 80000, tbg came free, POOH w/ 591' tbg & BHA. Rec BLM approval from Jim Amos & Kent Caffell to start plugging operations.

9/7/17 RIH w/ tbg & tag @ 10292', clear tbg w/ BW. RD swivel, release fishing tech and reverse

PC 10-30-17  
Accepted for record - NMOC

NM OIL CONSERVATION  
ARTESIA DISTRICT  
OCT 30 2017

RECEIVED

RECLAMATION  
DUE 3-19-18

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #390520 verified by the BLM Well Information System

For OXY USA WTP LIMITED PTNRSHIP, sent to the Carlsbad

Committed to AFMSS for processing by PRISCILLA PEREZ on 10/16/2017 (17DLM0724SE)

Name (Printed/Typed) DAVID STEWART

Title SR. REGULATORY ADVISOR

Signature

(Electronic Submission)

Date 10/02/2017

Accepted for Record THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

James R. Amos

Title

Supv. DET

Date

10-23-17

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

CHO

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\*

**Additional data for EC transaction #390520 that would not fit on the form**

**32. Additional remarks, continued**

unit.

9/11/17 RIH w/ tbg to 10292', circ hole w/ 10# MLF, start to M&P 120sx CL H cmt plug, cementing/mixing system went down after 38sx cmt, displace cmt, PUH w/ tbg, WOC.

9/12/17 RIH & tag cmt @ 10040', Contact BLM-Kent Caffell, BLM Gabriel Beneway on location, plug was approved good. POOH, RIH w/ pkr & set @ 8170', attempt to test csg below pkr, EIR @ 1bpm @ 770# but no communication up 5-1/2 X 9-5/8".

9/13/17 Rel pkr & reset @ 8190', RIH & perf @ 8770', POOH. Attempt to EIR, pressure up to 1700#, no rate. Contact BLM-Kent Caffell, rec approval to spot plug. Rel pkr, RIH to 8820', M&P 30sx CL H cmt, PUH, WOC. RIH & tag cmt @ 8536', PUH & set pkr @ 6552'.

9/14/17. Attempt to test csg below pkr @ 6552', no test. RIH & perf @ 7035', EIR @ 1.5bpm @ 1200#, M&P 50sx CL C cmt w/ 2% CaCl<sub>2</sub>, SI 300#, WOC. Rel pkr & RIH & tag cmt @ 6772', PUH & set pkr @ 4819', test csg below pkr to 1500#, tested good. RIH & perf @ 5320', EIR @ 1.5bpm @ 1500#, M&P 50sx CL C cmt w/ 2% CaCl<sub>2</sub>, SI 840#, WOC.

9/15/17 Rel pkr, RIH & tag cmt @ 5134', PUH & set pkr @ 2583', test csg below pkr to 1500#, it would bleed down to 1100# in 15min. RIH & perf @ 3078', EIR @ 2bpm w/ full returns up 5-1/2 X 9-5/8", M&P 75sx CL C, SI 100#, WOC.

9/18/17 Rel pkr, rih & tag cmt @ 2882', PUH & set pkr @ 1386', test below pkr to 1000#, tested good. RIH & perf @ 1860', EIR @ 2bpm w/ full returns up 5-1/2 X 9-5/8", M&P 50sx CL C cmt w/ 2% CaCl<sub>2</sub>, SI 100#, WOC. Rel pkr, RIH & tag cmt @ 1670', POOH. RIH & perf @ 670', POOH. RD BOP, EIR w/ full circulation, M&P 240sx CL C cmt, circ cmt to surf, SI WOC.

9/19/17 ND B-1 adapter, top off cement 5' below WH, RDPU.

OXY USA WTP LP - Final P&A  
Government U #2  
API No. 30-015-26402

240sx @ 670'-Surface - Circulated

50sx @ 1860-1670' WOC-Tagged

75sx @ 3078-2882' WOC-Tagged


50sx @ 5320-5134' WOC-Tagged

50sx @ 7035-6792' WOC-Tagged

30sx @ 8820-8536' WOC-Tagged

38sx @ 10292-10040' WOC-Tagged  
TOF @ 10292' w/ pkr @ 10300'

LS pkr @ 10952' w/ blk plg



Perf @ 670'

Perf @ 1860'

Perf @ 3078'

Perf @ 5320'

Perf @ 7035'

Perf @ 8770', pressure to 1700#, no rate

Perfs @ 10391-10798'

Perfs @ 11039-11280'

17-1/2" hole @ 620'  
13-3/8" csg @ 620'  
w/ 1700sx-TOC-Surf-Circ

12-1/4" hole @ 3000'  
9-5/8" csg @ 3000'  
w/ 1950sx-TOC-Surf-Circ

7-7/8" hole @ 11525'  
5-1/2" csg @ 11525'  
w/ 1200sx-TOC-10200'-TS

TD-11525'