Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II				State of New Mexico Energy, Minerals and Natural Resources						1. WELL					orm C-105 April 3, 2017			
811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505				Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505						30-0  2. Type of Le  STA  3. State Oil &	ase TE	<b>▼</b> F	EE	☐ FED/IND	IAN			
WELL C	RR	RECOMPLETION REPORT AND LOG											二 潜浪的					
4. Reason for filit	ng:											5. Lease Nam					_	
☑ COMPLETION	ON REPOR	T (Fill in b	oxes #1								TOM WALTERS 12 23S 27E RB  6. Well Number:							
C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)										208H								
7. Type of Completion:																		
8. Name of Opera MATADOR	tor			☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR							9. OGRID							
10. Address of Op	erator					····						228937 11. Pool name or Wildcat						
5400 LBJ	FREEWA	Y, STE.		0, DALLAS, TX 75240						PURPLE SAGE;WOLFCAMP(GAS)								
12.20cution	Unit Ltr	Section		Towns	hip	Range	Range Lot		Feet from the		the	N/S Line Feet				/W Line	County	
Surface:	P	11		23S		27E				159		S		245		E	EDDY	
BH:	Р	12		23S		27E		403				S 2		239		Е	EDDY	
13. Date Spudded 06/28/17		Г.D. Reach 31/17	ed	15. Date Rig Released 08/05/17				16. Date Completed 09/19/17			(Ready to Produce) 1 R				levations (DF GR, etc.) 30			
18. Total Measure 14105/939		Vell		19. Plug Back Measured Depth 14105			pth	20. Was Directiona				l Survey Made?	1	21.		lectric and Ot	ther Logs Run	
22. Producing Interval(s), of this completion - Top, Bottom, Name 9476' - 13936'; WOLFCAMP																		
23.	<del> </del>				CAS	ING REC	ORI	D (Re	epc	ort all st	ring	gs set in we	ell)			~		
CASING SIZ	E	WEIGHT	LB./FT				HOLE SIZE			CEMENTING RECORD AMOUNT PULL					PULLED			
13 3/8		54.5	015	5		467'	-		17	1/2		556 🙋 0						
9 5/8 40.00			0 15	156 2395'			12 1/4			810 <b>C</b>				0				
7 5/8 7 5/8		29.7 29.7	o Pi	P 110 2341' 8623'				8 3/4 8 3/4			757 0				0			
7 7		29.0	~ 1	9460'				8 3/4			- 46				0			
5 1/2		20.0	0 2:	10		8514'		6 1/8			50	8 H			0			
4 1/2	TOP	13.5	<del></del>	OTTOM SACKS CEMENT			ENT	6 1/8 SCREEN SIZ			E Tba	DI	PTH :	CDT	0 DACK	ER SET		
No liner			БОТ	TION SACKS CEIVIEN			ENI	SCREEN SI			312	E IDG	101	3F 111 .	SE I	FACK	EK SE I	
	<del>                                      </del>							<del> </del>			<del>                                     </del>	Ta						
26. Perforation	record (inter	val, size, an	d numb	oer)		J		27. A	ACI	D. SHOT.	FR.	ACTURE, CE	MEN	IT. SC	DUEE	ZE, ETC.		
9476' - 1393	luster	sters/ 6 holes per @ 0.40".				DEPTH INTERVAL			AMOUNT AND KIND MATERIAL USED									
				947				76' - 13936' <u>13,231,72</u>			13,231,72	20 lbs sand; fracture treat						
PRODUCTION																		
Date First Production Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in) PROD.																		
Date of Test	Hours Te	sted	Chok	e Size		Prod'n For		Oil - l	Bbl		Ga	s - MCF	W	ater - F	Bbl.	Gas - C	Oil Ratio	
10/08/17 24		34/64			Test Period		ĺ 1	1121		2	2263	2605		20	019			
		<u> </u>	Calculated 24- Oil - Bbl.				Gas - MCF				Water - Bbl.	Oil Gravity - API - (Corr.)						
				Hour Rate 1121				2263			2605 47.8 30. Test Witnesse				J.D.			
Sold	Gas (Sold, u	ised for fuel	, vente	d, etc.)									30. I	est W	itnesse	а ву		
31. List Attachme	nts				****	<u> </u>	***										10	
DS, Logs																		
32. If a temporary	-			_			_		t.				33. R	ig Rel	ease Da	ate:	1	
34. If an on-site bu	ırıal was use	d at the we	ii, repoi	rt the e	xact loc		site bu	rial:				T 19 1		-		***	Doz	
I hereby certify	y that the i	informati	on she	own o	n hoth	Latitude  sides of this	form	is tru	ie a	nd comp	lete	Longitude	f mv	know	ledoe		.D83	
Signature /	0	no			F	Printed Name Ava M	•		u	_		Sr. Engineer	-		_	_	10/24/17	
E-mail Addres		l																

## **INSTRUCTIONS**

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southe	astern New Mexico	Northwestern New Mexico					
T. Anhy	T. Canyon_	T. Ojo Alamo	T. Penn A"				
T. Salt_	T. Strawn	T. Kirtland	T. Penn. "B"				
B. Salt_	T. Atoka	T. Fruitland	T. Penn. "C"				
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"				
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville				
T. Queen_	T. Silurian	T. Menefee	T. Madison				
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert				
T. San Andres	T. Simpson	T. Mancos	T. McCracken				
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte				
T. Paddock	T. Ellenburger_	Base Greenhorn	T.Granite				
T. Blinebry	T. Gr. Wash	T. Dakota	Base of salt: 2335'/2331'				
T.Tubb	T. Delaware Sand	T. Morrison	Top of Delaware Sands:				
T. Drinkard	T. Bone Springs	T.Todilto	2365'/2360'				
T. Abo	T	T. Entrada	Top of Bone Spring: 5805'/5785				
T. Wolfcamp	T	T. Wingate	Top of Wolfcamp: 9234'/9164'				
T. Penn	Т	T. Chinle					
T. Cisco (Bough C)	T	T. Permian					

			OIL OR GA SANDS OR ZO	NE:
No. 1, from	to	No. 3, from	to	
		No. 4, from		
	IMPORT	ANT WATER SANDS		
Include data on rate of water	er inflow and elevation to which	ch water rose in hole.		
No. 1, from	to	feet	• • • • • • • • • • • • • • • • • • • •	
		feet		
		feet		
I	LITHOLOGY RECO	RD (Attach additional sheet if	necessary)	

From	То	Thickness In Feet	Lithology	From	То	Thickness In Feet	Lithology