

State of New Mexico

Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

Ken McQueen

Cabinet Secretary

Matthias Sayer

Deputy Cabinet Secretary

David Catanach

Division Director



Response Required - Deadline Enclosed

Field Inspection Program

"Preserving the Integrity of Our Environment"

08-Nov-17

KASH OPERATING LLC

8501 North FM 1788

Midland TX 79707-9707

LETTER OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION

SOUTHERN FEDERAL No.001

A-30-19S-31E

30-015-05805-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
11/08/2017	Routine/Periodic	Tony Morales	Yes	No	2/11/2018	iTM1731239249
Violations						
General Housekeeping (Rule 114)						

Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ. STAINING AROUND WELL HEAD. CONTAMINATED MATERIAL OLD TANK BATTERY ON LOCATION 19.15.10.8

SOUTHERN FEDERAL No.002

G-30-19S-31E

30-015-05806-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
11/08/2017	Routine/Periodic	Tony Morales	Yes	No	2/11/2018	iTM1731237579
Violations						
General Housekeeping (Rule 114)						

Comments on Inspection: OK. All Equipment and Location in Good Shape. PJO. STAINING AROUND WELL HEAD / LOCATION 19.15.10.8

SOUTHERN FEDERAL No.004

K-30-19S-31E

30-015-05808-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
11/08/2017	Routine/Periodic	Tony Morales	Yes	No	2/11/2018	iTM1731237996
Violations General Housekeeping (Rule 114)						
Comments on Inspection:				OK. All Equipment and Location in Goo Shape. 19.15.10.8		
				PJ. STAINING AROUND WELL HEAD.		

SOUTHERN FEDERAL No.005

C-30-19S-31E

30-015-05809-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
11/08/2017	Routine/Periodic	Tony Morales	Yes	No	2/11/2018	iTM1731236928
Violations General Housekeeping (Rule 114)						
Comments on Inspection:				OK. All Equipment and Location in Good Shape. HOA OFF 19.15.10.8 IDLE WELL		
				PJ. STAINING AROUND WELL HEAD.		

SOUTHERN FEDERAL No.006

E-30-19S-31E

30-015-05810-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
11/08/2017	Routine/Periodic	Tony Morales	Yes	No	2/11/2018	iTM1731236475
Violations Absent Well Identification Signs (Rule 103) General Housekeeping (Rule 114)						
Comments on Inspection:				OK. All Equipment and Location in Good Shape. PJ. HOA OFF STAINING AROUND WELL HEAD. LOCATION SIGN NOT VISIBLE 19.15.10.8 / 19.15.16.8		

SOUTHERN FEDERAL No.007


M-30-19S-31E

30-015-05811-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
11/08/2017	Routine/Periodic	Tony Morales	Yes	No	2/11/2018	iTM1731235837
Violations General Housekeeping (Rule 114)						
Comments on Inspection:				OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELLHEAD HOA OFF 19.15.10.8		

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well.

Sincerely,



Artesia OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.

*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.