

State of New Mexico  
Energy, Minerals and Natural Resources Department

Susana Martinez  
Governor

Ken McQueen  
Cabinet Secretary

Matthias Sayer  
Deputy Cabinet Secretary

David Catanach  
Division Director



**\*Response Required - Deadline Enclosed\***

*Field Inspection Program*  
*"Preserving the Integrity of Our Environment"*

14-Dec-17

XTO ENERGY, INC  
500 W. ILLINOIS, STE 100  
MIDLAND TX 79701

**LETTER OF VIOLATION - Inspection**

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

**INSPECTION DETAIL SECTION**

NASH UNIT No.010				G-13-23S-29E	30-015-26992-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
12/14/2017	Routine/Periodic	Tony Morales	Yes	No	3/19/2018	iTM1734853517
Violations						
General Housekeeping (Rule 114)						
Comments on Inspection:		OK. All Equipment and Location in Good Shape.		PJ. POWER OFF	GREEN POLY ON	
		LOCATION 19.15.10.8				

NASH UNIT No.019				J-12-23S-29E	30-015-27590-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
12/14/2017	Routine/Periodic	Tony Morales	Yes	No	3/19/2018	iTM1734832098
Violations						
General Housekeeping (Rule 114)						
Comments on Inspection:		OK. All Equipment and Location in Good Shape.		PJ STAINING AROUND WELLHEAD		

<b>NASH UNIT</b>		<b>No.023</b>	E-13-23S-29E	<b>30-015-28272-00-00</b>		
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
12/14/2017	Routine/Periodic	Tony Morales	Yes	No	3/19/2018	iTM1734853210
<b>Violations</b>						
General Housekeeping (Rule 114)						
<b>Comments on Inspection:</b>		OK. All Equipment and Location in Good Shape.		PJO. STAINING AROUND WELL HEAD 19.15.10.8		

<b>NASH UNIT No.038</b>			N-13-23S-29E	<b>30-015-29737-00-00</b>		
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
12/14/2017	Routine/Periodic	Tony Morales	Yes	No	3/19/2018	iTM1734853881
<b>Violations</b>						
General Housekeeping (Rule 114)						
<b>Comments on Inspection:</b>		OK. All Equipment and Location in Good Shape.		PJ. STAINING AROUND WELL HEAD POWER OFF 19.15.10.8		

<b>REMUDA BASIN 24 STATE</b>		<b>No.001</b>	N-24-23S-29E	<b>30-015-31511-00-00</b>		
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
12/14/2017	Routine/Periodic	Tony Morales	Yes	No	3/19/2018	iTM1734854066
<b>Violations</b>						
General Housekeeping (Rule 114)						
<b>Comments on Inspection:</b>		OK. All Equipment and Location in Good Shape.		HOLDING TANKS / LOCATION STAINING 19.15.10.8		

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well.

Sincerely,



Artesia OCD District Office

**Note:** Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.  
 \*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.