Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
E inc I 21 201

	Expires:	January	3
Lease S	erial No.		

5.	Lease Serial No.
	NMNM89055

-	* O * 1'	 -	11 3.7	

SUBMIT IN TRIPLICATE - Other instructions on page In 1 200	SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enterpolicy (ADD) for the re-enterpolicy (NMNM89055 6. If Indian, Allottee or Tribe Name					
1. Type of Well Gas Well Other STBN 25 FEDRAL 2 STBN 25 FEDR	abandoned well. Use form 3160-3 (APD) for such proposations				000		·			
2. Name of Operation 2. Substituting the Secretary of Contact: JOHN SAENZ 3a, Address 3a) Address 3a) A WALL ST STE 1800 MIDLAND, TX 79701 3. Address 3. Name of Operation 3. Name of Operation 3. Address 3. Name of Operation 3. Address 3. Name of Operation 3. Address 3. Name of Operation 3. Name of Oper	SUBMIT IN	TRIPLICATE - Other inst	ructions on	page 2	VIDO		7. If Unit	or CA/Agree	ment, Na	me and/or No.
38. MALL ST STE 1800 MIDLAND, TX 79701 4. Location of Well Flooringe, Sec., T. R., M., or Survey Description) Sec 25 T24S R31E 2300FNL 330FEL 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Alter Casing Hydraulic Fracturing Subsequent Report Casing Repair Final Abandonment Notice Change Plans Plug Back Water Disposal 13. Describe Proposed or Completed Operations: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof fallowing completion of the investical part recomplete behaviorally in substitute locations and measured and into vertice allowed and subsequent report matches and ones. Attach the Bond under which the work will be performed or provide the Bond No, on file with BLMBIA. Required subsequent reports must be filed whihm 30 days following completion of the investical part recompleted in and tale one testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. 12/14/17 MIRU wireline unit. RIH wivireline and tag cement @ 7114. POOH wwireline and rig up dump baller. RIH with cement and dump another 25 of cement on top of the 10 previously dumped on top of CIBP. TOC @ 7089; existing perforations 7174'-8328', POOH with equipment, RDMO. 12/27/17 Ran MIT, pressure casing to 540#. BLM notified but was unable to witness. Chart and wellbore diagram attached. 14. I hereby certify that the foregoing is true and correct. Electronic Submission #399777 verified by the BLM Well Information System For LEGACY RESERVES OPERATIONS L. P., sent to the Carisbad Name (Printed Typed) JOHN SAENZ Title OPERATIONS ENGINEER Signature (Electronic Submission)	71			REC		8	B. Well Na BTBN	me and No. 25 FEDER	AL 2	
38. MALL ST STE 1800 MIDLAND, TX 79701 4. Location of Well Flooringe, Sec., T. R., M., or Survey Description) Sec 25 T24S R31E 2300FNL 330FEL 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Alter Casing Hydraulic Fracturing Subsequent Report Casing Repair Final Abandonment Notice Change Plans Plug Back Water Disposal 13. Describe Proposed or Completed Operations: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof fallowing completion of the investical part recomplete behaviorally in substitute locations and measured and into vertice allowed and subsequent report matches and ones. Attach the Bond under which the work will be performed or provide the Bond No, on file with BLMBIA. Required subsequent reports must be filed whihm 30 days following completion of the investical part recompleted in and tale one testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. 12/14/17 MIRU wireline unit. RIH wivireline and tag cement @ 7114. POOH wwireline and rig up dump baller. RIH with cement and dump another 25 of cement on top of the 10 previously dumped on top of CIBP. TOC @ 7089; existing perforations 7174'-8328', POOH with equipment, RDMO. 12/27/17 Ran MIT, pressure casing to 540#. BLM notified but was unable to witness. Chart and wellbore diagram attached. 14. I hereby certify that the foregoing is true and correct. Electronic Submission #399777 verified by the BLM Well Information System For LEGACY RESERVES OPERATIONS L. P., sent to the Carisbad Name (Printed Typed) JOHN SAENZ Title OPERATIONS ENGINEER Signature (Electronic Submission)	2. Name of Operator	Contact:	JOHN SAEN	Z	E/VE	5			<u></u>	
303 W WALL ST STE 1800 MIDLAND, TX 79701 4. Location of Well (Footage, Sec., T. R., M., or Survey Description) 5. Sec 25 T24S R31E 2300FNL 330FEL 11. County or Parish, State EDDY CO COUNTY, NM 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Acidize Deepen Production (Start/Resume) Water Shut-Off Alter Casing Hydraulic Fracturing Reclamation Other O		ATING LHE-Mail: jsaenz@leg								
12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent	303 W WALL ST STE 1800 MIDLAND, TX 79701		Ph: 432-68	39-5200	irea code)	1	COTT	ON DRAV	Xpiorator V	y Area
12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent	4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)				1	1. County	y or Parish, S	State	-
TYPE OF SUBMISSION Acidize	Sec 25 T24S R31E 2300FNL	330FEL					EDDY	CO COU	NTY, NI	М
Notice of Intent	12. CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICA	TE NAT	URE OF	NOTICE, R	EPORT	, OR OTH	IER DA	TA
Notice of Intent Alter Casing Hydraulic Fracturing Reclamation Well Integrity	TYPE OF SUBMISSION			7	YPE OF	ACTION				
Alter Casing Hydraulic Fracturing Reclamation Well Integrity	□ Notice of Intent	☐ Acidize	☐ Dee	pen		☐ Production	ı (Start/R	esume)	□ Wa	ter Shut-Off
Final Abandonment Notice		☐ Alter Casing	☐ Hyd	lraulic Fra	cturing	□ Reclamation	on		☐ We	ll Integrity
Convert to Injection Plug Back Water Disposal	☑ Subsequent Report	□ Casing Repair	□ Nev	v Construc	ction	☐ Recomplet	te		□ Oth	er
13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BIMB. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. 12/14/17 MIRU wireline unit. RIH w/wireline and tag cement @ 7114'. POOH w/wireline and rig up dump bailer. RIH with cement and dump another 25' of cement on top of the 10' previously dumped on top of CIBP. TOC @ 7089', existing perforations 7174'-8328'. POOH with equipment. RDMO. 12/27/17 Ran MIT, pressure casing to 540#. BLM notified but was unable to witness. Chart and wellbore diagram attached. **NMOCD** **NMOCD** **NMOCD** **Intervelopment** **Inte	☐ Final Abandonment Notice	☐ Change Plans	Plug	g and Aba	ndon		ly Abanc	lon		
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. 12/14/17 MIRU wireline unit. RIH w/wireline and tag cement @ 7114'. POOH w/wireline and rig up dump bailer. RIH with cement and dump another 25' of cement on top of the 10' previously dumped on top of CIBP. TOC @ 7089', existing perforations 7174'-8328'. POOH with equipment. RDMO. 12/27/17 Ran MIT, pressure casing to 540#. BLM notified but was unable to witness. Chart and wellbore diagram attached. **Accepted for record - NMOCD** **NMOCD** **RECEIVED** 14. 1 hereby certify that the foregoing is true and correct. **Electronic Submission #399777 verified by the BLM Well Information System For LEGACY RESERVES OPERATING LP, sent to the Carlsbad **Name (Printed/Typed)** Name (Printed/Typed)** JOHN SAENZ** Title OPERATIONS ENGINEER Signature (Electronic Submission)** Date 01/05/2018		☐ Convert to Injection	Plug	g Back		☐ Water Disp	posal			
bailer. RIH with cement and dump another 25' of cement on top of the 10' previously dumped on top of CIBP. TOC @ 7089', existing perforations 7174'-8328'. POOH with equipment. RDMO. 12/27/17 Ran MIT, pressure casing to 540#. BLM notified but was unable to witness. Chart and wellbore diagram attached. NM OIL CONSERVATION ARTESIA DISTRICT JAN 1 1 2018 RECEIVED 14. I hereby certify that the foregoing is true and correct. Electronic Submission #399777 verified by the BLM Well Information System For LEGACY RESERVES OPERATING LP, sent to the Carlsbad Name (Printed/Typed) JOHN SAENZ Title OPERATIONS ENGINEER Signature (Electronic Submission) Date 01/05/2018	If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No, on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has									
JAN 1 1 2018 RECEIVED 14. I hereby certify that the foregoing is true and correct. Electronic Submission #399777 verified by the BLM Well Information System For LEGACY RESERVES OPERATING LP, sent to the Carlsbad Name (Printed/Typed) JOHN SAENZ Title OPERATIONS ENGINEER Signature (Electronic Submission) Date 01/05/2018	bailer. RIH with cement and dump another 25' of cement on top of the 10' previously dumped on top									
RECEIVED 14. 1 hereby certify that the foregoing is true and correct. Electronic Submission #399777 verified by the BLM Well Information System For LEGACY RESERVES OPERATING LP, sent to the Carlsbad Name (Printed/Typed) JOHN SAENZ Title OPERATIONS ENGINEER Signature (Electronic Submission) Date 01/05/2018	12/27/17 Ran MIT, pressure casing to 540#. BLM notified but was unable to witness. Chart and wellbore diagram attached. NM OIL CONSERVATION.					ISIRICI				
14. I hereby certify that the foregoing is true and correct. Electronic Submission #399777 verified by the BLM Well Information System For LEGACY RESERVES OPERATING LP, sent to the Carlsbad Name (Printed/Typed) JOHN SAENZ Title OPERATIONS ENGINEER Signature (Electronic Submission) Date 01/05/2018	Accepted for record - NMOCD JAN 1 1 2018									
Name (Printed/Typed) JOHN SAENZ Title OPERATIONS ENGINEER										
Signature (Electronic Submission) Date 01/05/2018	14. I hereby certify that the foregoing is	Electronic Submission #399777 verified by the BLM Well Information System								
	Name (Printed/Typed) JOHN SAENZ Title OPERATIONS ENGINEER									
THIS SPACE FOR FEDERAL OR STATE OFFICE USE	Signature (Electronic S	Submission)		Date	01/05/20	018				
		THIS SPACE FO	R FEDERA	L OR S	TATE C	OFFICE USE				

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person kn States any false, fictitious or fraudulent statements or representations as to any matter within its

which would entitle the applicant to conduct operations thereon.

Approved By

Title

Offic

Pending BLM approvals will

subsequently be reviewed

and scanned

Date

f the United

LEGACY RESERVES LP

FIELD:

Cotton Draw

LEASE/UNIT:

BTBN "25" Federal

COUNTY:

Eddy

WELL:

20 1 000101

STATE:

New Mexico

Location: 2300' FNL & 330' FEL, Sec 25, T24S, R31E


SPUD: 6/97 COMP: 7/97

CURRENT STATUS: SI

GL = 3524'

2

AP1 = 30-015-29551



11-3/4" 42# @ 965' w/600 sx TOC @ surface by circ

8-5/8" 32# J55 @ 4,500' w/1050 sx TOC @ surface by circ

7089'

CIBP @ 7124' w/ 35' cmt

<u>Perfs:</u>

7174' - 7200'

7457' - 7856'

8208' - 8328'

5-1/2" 17# L80 @ 10,000' w/2050 sx DV tool @ 5298' w/TOC @ 3388' by TS

TD - 10,000'

