GEA GIL CONSERVATION

District 1
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 JAN 2 9 2018 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No. (For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC) **Apache Corporation Applicant** A. 1945 Bluestern Road, Artesia, NM 88210 whose address is 90 hereby requests an exception to Rule 19.15.18.12 for days or until **APRIL 28** , Yr 2018, for the following described tank battery (or LACT): _Name of Pool Yeso Empire Abo Unit F-30 Name of Lease Location of Battery: Unit Letter Section 33 Township **17S** 28E Number of wells producing into battery **70 BBL** Based upon oil production of barrels per day, the estimated * volume B. 170 mcf of gas to be flared is MCF; Value ______ per day. C. Name and location of nearest gas gathering facility: Artesia DCP Estimated cost of connection D. Distance This exception is requested for the following reasons: E. previous one that will expire JANUARY 31 2018 **METER # F127 OPERATOR** OIL CONSERVATION DIVISION I hereby certify that the rules and regulations of the Oil Conservation Division have been compiled with and that the information given above is true and complete to the best of my Anoveledge and belief. Signature Printed Name Emily Follis - Regulatory Analyst Title Business Operations Specialist-O & Title 1129/18 emily.follis@apachecorp.com Date Date: E-mail Address PLEASE REFER TO ATTACHED

CONDITIONS OF APPROVAL

Telephone No.

(432) 818-1801

01/29/18

Date

^{*} Gas-Oil ratio test may be required to verify estimated gas volume.

Diamet 1-1731 397-1610 Energy, Milinerals and Natural Resources Comment 1201 No. 1201 N	Submit 1 Copy To Appropriate District Office	State of New Me	xico	Form C-103		
District Girco G	District I = (575) 393-6161	Energy, Minerals and Natural Resources				
811 S For St. Ameria, NM 8210 Batter, H. 1903 31-46-78 1000 to bitmase Rd. Arter, NM 2710 1220 S outh St. Francis Dr. 1000 to bitmase Rd. Arter, NM 2710 1220 S outh St. Francis Dr. 1230 S outh St. Francis Dr. 1230 S outh St. Francis Dr. 1240 S outh St. Francis Dr. 1250 S outh St. Francis Dr. 1250 S outh St. Francis Dr. 1260 S outh St. F						
STATE FEE	811 S First St., Artesia, NM 88210		DIVISION			
Digital 12- (389) 478-3480 Santa F. NM 87905 6. State Oil & Cas Lese No. 8910133010						
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIPPERENT RESERVOIR USE "APPLICATION FOR REMIN" FORMS C-101) FOR SUCH (TROPOSALS 1) 1. Type of Well: Oil Well Gas Well Other S. Well Number MULTI 2. Name of Operator Agadess of Operator 3. Address of Operator 4. Well Location Unit Letter 2590 feet from the NORTH line and 2495 feet from the EAST line Section 33 Township 175 Range 28E NMPM County EDDY 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CASING/CEMENT JOB ALTERING CASING COMMENCE COM	District IV (505) 476-3460	Santa Fe, NM 87	7505			
SUNDRY NOTICES AND REPORTS ON WELLS The property of the pr				8910138010		
1. Type of Well: Oil Well Gas Well Other S. Well Number MULTI 2. Name of Operator 9. OGRID Number 873 3. Address of Operator 9. OGRID Number 873 10. Pool name or Wildcat 880 -EMPIRE-ABO 4. Well Location 9. OGRID Number 9. OGRID Num	SUNDRY NOT (DO NOT USE THIS FORM FOR PROP DIFFERENT RESERVOIR USE "APPL	OSALS TO DRILL OR TO DEEPEN OR PLI	JG BACK TO A	7. Lease Name or Ur	nit Agreement Name	
2. Name of Operator Agache Corporation B73 3. Address of Operator 4. Well Location Unit Letter 2590 Feet from the NORTH Ine and 2495 Feet from the EAST Ine Section 33 Township 17S Range 28E NMPM County EDDY 1. Elevation (Show whether DR, RKB, RT, GR, etc.) 1. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON COMMENCE ORILLING OPNS. PAND A ALTERICASING DOWN-NOLE COMMINGLE COMMENCE ORILLING OPNS. PAND A CASING/CEMENT JOB 1. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of THER: FLARE 1. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of THER: FLARE 1. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of THER: FLARE 1. OTHER: 2. OTHER: 2. OTHER: 3. OTHER: 3. OTHER: 4. OTHER: 5. OTHER		Gas Well Other		8. Well Number MULTI		
3. Address of Operator 303 Veterans Airpark Lane, Suite 1000 Midland, TX 79705 4. Well Location Unit Letter 2690 Incention the MORTH Incomplete Section 33 Incomplete Section 34 Incomplete Section 3	2. Name of Operator					
ABO - EMPIRE - ABO		W-1-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-				
Unit Letter 2590 Reet from the Section 33 Township 175 Range 28E NMPM County EDDY 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	1	i000 Midland, TX 79705				
Section 33 Township 17S Range 28E NMPM County EDDY 11. Elevation (Show whether DR, RKB, RT, GR, etc.)	4. Well Location					
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND BANADON REMEDIAL WORK ALTERING CASING PULL OR ALTER CASING MULTIPLE COMPL COMMENCE DETILLING OPNS. PAND A CASING/CEMENT JOB DOWNHOLE COMMINGLE PAND A CASING/CEMENT JOB DOWNHOLE COMMINGLE COMMENCE DETILLING OPNS. PAND A CASING/CEMENT JOB DOWNHOLE COMMINGLE COMMENCE DETILLING OPNS. PAND A CASING/CEMENT JOB DOWNHOLE COMMINGLE CASING/CEMENT JOB DOWNHOLE COMMINGLE CASING/CEMENT JOB DOWNHOLE COMMENCE DETILLING OPNS. PAND A CASING/CEMENT JOB DOWNHOLE COMMINGLE CASING/CEMENT JOB DOWNHOLE COMMINGLE CASING/CEMENT JOB PAND A CASING/CEMENT JOB PAN	Unit Letter	: 2590 feet from the NORTH	line and 2495	feet from th	ne EAST line	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:	Section 33	Township 17S Ra				
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. ALTERING CASING COMMENCE ORILLING OPNS. P AND A DULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB P AND A CASING/CEMENT JOB COMMENCE ORILLING OPNS. P AND A CASING/CEMENT JOB CASING/CEMENT JOB OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Apache completed the following work: Apache is requesting an extension to flare gas from the Empire ABO Unit F-30 Satellite effective 01/31/18 - 04/28/18 A combined total of approximately 170mc/fper day will be flared from the wells listed below. Gas will be measured prior to flaring Empire ABO Unit F-30 Satellite METER # F127 EAU 400 APIR 30-015-39072 EAU 4040 30-015-39054 EAU E-33 30-015-01501687 EAU E-32 30-015-01689 EAU E-33 30-015-01501687 EAU E-32 30-015-01689 EAU E-33 30-015-01501687 E		11. Elevation (Show whether DR,	RKB, RT, GR, etc.)			
PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS ALTERING CASING PAND A PAND A PAND A PAND A PAND A COMMENCE DRILLING OPNS PAND A PAND A	12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data					
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Apache completed the following work: Apache is requesting an extension to flare gas from the Empire ABO Unit F-30 Satellite effective 01/31/18 - 04/28/18 A combined total of approximately 170mc//per day will be flared from the wells listed below. Gas will be measured prior to flaring Empire ABO Unit F-30 Satellite METER # F127 EAU 400 API# 30-015-39072 EAU 404 30-015-39054 EAU E-30 30-015-39072 EAU 404 30-015-39055 EAU E-32 30-015-22594 EAU F-332 30-015-01695 EAU F-322 30-015-22594 EAU G-333 30-015-22631 EAU G-331 30-015-22684 EAU G-331 30-015-22631 EAU G-331 30-015-22525 Spud Date: Rig Release Date: Rig Release Date: Title Reg Analyst DATE 01/29/18 PHONE: (432) 818-1801 PHONE: (432) 818-1801 PAPPROVED BY: TITLE DATE	PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM	PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPL [REMEDIAL WORK COMMENCE DRIL CASING/CEMENT	K □ AL LING OPNS.□ P	TERING CASING	
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Apache completed the following work: Apache is requesting an extension to flare gas from the Empire ABO Unit F-30 Satellite effective 01/31/18 - 04/28/18 A combined total of approximately 170mcf/per day will be flared from the wells listed below. Gas will be measured prior to flaring Empire ABO Unit F-30 Satellite METER # F127 EAU 400 API# 30-015-39072 EAU 404 30-015-39054 EAU E-30 30-015-39073 EAU 404 30-015-01695 EAU E-33 30-015-01695 EAU E-33 30-015-01695 EAU E-33 30-015-01695 EAU G-322 30-015-01695 EAU G-322 30-015-22504 EAU G-331 30-015-22504 EAU G-333 30-015-22631 EAU G-341 30-015-21797 Spud Date: Rig Release Date: Thereby certify that the information above is true and complete to the best of my knowledge and belief. Title Reg Analyst DATE 01/29/18 Type or print name Emily Folia E-mail address: Emily folia@apachecorp.com PHONE: (432) 818-1801 APPROVED BY: TITLE DATE	WIIILIA.			give pertinent dates i	ncluding estimated date	
Apache completed the following work: Apache is requesting an extension to flare gas from the Empire ABO Unit F-30 Satellite effective 01/31/18 - 04/28/18 A combined total of approximately 170mct/per day will be flared from the wells listed below. Gas will be measured prior to flaring Empire ABO Unit F-30 Satellite METER # F127 EAU 400 API# 30-015-39072 EAU 403 40-015-39054 EAU E-32 30-015-39054 EAU E-33 30-015-01727 EAU 400 API# 30-015-01697 EAU E-32 30-015-01695 EAU E-33 30-015-01727 EAU G-322 30-015-01699 EAU F-322 30-015-22594 EAU G-331 30-015-22631 EAU G-331 30-015-22631 EAU G-331 30-015-22784 EAU G-333 30-015-22631 EAU G-341 30-015-21797 Spud Date: Rig Release Date: Rig Release Date: Title Reg Analyst DATE 01/29/18 PHONE: (432) 818-1801 PHONE: (432) 818-1801	of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of					
Apache is requesting an extension to flare gas from the Empire ABO Unit F-30 Satellite effective 01/31/18 - 04/28/18 A combined total of approximately 170mcf/per day will be flared from the wells listed below. Gas will be measured prior to flaring Empire ABO Unit F-30 Satellite METER # F127 EAU 400 API#30-015-3072 EAU 404 30-015-39054 EAU E-30 30-015-01697 EAU E-32 30-015-01695 EAU E-33 30-015-01727 EAU G-331 30-015-22594 EAU F-332 30-015-21962 EAU G-331 30-015-22631 EAU G-341 30-015-22864 EAU G-322 30-015-22525 EAU G-331 30-015-21784 EAU G-333 30-015-22631 EAU G-341 30-015-21797 Spud Date: Rig Release Date: Thereby certify that the information above is true and complete to the best of my knowledge and belief. Title Reg Analyst DATE Type or print name Emify Folics E-mail address: Emily follis@apachecorp.com PHONE: (432) 818-1801 For State Use Only APPROVED BY: TITLE DATE		•				
EAU 404 AP# 30-015-39072 EAU 404 30-015-39054 EAU E-32 30-015-01697 EAU F-322 30-015-22994 EAU G-331 30-015-21784 EAU G-333 30-015-22631 EAU G-331 30-015-21784 Spud Date: Rig Release Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledge and belief. TITLE Reg Analyst Type or print name Emily Folia Type or print name Emily Folia EAU 404 30-015-39065 EAU G-32 30-015-01689 EAU G-322 30-015-01689 EAU G-322 30-015-22525 EAU G-322 30-015-22525 EAU G-322 30-015-01689 EAU G-32 30-015-016	Apache is requesting an extension to flare gas from the Empire ABO Unit F-30 Satellite effective 01/31/18 - 04/28/18 A combined total of					
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Reg Analyst DATE 01/29/18 Type or print name Emily Folits E-mail address: Emily folits@apachecorp.com PHONE: (432) 818-1801 APPROVED BY: TITLE DATE	EAU 400 API# 30-015-39072 EAU EAU E-30 30-015-01697 EAU F-322 30-015-22594 EAU I	404 30-015-39054 EAU 405 30 E-32 30-015-01695 EAU E-33 3 F-332 30-015-21962 EAU G-291	0-015-01727 E 30-015-22864 ¥ E			
SIGNATURE TITLE Reg Analyst Type or print name Emily Folis E-mail address: Emily.folis@apachecorp.com PHONE: (432) 818-1801 APPROVED BY: DATE						
Type or print name Emily Folia: E-mail address: Emily.folia@apachecorp.com PHONE: (432) 818-1801 For State Use Only APPROVED BY: DATE	I hereby certify that the information above is true and complete to the best of my knowledge and belief.					
Type or print name Emily Folia: E-mail address: Emily.folia@apachecorp.com PHONE: (432) 818-1801 For State Use Only APPROVED BY: DATE	SIGNATURE IM	TITLE Reg An	alyst	DATE	01/29/18	
APPROVED BY: TITLE DATE	7 7 1			•		
		E-mail address	: Emily.follis@apache	ecorp.com PHON	E: (432) 818-1801	
		TITLE		DATE	***************************************	

NEW MEXICO OIL CONSERVATION DIVISION **DISTRICT 2 OFFICE** 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.
- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here -

DATE: 1/29/2018

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

David Martin
Cabinet Secretary

Tony Delfin
Deputy Cabinet Secretary

David Catanach
Division Director
Oll Conservation Division



FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth
 within 30 feet of each structure. Single trees and shrubs may be retained if they are well
 spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for
 any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: http://activefiremaps.fs.fed.us/current.php

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

David Martin Cabinet Secretary

Tony Delfin
Deputy Cabinet Secretary

David R. Catanach, Division Director Oil Conservation Division



NOTICE TO OPERATORS

The Oil Conservation Division ("OCD") has been tasked to study flaring and develop a gas capture plan by the end of the year with the ultimate goal to reduce natural gas emissions.

Current OCD reporting has no specific method to differentiate flared and vented volumes reported on C-115 reports. This prevents the OCD from having quantifiable flaring data per Rule 19.15.18.12.F NMAC.

Therefore, to collect flaring volumes and differentiate actual vented volumes going forward, NMOCD will implement a new "Non-Transported Disposition" Code (for gas) to be reported on the C-115 reports. The new code will be "F" for Flared. The new code "F" is to be used to report the volume of gas that is flared on a well basis, or total volume if flared at a common battery or gathering system and reported under one point of disposition. Operators must report vented and flared volumes separately to their respective "Non Transported Disposition" code ("V" for vented and "F" for flared).

The change will become effective for the November 2015 production month with reporting due by January 15, 2016.

The NMOCD will be conducting operator outreach training sessions in the Southeast and Northwest to provide information and answer questions regarding the process.

Meeting notices will be posted on NMOCD website at: http://www.emnrd.state.nm.us/OCD/announcements.html

The C-115 instructions are available on NMOCD website at: http://www.emnrd.state.nm.us/OCD/documents/eC115 FullInstructions.ndf

RULES

19.15.7.24 OPERATOR'S MONTHLY REPORT (Form C-115):

A. An operator shall file a form C-115 for each non-plugged well completion for which the division has approved a form C-104 and for each secondary or other enhanced recovery project or pressure maintenance project injection well or other injection well within the state, setting forth complete information and data indicated on the forms in the order, format and style the director prescribes. The operator shall estimate oil production from wells producing into common storage as accurately as possible on the basis of periodic tests.

19.15.18.12 CASINGHEAD GAS:

F. Pending connection of a well to a gas-gathering facility, or when a well has been excepted from the provisions of Subsection A of 19.15.18.12 NMAC, the operator shall burn all gas produced and not used, and report the estimated volume on form C-115.

Thank you for your assistance in this matter. If you have any questions please contact the appropriate OCD District Office.

Sincerely,

David R. Catanach

Director, Oil Conservation Division