NM OIL CONSERVATION

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Energy Minerals and Natural Resources EB 0 8 2018

Form C-129 Revised August 1, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit one copy to appropriate District Office


NFO Permit No.

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12 (See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

	whose address is						
	hereby requests an exception to Rule 19.15.18.12 for	9		days or unti			
	MAY 28 , Yr 2018, for the following described tank battery (or LACT): Name of Lease						
	Location of Battery: Unit LetterSection36 _Township17S _Range28E						
	Number of wells producing into battery						
В.	Based upon oil production of	_barrels per day,	the estimated *	volume			
	of gas to be flared isMCF; Valu	e		_per day.			
C.	Name and location of nearest gas gathering facility: DCP Artesia DistanceEstimated cost of connection						
D.							
E.	This exception is requested for the following reasons:						
	previous one that will expire 02/28/2018.						
	30.015.3/25						
RATO	Sealer de code cod constatence data del Consequetos	SERVATION D		a . a			
ion have	been complied with and that the information given above mplete to the best of my knowledge and belief. Approved	Until <u>Ma</u>	y 28, 21	018			
ature	Olicia Jula By_	Amala	a Paist	amanH			
ed Nan	me Alicia Fulton-Regulatory Analyst Title Bus	siness Operatio	ns Specialist-C				
nil Add	alicia fulton@anachecom.com	0/10	118	-,			
ALL WILLIAM	Iness Date Date	te: 🖊 🖊 🖊	110	***************************************			
		ASE REFER TO	ATTACHED				

^{*} Gas-Oil ratio test may be required to verify estimated gas volume.



Office Office	50	ate of New Me	-		Form C-103			
District I = (575) 393-6161	Energy, M	inerals and Natu	ral Resources	WELL ADINO	Revised August 1, 2011			
1625 N. French Dr., Hobbs, NM 88240 District II - (575) 748-1283				WELL API NO.				
811 S. First St., Artesia, NM 88210	OIL CON	ISERVATION	DIVISION	5. Indicate Type	of Lease			
District III - (505) 334-6178	1220	South St. Fran	cis Dr.		FEE			
1000 Rio Brazos Rd., Aztec, NM 87410 District IV - (505) 476-3460	S	anta Fe, NM 87	505	6. State Oil & Gr				
1220 S. St. Francis Dr., Santa Fe, NM	<u> </u>			v. State Off & G	is Lease No.			
87505	*							
SUNDRY NO	7. Lease Name o	r Unit Agreement Name						
(DO NOT USE THIS FORM FOR PRODIFFERENT RESERVOIR, USE "APP				D State Battery				
PROPOSALS)	P. Wall Mushau							
1. Type of Well: Oil Well	8. Well Number							
2. Name of Operator	9. OGRID Number							
Apache Corporation				873				
3. Address of Operator	10. Pool name or Wildcat							
303 Veterans Airpark Lane, Suite	Yeso							
4. Well Location								
Unit Letter	: feet fr	om the	line and	feet fro	m the line			
Section 36			nge 28E	NMPM	County Eddy			
9× 11 - 11		Show whether DR,						
	710 210 1211 017 (2			•				

12 Check	k Appropriate Bo	v to Indicate N	ature of Notice	Report or Other	Dota			
12. Clicci	r whhichtiere po	A to mulcate 14	ature or routee	, Report of Other	Data			
NOTICE OF	INTENTION TO) <u>:</u>	SUE	SEQUENT RE	PORT OF:			
PERFORM REMEDIAL WORK [REMEDIAL WO		ALTERING CASING			
	CHANGE PLAN			RILLING OPNS.	PANDA 🗍			
	MULTIPLE CO	_	CASING/CEMEN					
	<u> </u>							
OTHER: Flare Gas		7	OTHER:					
13. Describe proposed or cor								
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of								
proposed completion or i	recompletion.							
Apache is requesting an extensi	ion to temporarily flar	e the D State Batt	erv. Wells include:	d in the above batter	v are as follows: 90 day			
Flare Permit 02/28/18-05/25/20			.,,		,			
30-015-31257 30-	015-32490	30-015-38411	30	015-39069				
	015-32483	30-015-38412		015-39743				
	015-32491	30-015-38414		015-39742				
	015-30975	30-015-38585		015-39921				
	015-31390	30-015-38469		015-39922				
	·015-31586 ·015-31939	30-015-38471	30-	015-39923				
		30 015 30500	30	··· ·				
30-012-31424 30-		30-015-38588 30-015-38470		015-40310				
	·015-32484 ·015-38408	30-015-38588 30-015-38470 30-015-38589	30-	015-40310 015-40311				
30-015-31425 30- 30-015-31165 30-	015-32484	30-015-38470	30- 30-	015-40310				
30-015-31425 30-	015-32484 015-38408	30-015-38470 30-015-38589	30- 30-	015-40310 015-40311 015-40313				
30-015-31425 30- 30-015-31165 30- 30-015-32489	015-32484 015-38408	30-015-38470 30-015-38589 30-015-39068	30- 30- 30-	015-40310 015-40311 015-40313				
30-015-31425 30- 30-015-31165 30-	015-32484 015-38408	30-015-38470 30-015-38589	30- 30- 30-	015-40310 015-40311 015-40313				
30-015-31425 30- 30-015-31165 30- 30-015-32489	015-32484 015-38408	30-015-38470 30-015-38589 30-015-39068	30- 30- 30-	015-40310 015-40311 015-40313				
30-015-31425 30- 30-015-31165 30- 30-015-32489	015-32484 015-38408	30-015-38470 30-015-38589 30-015-39068	30- 30- 30-	015-40310 015-40311 015-40313				
30-015-31425 30- 30-015-31165 30- 30-015-32489	-015-32484 -015-38408 -015-38409	30-015-38470 30-015-38589 30-015-39068 Rig Release Da	30- 30- 30- 30-	015-40310 015-40311 015-40313 015-40314				
30-015-31425 30- 30-015-31165 30- 30-015-32489 Spud Date:	-015-32484 -015-38408 -015-38409	30-015-38470 30-015-38589 30-015-39068 Rig Release Da	30- 30- 30- 30-	015-40310 015-40311 015-40313 015-40314				
30-015-31425 30- 30-015-31165 30- 30-015-32489 Spud Date:	015-32484 015-38408 015-38409 on above is true and	30-015-38470 30-015-38589 30-015-39068 Rig Release Da	te:	015-40310 015-40311 015-40313 015-40314				
30-015-31425 30- 30-015-31165 30- 30-015-32489 Spud Date:	-015-32484 -015-38408 -015-38409	30-015-38470 30-015-38589 30-015-39068 Rig Release Da	te:	015-40310 015-40311 015-40313 015-40314 ge and belief.	ATE 02/07/2018			
30-015-31425 30- 30-015-31165 30- 30-015-32489 Spud Date: I hereby certify that the information of the company of the compan	015-32484 015-38408 015-38409 on above is true and	30-015-38470 30-015-38589 30-015-39068 Rig Release Da complete to the be	te:	015-40310 015-40311 015-40313 015-40314 ge and belief.				
30-015-31425 30-015-31165 30-015-32489 Spud Date: I hereby certify that the information SIGNATURE	015-32484 015-38408 015-38409 on above is true and	30-015-38470 30-015-38589 30-015-39068 Rig Release Da complete to the be	te:	015-40310 015-40311 015-40313 015-40314 ge and belief.	ATE 02/07/2018 IONE: (432) 818-1088			
30-015-31425 30- 30-015-31165 30- 30-015-32489 Spud Date: I hereby certify that the information of the company of the compan	015-32484 015-38408 015-38409 on above is true and	30-015-38470 30-015-38589 30-015-39068 Rig Release Da complete to the be	te:	015-40310 015-40311 015-40313 015-40314 ge and belief.				
30-015-31425 30- 30-015-31165 30- 30-015-32489 Spud Date: I hereby certify that the information SIGNATURE	015-32484 015-38408 015-38409 on above is true and	30-015-38470 30-015-38589 30-015-39068 Rig Release Da complete to the be TITLE Regula	te: st of my knowled; tory Analyst	015-40310 015-40311 015-40313 015-40314 ge and belief.	IONE: (432) 818-1088			
30-015-31425 30-015-31165 30-015-32489 Spud Date: I hereby certify that the information SIGNATURE	015-32484 015-38408 015-38409 on above is true and	30-015-38470 30-015-38589 30-015-39068 Rig Release Da complete to the be TITLE Regula	te:	015-40310 015-40311 015-40313 015-40314 ge and belief.				

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days.

 http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.
- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

initials

DATE: 2/19/2018

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

Ken McQueen Cabinet Secretary

Matthias Sayer Deputy Cabinet Secretary David R. Catanach, Division Director Oil Conservation Division



April 14, 2017
FOR IMMEDIATE RELEASE
Contact: Beth Wojahn (505) 476-3226 E-Mail: Beth, Wojahn@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 622 fires burned 127,221 acres on state and private land in calendar year 2016.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website:

http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa monthly.pdf

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

Ken McQueen
Cabinet Secretary

Matthias Sayer
Deputy Cabinet Secretary

David R. Catanach, Division Director Oil Conservation Division



OIL CONSERVATION DIVISION NOTICE TO OIL AND GAS OPERATORS

Vented & Flared Volumes Reporting Communication

On October 19, 2015, the Oil Conservation Division issued a Notice to Operators that implemented the "Non-Transported Disposition" Code "F" for flared gas and to report vented volumes utilizing the existing "V" code for any vented gas. The change became effective for November, 2015 production month with reporting date of January 15, 2016.

The Gas Capture Committee's continuing evaluation of volumes being reported determined that not all Operators are following the requirement to report flared and vented volumes. Out of 603 well Operators active in the state, only 51 Operators are reporting volumes using the "V" and "F" code.

It is very important that all Operators in New Mexico report flared and vented volumes since part of the evaluation will help determine any policy or requirements setting goals for reduction of flared gas.

We urge all companies to work with their operations and production accounting groups to ensure proper production reporting.

DAVID R. CATANACH, Director

March 8, 2017

RULES

19.15.7.24 OPERATOR'S MONTHLY REPORT (Form C-115):

A. An operator shall file a form C-115 for each non-plugged well completion for which the division has approved a form C-104 and for each secondary or other enhanced recovery project or pressure maintenance project injection well or other injection well within the state, setting forth complete information and data Indicated on the forms in the order, format and style the director prescribes. The operator shall estimate oil production from wells producing into common storage as accurately as possible based on periodic tests.

19.15.18.12 CASINGHEAD GAS:

F. Pending connection of a well to a gas-gathering facility, or when a well has been excepted from the provisions of **Subsection A of 19.15.18.12 NMAC**, the operator shall burn all gas produced and not used and report the estimated volume on form **C-115**.

Thank you for your assistance in this matter. If you have any questions, please contact the appropriate OCD District Office.