District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy, Minerals and Natural Resources Department

Submit Original to Appropriate District Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NM OIL CONSERVATION

Date: 02/28/18		GAS CAPTURE PLAN			FE	B 2 7 2018	
<ul> <li>✓ Original</li> <li>✓ Amended - Reason for Amendment:</li> </ul> Operator & OGRID No.: Mewbourne Oil CoRECEIVED4							
This Gas Capture Plan or new completion (new dril Note: Form C-129 must be st Well(s)/Production Facil	, recomplete ( bmitted and applicate of the second	to new zone, re-froroved prior to exceed facility	ac) activity. eding 60 days a	illowed by Rui	le (Subsection 2		
The well(s) that will be lo Well Name	API	Well Location (ULSTR)	Footages	Expected MCF/D	Flared or Vented	Comments	
Zeppelin 32 W2LI St Com #2 Zeppelin 32 W2PM St Com #		L, 32, 23S, 28E M, 32, 23S, R28E	335 FNL & 920 450 FSL & 360	E .		Online after frac Online after frac	
Zeppelin 32 W0LI St Com #1	H 30-015-44560	L, 32, 23S, R28E	2030 FSL & 20	FWL 0		Online after frac	
	to a production of the from production of the front of th	on facility after fletion facility is degrathering system acility to low/high drilling, completion	edicated to mail located in high pressure gate on and estimate	Crestwood  Eddy  athering systed first proc	County, New tem. <u>Mewbo</u> luction date f	and will be converted with Mexico. It with the summer of the company or wells that are solutions.	mected to ll require ¿ provides

## Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on <a href="Crestwood">Crestwood</a> system at that time. Based on current information, it is <a href="Operator's">Operator's</a> belief the system can take this gas upon completion of the well(s).

conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at

The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

Processing Plant located in Sec. 29, Twn. 24s, Rng. 28E, Eddy County, New Mexico.

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

## **Alternatives to Reduce Flaring**

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
  - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
  - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
  - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines