

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy, Minerals and Natural Resources Department 8 2018

Submit Original to Appropriate
District Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

RECEIVED

CAS	~ .	TANK	110	DI	A WAT
1 - 1	# 'A	$\boldsymbol{\nu}$	1 K H.	$\mathbf{r}$	. 🕰 🖎

		GAS CA	PTURE PL	AN		
Date: 03-08-18						
☑ Original		Operator	& OGRID N	lo.: <u>Mewbo</u>	urne Oil Con	npany - 14744
☐ Amended - Reason for	r Amendment:_			- <del></del>		
This Gas Capture Plan on new completion (new dril				reduce we	ll/production	facility flaring/venting fo
Note: Form C-129 must be s Well(s)/Production Faci	•	-	ding 60 days a	llowed by Rul	e (Subsection A	( of 19.15.18.12 NMAC).
The well(s) that will be lo	ocated at the pro	oduction facility a	re shown in	the table bel	ow.	
Well Name	API	Well Location (ULSTR)	Footages	Expected MCF/D	Flared or Vented	Comments
Yardbirds 2 W2CN Fee #2H	30.015 44800	C 2-245-28E	205' FNL 1980' FWL	0	NA	Online after frac
Y ARDBIRDS 2 WOCN FEE #1H	30.012	C 2-24S-28E	205' FNL & 1940' FWI	0	NA	ONLINE AFTER FRAC
place. The gas produce <u>Crestwood</u> low	to a production from production this house to the desired the desired to the desi	n facility after flo tion facility is de gathering system	edicated to _ n located in	Crestw Eddy (	ood County, New	gas transporter system is in and will be connected to Mexico. It will requir urne Oil Company provide
(periodically) to <u>Crestw</u> be drilled in the foreseen	a do	drilling, completion addition, Mewbord drilling and com	on and estimate ourne Oil Completion scheme	ed first prod mpany and dules. Gas	uction date for Crestwood from these	or wells that are scheduled to da have periodi wells will be processed a day County, New Mexico
The actual flow of the gas						
flared or vented. During f sand, the wells will be tu	lowback, the fl med to product	uids and sand contion facilities. Ga	ntent will be rus sales should	nonitored. V d start as so	When the proc on as the wel	uction tanks and gas will be duced fluids contain minimalls start flowing through the sed on current information,

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

## **Alternatives to Reduce Flaring**

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

is Operator's belief the system can take this gas upon completion of the well(s).

- Power Generation On lease
  - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
  - O Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
  - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines