District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy, Minerals and Natural Resources Department

**Submit Original** to Appropriate District Office

Oil Conservation Division Santa Fe. NM 87505

1220 South St. Francis Dr. NM OIL CONSERVATION ARTESIA DISTRICT

Dat	e:03/15/18		GAS CAPTURE PLAN			MA	R 15 2018	
×	Original Amended - Reason for A	Operator & OGRID No.: Mewbourne Oil Company - 14744 or Amendment:						
new	s Gas Capture Plan outly completion (new drill,	recomplete to	o new zone, re-fra	c) activity.		•	, ,	g for
	e: Form C-129 must be sub		-	ding 60 days a	illowed by Rul	e (Subsection A	A of 19.15.18.12 NMAC).	
The	well(s) that will be loca	ated at the pro	oduction facility a	re shown in	the table bel	ow.		
	Well Name	API	Well Location (ULSTR)	Footages	Expected MCF/D	Flared or Vented	Comments	
	Rock Spur 27 WOAP State #2H	30-015-44093	A- 27, 24S, 28E	250 FNL & 920 FEL	0		Online after frac	
	Rock Spur 27 W2AP State #1H	30-015-44092	A - 27, 24S, R28E	250 FNL & 870 FEL	0		Online after frac	

## **Gathering System and Pipeline Notification**

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is i
place. The gas produced from production facility is dedicated to Crestwood and will be connected to
Crestwood low/high pressure gathering system located in Eddy County, New Mexico. It will require
1300 ' of pipeline to connect the facility to low/high pressure gathering system. Mewbourne Oil Company provide
(periodically) to Crestwood a drilling, completion and estimated first production date for wells that are scheduled to
be drilled in the foreseeable future. In addition, Mewbourne Oil Company and Crestwood have periodic
conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed
Crestwood Processing Plant located in Sec. 29, Twn. 24s, Rng. 28E, Eddy County, New Mexico
The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

## Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on <u>Crestwood</u> system at that time. Based on current information, it is Operator's belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

## **Alternatives to Reduce Flaring**

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
  - Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
  - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
  - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines