

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-25871
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name CAL MON STATE
8. Well Number 002
9. OGRID Number 269324
10. Pool name or Wildcat HIGH LONESOME;QUEEN
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3632' GL

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator LINN OPERATING, LLC	
3. Address of Operator 600 TRAVIS ST., ST 1400, HOUSTON, TX 77002	
4. Well Location Unit Letter L : 2310 feet from the NORTH line and 512 feet from the WEST line Section 19 Township 16S Range 29E NMPM EDDY County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3632' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input checked="" type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Linn Operating, LLC is respectfully requesting approval to temporarily abandon the referenced well in Eddy County, NM per the attached proposed procedure. A current and proposed wellbore diagram is included in this submittal.

RECEIVED
MAR 22 2018
ARTESIA DISTRICT
OIL CONSERVATION

TA status may be granted after a successful MIT test is performed. Contact the OCD to schedule the test so it may be witnessed.

LAST PROD 11/1/16

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Debi Gordon TITLE Regulatory Mgr. DATE 02/27/2018

Type or print name Debi Gordon E-mail address: dgordon@linnenergy.com PHONE: 281.840.4010
For State Use Only

APPROVED BY: Debi Gordon TITLE COMPLIANCE OFFICER DATE 3/23/18
Conditions of Approval (if any):

Cal Mon 2
Eddy County, NM
API: 30-015-25871

Proposed TA Procedure

1. MIRU WOR
2. POOH laying down rods & pump
3. POOH standing back tubing
4. RU wireline, RIH w/ GR & JB to +/- 1,700', POOH
5. RIH w/ CIBP & set inside 7" 29# csg casing @ 1,669', POOH
6. RIH w/ dump bailer & dump 2 sx cmt on top of CIBP, POOH
7. Pressure test csg to a minimum of 350 psi for 15 min
8. RIH w/ tbg to new PBTD
9. Circulate well w/ 2% KCL w/ corrosion inhibitor
10. POOH laying tubing
11. RDMO WOR

Cal Mon State #002

Eddy County, NM


API: 30-015-25871

CURRENT

Tbg Detail ???

Rod Detail ???

7" 29# csg @ 1,803'
Cmt w/ 200 sx "C"



10-3/4" 34# csg @ 171'
Cmt w/ 60 sx "C"
Circ to surf

Penrose Perfs (1,719'-1,733')
15- 0.5" holes. Acidize w/ 1500 gals 10%
NE acid. Frac w/ 30,000 gals VersaGel &
57,700# 20/40 & 27,000# 12/30.

TD @ 1,804'
PBTD @ 1,790'

Cal Mon State #002

Eddy County, NM API:

30-015-25871


PROPOSED TA

Tbg Detail ???

Rod Detail ???

Proposed CIBP @ 1,669' w/
2 sx of cmt on top

7" 29# csg @ 1,803'
Cmt w/ 200 sx "C"



10-3/4" 34# csg @ 171'
Cmt w/ 60 sx "C"
Circ to surf

2% KCL w/
corrosion inhibitor

Penrose Perfs (1,719'-1,733')
15- 0.5" holes. Acidize w/ 1500 gals 10%
NE acid. Frac w/ 30,000 gals VersaGel &
57,700# 20/40 & 27,000# 12/30.

TD @ 1,804'
PBTD @ 1,790'