

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

Ken McQueen
Cabinet Secretary

Matthias Sayer
Deputy Cabinet Secretary

Heather Riley
Division Director



Response Required - Deadline Enclosed

Field Inspection Program
"Preserving the Integrity of Our Environment"

06-Apr-18

MEWBOURNE OIL CO
4801 Business Park Blvd. PO Box 5270
Hobbs NM 88240-8240

LETTER OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION

SAN LORENZO 9 PA FEE		No.001H	P-9-25S-28E	30-015-40401-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
04/05/2018	Routine/Periodic	Tony Morales	Yes	No	7/9/2018	iTM1809534372
		Violations				
		General Housekeeping (Rule 114)				
Comments on Inspection:		OK. All Equipment and Location in Good Shape. PJ. STAINING AROUND WELLHEAD. TANK BATTERIES OK 19.15.10.8				
SAN LORENZO 15 DM FEE COM		No.001H	D-15-25S-28E	30-015-40402-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
04/05/2018	Routine/Periodic	Tony Morales	Yes	No	7/9/2018	iTM1809534705
		Violations				
		General Housekeeping (Rule 114)				
Comments on Inspection:		OK. All Equipment and Location in Good Shape. STAINING IN LOCATION -BLACK POLY TANK TANK BATTERIES FRESH OIL 19.15.10.8 COMPRESSOR ON				

SAN LORENZO 9 NC FEE		No.001H	M-9-25S-28E	30-015-40749-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
04/05/2018	Routine/Periodic	Tony Morales	Yes	No	7/9/2018	iTM1809535556
Violations						
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJO STAINING AROUND WELL HEAD 19.15.10.8 TANK BATTERIES OK FLARE OK						

SAN LORENZO 22 27 KF FEE No.001H			K-22-25S-28E	30-015-40750-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
04/05/2018	Routine/Periodic	Tony Morales	Yes	No	7/9/2018	iTM1809547195
Violations						
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJO. STAINING AROUND WELL HEAD 19.15.10.8						

SAN LORENZO 9 MD FEE No.001H			M-9-25S-28E	30-015-41305-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
04/05/2018	Routine/Periodic	Tony Morales	Yes	No	7/9/2018	iTM1809535744
Violations						
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJO. STAINING AROUND WELL HEAD. OLD TANK AND PARTS ON LOCATION 19.15.10.8						

BLACK LAKE 7 MD STATE COM		No.001H	M-7-25S-28E	30-015-41776-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
04/05/2018	Routine/Periodic	Tony Morales	Yes	No	7/9/2018	iTM1809539122
Violations						
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJO. STAINING AROUND WELL HEAD.						

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well.

Sincerely,



Artesia OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.
 *Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.