Form 3160-5 (June 2015) UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELASR 0 3 2018 Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. RECEIVED SUBMIT IN TRIPLICATE - Other instructions on page 2					Expires. January 51, 2010	
					 Lease Serial No. NMNM120895 If Indian, Allottee of 	or Tribe Name
					7. If Unit or CA/Agreement, Name and/or	
					8. Well Name and No. CABO WABO 25 FEDERAL COM 3	
Oil Well Gas Well Other Contact: CATHY SEELY COG OPERATING LLC E-Mail: cseely@concho.com					9. API Well No. 30-015-42507	
3a. Address 2208 W MAIN STREET ARTESIA, NM 88210		3b. Phone No. (include area code) Ph: 575-748-1549			10. Field and Pool or Exploratory Area WILLOW LAKE BONE SPRING	
4. Location of Well <i>(Footage, Sec., T.</i>				11. County or Parish, State		
Sec 25 T25S R29E SWSE 54 32.095030 N Lat, 103.934640				EDDY COUNTY, NM		
12. CHECK THE AF	PROPRIATE BOX(ES)	TO INDICATE NA	ATURE OI	F NOTICE,	REPORT, OR OTH	HER DATA
TYPE OF SUBMISSION	TYPE OF ACTION					
⊠ Notice of Intent	☐ Acidize ☐ Alter Casing	 Deepen Hydraulic 1 	Fracturing	Product Reclamation	ion (Start/Resume)	□ Water Shut □ Well Integr
Subsequent Report				Recomp		
Final Abandonment Notice	 Change Plans Convert to Injection 			TemporWater D	porarity Abandon ng	
 Describe Proposed or Completed Ope If the proposal is to deepen directiona Attach the Bond under which the work 	ally or recomplete horizontally, rk will be performed or provide	give subsurface location	is and measur	red and true ve	rtical depths of all pertin	nent markers and zon
following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi	pandonment Notices must be fil	sults in a multiple comp	letion or reco	mpletion in a r	new interval, a Form 316	50-4 must be filed on
following completion of the involved testing has been completed. Final Ab	bandonment Notices must be fil inal inspection.	sults in a multiple comp led only after all requirer	letion or reco ments, includ CABO WA	mpletion in a r ing reclamation ABO 25 FED	new interval, a Form 316 n, have been completed O COM 3H.	50-4 must be filed of and the operator has
following completion of the involved testing has been completed. Final At determined that the site is ready for fi	bandonment Notices must be fil inal inspection.	sults in a multiple comp led only after all requirer	letion or reco ments, includ CABO WA	mpletion in a r ing reclamation ABO 25 FED	new interval, a Form 316 n, have been completed O COM 3H.	50-4 must be filed of and the operator has
following completion of the involved testing has been completed. Final At determined that the site is ready for final COG OPERATING LLC RESP	andonment Notices must be fil inal inspection. PECTFULLY REQUEST	sults in a multiple comp led only after all requirer	letion or reco ments, includ CABO WA	mpletion in a r ing reclamation ABO 25 FED	new interval, a Form 316 n, have been completed O COM 3H.	50-4 must be filed of and the operator has
following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi COG OPERATING LLC RESP FROM 2/1/18 TO 5/2/18. # OF WELLS TO FLARE: 1	andonment Notices must be fil inal inspection. PECTFULLY REQUEST	sults in a multiple comp led only after all requirer	letion or reco nents, includ CABO WA	mpletion in a t ing reclamation ABO 25 FEC	FOR REC CHED FOR	ORDS ON
following completion of the involved testing has been completed. Final At determined that the site is ready for fi COG OPERATING LLC RESF FROM 2/1/18 TO 5/2/18. # OF WELLS TO FLARE: 1 CABO WABO 25 FED COM 3 BBLS OIL/DAY: 80	andonment Notices must be fil inal inspection. PECTFULLY REQUEST	sults in a multiple comp led only after all requirer	letion or reco nents, includ CABO WA	mpletion in a t ing reclamation ABO 25 FEC	new interval, a Form 316 n, have been completed	ORDS ON
following completion of the involved testing has been completed. Final At determined that the site is ready for fi COG OPERATING LLC RESF FROM 2/1/18 TO 5/2/18. # OF WELLS TO FLARE: 1 CABO WABO 25 FED COM 3 BBLS OIL/DAY: 80 MCF/DAY: 3200 REASON: UNPLANNED MIDS	andonment Notices must be fil inal inspection. PECTFULLY REQUEST H: 30-015-42507 STREAM CURTAILMEN	sults in a multiple comp led only after all requirer	letion or reco nents, includ CABO WA	mpletion in a t ing reclamation ABO 25 FEC	FOR REC CHED FOR	ORDS ON
following completion of the involved testing has been completed. Final At determined that the site is ready for fi COG OPERATING LLC RESF FROM 2/1/18 TO 5/2/18. # OF WELLS TO FLARE: 1 CABO WABO 25 FED COM 3 BBLS OIL/DAY: 80 MCF/DAY: 3200 REASON: UNPLANNED MID:	andonment Notices must be fil inal inspection. PECTFULLY REQUEST H: 30-015-42507 STREAM CURTAILMEN STREAM CURTAILMEN For COG C Committed to AFMSS for	sults in a multiple comp led only after all requirer TO FLARE AT THE 401870 verified by th DPERATING LLC, se or processing by PRI	etion or reconnents, includ CABO WA SEE CON	ATTAC DITION	new interval, a Form 316 n, have been completed O COM 3H. FOR REC CHED FOR NS OF APPI System 6/2018 ()	ORDS ON
following completion of the involved testing has been completed. Final At determined that the site is ready for fi COG OPERATING LLC RESF FROM 2/1/18 TO 5/2/18. # OF WELLS TO FLARE: 1 CABO WABO 25 FED COM 3 BBLS OIL/DAY: 80 MCF/DAY: 3200 REASON: UNPLANNED MIDS	andonment Notices must be fil inal inspection. PECTFULLY REQUEST H: 30-015-42507 STREAM CURTAILMEN STREAM CURTAILMEN For COG C Committed to AFMSS for	sults in a multiple comp led only after all requirer TO FLARE AT THE T	etion or reconnents, includ CABO WA SEE CON	ABO 25 FEC	new interval, a Form 316 n, have been completed O COM 3H. FOR REC CHED FOR NS OF APPI System 6/2018 ()	ORDS ON
following completion of the involved testing has been completed. Final At determined that the site is ready for fi COG OPERATING LLC RESF FROM 2/1/18 TO 5/2/18. # OF WELLS TO FLARE: 1 CABO WABO 25 FED COM 3 BBLS OIL/DAY: 80 MCF/DAY: 3200 REASON: UNPLANNED MID:	andonment Notices must be fil inal inspection. PECTFULLY REQUEST H: 30-015-42507 STREAM CURTAILMEN STREAM CURTAILMEN For COG C Committed to AFMSS for EELY Submission)	sults in a multiple comp led only after all requirer TO FLARE AT THE 401870 verified by th DPERATING LLC, se or processing by PRI Title Date	CABO WA CABO WA SEE CON The BLM We nt to the Ga SCILLA PE ENGINE 01/22/2	Market Ma	new interval, a Form 316 n, have been completed D COM 3H. FOR REC CHED FOR NS OF APPH System 6/2018 () CH	ORDS ON
following completion of the involved testing has been completed. Final At determined that the site is ready for fi COG OPERATING LLC RESF FROM 2/1/18 TO 5/2/18. # OF WELLS TO FLARE: 1 CABO WABO 25 FED COM 3 BBLS OIL/DAY: 80 MCF/DAY: 3200 REASON: UNPLANNED MIDS 14. I hereby certify that the foregoing is Name (Printed/Typed) CATHY S	andonment Notices must be fil inal inspection. PECTFULLY REQUEST H: 30-015-42507 STREAM CURTAILMEN STREAM CURTAILMEN For COG C Committed to AFMSS for EELY Submission)	sults in a multiple comp led only after all requirer TO FLARE AT THE 4401870 verified by th DPERATING LLC, se or processing by PRI Title	CABO WA CABO WA SEE CON The BLM We nt to the Ga SCILLA PE ENGINE 01/22/2	Market Ma	new interval, a Form 316 n, have been completed D COM 3H. FOR REC CHED FOR NS OF APPI System 6/2018 () CH PPROVED	ORDS ON
following completion of the involved testing has been completed. Final At determined that the site is ready for fi COG OPERATING LLC RESF FROM 2/1/18 TO 5/2/18. # OF WELLS TO FLARE: 1 CABO WABO 25 FED COM 3 BBLS OIL/DAY: 80 MCF/DAY: 3200 REASON: UNPLANNED MIDS 14. I hereby certify that the foregoing is Name (Printed/Typed) CATHY S	andonment Notices must be fil inal inspection. PECTFULLY REQUEST H: 30-015-42507 STREAM CURTAILMEN STREAM CURTAILMEN For COG C Committed to AFMSS for EELY Submission) THIS SPACE FO	sults in a multiple comp led only after all requirer TO FLARE AT THE Ad01870 verified by the DPERATING LLC, set or processing by PRI Title Date DR FEDERAL OF S not warrant or	ABO WA CABO WA CABO WA SEE CON The BLM We not to the Ca SCILLA PE ENGINE 01/22/2 R STATE	Market Ma	new interval, a Form 316 n, have been completed D COM 3H. FOR REC CHED FOR NS OF APPH System 6/2018 () CH	ORDS ON

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Pursuant to, 43 CFR 3179

Lessees or operators are hereby authorized to vent or flare gas on a short-term basis <u>without incurring a</u> <u>royalty</u> obligation in the following circumstances:

- A. 43 CFR 3179.105 Emergencies (a) An operator may flare or, if flaring is not feasible given the emergency, vent gas royalty-free under §3179.4 (a) (vi) of this subpart during an emergency. For purposes of this subpart, an "emergency" is a temporary, infrequent and unavoidable situation in which the loss of gas or oil is uncontrollable or necessary to avoid risk of an immediate and substantial adverse impact on safety, public health, or the environment. For purposes of royalty assessment, an "emergency" is limited to a short-term situation of 24 hours or less (unless the BLM agrees that the emergency conditions necessitating venting or flaring extend for a longer period) caused by an unanticipated event or failure that is out of the operator's control and was not due to operator negligence.
- B. 43 CFR 3179.4 Determining when the loss of oil or gas is avoidable or unavoidable.
 (2) Avoidably lost oil or gas means: Lost oil or gas that is not "unavoidably lost," as defined in paragraph (a) of this section; waste oil that became waste oil through operator negligence; and, any "excess flared gas," as defined in §3179.7.
- C. 43 CFR 3179.5 When lost production is subject to royalty.
 (a) Royalty is due on all avoidably lost oil or gas.
 (b) Royalty is not due on any unavoidably lost oil or gas.

Condition of Approval to Flare Gas

- 1. The first 24 hours of a <u>temporary emergency flare</u> is considered "unavoidably lost" and is therefore royalty free. Flared volumes that are considered unavoidably lost are not to be included in Sundry Notice (Form 3160-5). These Volumes are not royalty bearing and shall be reported on OGOR "B" as either disposition code "21" or "22".
- Flared volumes considered to be "avoidably lost": These flare events will require prior approval via Notice of Intent- Sundry Notice (Form 3160-5). Volumes flared beyond limits defined in 43 CFR 3179.7 are considered "avoidably lost" and will require payment of royalties, unless an exception is granted in accordance with 43 CFR 3179. Volumes for avoidably lost gas shall be reported on OGOR "B" reports as disposition code "08".

If the operator believes that the flared volumes were "unavoidably lost" and the BLM determines them to be "avoidably lost", the operator can submit a more detailed request via Sundry Notice (Form 3160-5) for an exception in accordance with 43 CFR 3179.4, 3179.103 - 3179.105. As an alternative to producing oil and flaring gas the operator may choose to shut the well in and avoid paying royalties on otherwise avoidably lost gas.

3. Approval not to exceed 90 days, if flaring is still required past 90 days submit new request for approval.

- 4. Submit Subsequent Report with actual volumes of gas flared for each month gas is flared on a Sundry Notice (Form 3160-5). <u>Include method for volume determination and duration</u>. <u>Report</u> <u>unavoidably lost (first 24 hrs. of unexpected event) and avoidably lost (exceeding the first 24 hrs. or flared gas that has been approved as avoidably lost by the Authorized Officer) volumes and durations on the Subsequent Report.</u>
- 5. In determining the volumes of gas to be reported, shall be in accordance with 43 CFR 3179.4, 43 CFR 3179.5, 43 CFR 3179.9 and 43 CFR 3179.10
- 6. The operator must estimate or measure all volumes of gas vented or flared gas by one of the following methods.
 - Measure the flare gas by a meter. The meter shall meet all requirements for a sales meter as per Federal Regulations, 43 CFR 3175 (due to volume of gas being flared). Include meter serial number on Sundry Notice (Form 3160-5).
 - ii. Calculate the volume of the flared gas based on the results of a regularly performed GOR test and measured values for the volumes of oil production and gas sales, so as to allow BLM to independently verify the volume, rate, and heating value of the gas flared.

Regulation Ref: Link to 43 CFR 3179 Waste Prevention and Resources Conservation; https://www.ecfr.gov/cgi-

bin/retrieveECFR?gp=1&SID=dbd49eda8cdc488870172ed096d47be9&ty=HTML&h=L&mc=true &n=sp43.2.3170.3179&r=SUBPART

If H2S is detected in concentrations greater than 100 ppm, the Hydrogen Sulfide area shall meet Onshore Order 6 requirements.