

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

Ken McQueen
Cabinet Secretary

Matthias Sayer
Deputy Cabinet Secretary

Heather Riley
Division Director



Response Required - Deadline Enclosed

Field Inspection Program
"Preserving the Integrity of Our Environment"

07-May-18

LONGFELLOW ENERGY, LP
16803 NORTH DALLAS PARKWAY
ADDISON TX 75001

LETTER OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION

PHILLIPS 19 FEDERAL No.006				G-19-17S-29E	30-015-31227-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/07/2018	Routine/Periodic Violations	Tony Morales	Yes	No	8/10/2018	iTM1812743469
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJO+ STAINING AROUND WELLHEAD 19.15.10.8						

PHILLIPS 19 FEDERAL No.003				A-19-17S-29E	30-015-31445-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/07/2018	Routine/Periodic Violations	Tony Morales	Yes	No	8/10/2018	iTM1812743010
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELLHEAD / LOCATION 19.15.10.8 SKID ON LOCATION						

PHILLIPS 19 FEDERAL No.009

Inspection Date	Type Inspection	Inspector	Violation?	C-19-17S-29E *Significant Non-Compliance?	30-015-31539-00-00 Corrective Action Due By:	Inspection No.
05/07/2018	Routine/Periodic Violations	Tony Morales	Yes	No	8/10/2018	iTM1812741725
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELLHEAD 19.15.10.8						

PHILLIPS 19 FEDERAL No.011

Inspection Date	Type Inspection	Inspector	Violation?	1-19-17S-29E *Significant Non-Compliance?	30-015-31554-00-00 Corrective Action Due By:	Inspection No.
05/07/2018	Routine/Periodic Violations	Tony Morales	Yes	No	8/10/2018	iTM1812741368
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJO STAINING AROUND WELLHEAD 19.15.10.8						

PHILLIPS 19 FEDERAL No.010

Inspection Date	Type Inspection	Inspector	Violation?	C-19-17S-29E *Significant Non-Compliance?	30-015-31614-00-00 Corrective Action Due By:	Inspection No.
05/07/2018	Routine/Periodic Violations	Tony Morales	Yes	No	8/10/2018	iTM1812741520
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELLHEAD 19.15.10.8						

PHILLIPS 19 FEDERAL No.013

Inspection Date	Type Inspection	Inspector	Violation?	F-19-17S-29E *Significant Non-Compliance?	30-015-31633-00-00 Corrective Action Due By:	Inspection No.
05/07/2018	Routine/Periodic Violations	Tony Morales	Yes	No	8/10/2018	iTM1812740962
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELLHEAD 19.15.10.8						

PHILLIPS 19 FEDERAL No.004

Inspection Date	Type Inspection	Inspector	Violation?	H-19-17S-29E *Significant Non-Compliance?	30-015-33502-00-00 Corrective Action Due By:	Inspection No.
05/07/2018	Routine/Periodic Violations	Tony Morales	Yes	No	8/10/2018	iTM1812743649
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELLHEAD CONTAMINATED MATERIAL ON LOCATION 19.15.10.8						

PHILLIPS 19 FEDERAL No.015M

Inspection Date	Type Inspection	Inspector	Violation?	B-19-17S-29E *Significant Non-Compliance?	30-015-33503-00-00 Corrective Action Due By:	Inspection No.
05/07/2018	Routine/Periodic Violations	Tony Morales	Yes	No	8/10/2018	iTM1812742636
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELLHEAD 19.15.10.8						

PHILLIPS 19 FEDERAL No.014

Inspection Date	Type Inspection	Inspector	Violation?	F-19-17S-29E *Significant Non-Compliance?	30-015-33516-00-00 Corrective Action Due By:	Inspection No.
05/07/2018	Routine/Periodic Violations	Tony Morales	Yes	No	8/10/2018	iTM1812740760
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELLHEAD. 19.15.10.8						

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well.

Sincerely,


Artesia OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.

*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.