Form 3160-5 (September 2001)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED
OM B No. 1004-0135
Expires: January 31, 2004

5. Lease Serial No. NM 21767

	If	In	Аi	an	ΔU	otted	or	Trib	e l	Var	
_		_									

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160 - 3 (APD) for such proposals.					6. If Indian, Allottee or Tribe Name			
SUBMIT IN TR	IPLICATE- Other ins	tructions on rever	se side.	7. If Unit or	CA/Agreement, Name and/or No.			
1. Type of Well Oil Well□ □	8. Well Name and No. Worth Federal No. 5							
2. Name of Operator Stephens & J	Johnson Operating Co.			9. API Wel				
3a Address 3b. Phone No. (include area code) P O Box 2249, Wichita Falls, TX 76307 940-723-2166				30-015-30986 10. Field and Pool, or Exploratory Area				
4. Location of Well (Footage, Sec., 660' FSL, 990' FWL, S	• •)		11. County o	Draw, Delaware or Parish, State ounty, New Mexico			
12. CHECK A	PPROPRIATE BOX(ES) T	O INDICATE NATUR	E OF NOTICE, R	EPORT, OR	OTHER DATA			
TYPE OF SUBMISSION		TYF	PE OF ACTION					
Notice of Intent Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	Deepen Fracture Treat New Construction Plug and Abandon Plug Back	Production (State Reclamation Recomplete Temporarily At Water Disposal		Water Shut-Off Well Integrity Other			
If the proposal is to deepen dire	ectionally or recomplete horizont	ally, give subsurface location	ns and measured and tr	ie vertical depth	rk and approximate duration thereof. s of all pertinent markers and zones. eports shall be filed within 30 days			

following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has

1. MIRU approximately August 1, 2018. Set CIBP @ 5000' w/4 sx cement on top.

- 2. Shoot 4 way squeeze holes at 865'. Circulate cement out squeeze holes at 865' back to surface between 5 1/2" csg and 8 5/8" csg. Leave 5 1/2" csg full of cement. Estimate 300 sx cement required.
- 3. Cut csg off below plow depth and erect P&A marker.

determined that the site is ready for final inspection.)

Note: Please see attached wellbore schematics of current well condition and "Proposed Plug and Abandonment".

RECEIVED

Accepted for record - NMOCD

JUN 1 3 2018

DISTRICT II-ARTESIA O.C.D.

14. I hereby certify that the foregoing is true and correct					
Name (Printed/Typed) William M. Kincaid	Title	Petroleum E	ngineer		
Signature Will M. Kincaic	Date		06/08/2018		
THIS SPACE FOR FEDERAL OR STATE OFFICE USE					
Approved by		Title	Date		
Conditions of approval, if any, are attached. Approval of this notice does not war certify that the applicant holds legal or equitable title to those rights in the subject which would entitle the applicant to conduct operations thereon.	1	Office			
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for at States any false fictitious or fraudulent, statements or representations as to any male	ny person	knowingly and	d willfully to make to any department or agency of the United		

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this

form and the number of copies to be submitted, particularly with regard to local area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or

present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well and date well site conditioned for final inspection looking to approval of the abandonment.

NOTICE

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

This information is being collected to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT

Public reporting burden for this form is estimated to average 25 minutes per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0135), Bureau Information Collection Clearance Officer, (WO-630), Mail Stop 401 LS, 1849 C St., N.W., Washington D.C. 20240

Stephens + Johnson Operating Co.

Worth Federal No. 5 Brushy Draw, Delaware 6-8-2018

WELL FIELD DATE

MONTH LEGENAL MO. 2	Drushy Draw, welaware	6-8-2018
WELL	FIELD	DATE
PRESENT COMPLETIONX	SUGGESTED COMPLETION	WELL CLASS
•		
KB ELEVATION 2944	DF ELEVATION	GL ELEVATION
PERMANENT WELL BORE DATA		DATA ON THIS COMPLETION
	1.1 1 1.0	
85/8" 24 * C59 Set @ 815"		
cmt w/440 sx - Cmt circ	(4) 1 1 13	
to surface		
	()	
	\	
	} 	
		
	\ 	
	1 1 1 1	
	}	
		TOC @ 2750' by CBL
	[] []	
·-··		
	(4)	
	() [전	
	(2)	
-) '{	
	(7)	
	<i>\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ </i>	
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
	[4]	
<u>-</u>) []	
51/2" 15.5 t csq set @ 5268"		
Stage 1: 200 sx cmt		
Stage a: 350 sx cut	- [4]	Perts: 5112-5152
TOC @ 3750' by CBL BY Tool @ 4467'	[E(18000 gals Delta Frac 140 (254)
7.11		63 000 lbs 16/30 sand
	[4] [5]	
	[:]	
	· ·	
	PBTD - <u>5 245'</u>	
	TD - 5270'	

Worth Federal No. 5 Brushy Draw, Delaware 6-8-2018
WELL FIELD DATE Proposed Plug + Abandonment KB ELEVATION 2944 GL ELEVATION _ 2929' DF ELEVATION ___ PERMANENT WELL BORE DATA DATA ON THIS COMPLETION 85/8" 24 * csq set @ 815 cmt w/440 sx - cmt circ Circulate Cement out
Squeeze holes @ 865'

Plack to surface
between 5/2" csq and
85/8" csq. Leave 5/2"

(sq full of Cement
300 sx total to surface Perf 4 way squeeze holes @ 865'D TOC@ 2750' by CBL CIBP@ 5000 W/4 SX 5/2" 15.5 # csq set @ 5268' Stage 1: 200 sx cmt Stage 2: 350 sx cmt Perfs: 5112-5152 2000 gals 7/2 % Fercheck Acid 18 000 gals Delta Frac 140 (25ª) 63 000 lbs 16/30 Sand TOC @ 2750' by CBL PBTD - 5245' TD - 5270'

Stephens + Johnson Uperating Co.