Form 3160-5 (June 2015)	DEL	UNITED STATES	S OCD ACCHASS NTERIOR NN OIL CARTESIA DI GEMENT ARTESIA DI RTS ON WELLS JUN 27	STRICT E	FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018		
Do	o not use this	s form for proposals to	drill or to re-enter an	6 If Indian			
aba	ndoned well	l. Use form 3160-3 (AP	D) for such proposals.	IVED			
	SUBMIT IN T	RIPLICATE - Other ins	tructions on page 2	7. If Unit of	CA/Agreement, Name and/or N		
1. Type of Well Gas Well Other				THUNDE	8. Well Name and No. THUNDER ROAD FEDERAL 6 9. API Well No.		
2. Name of Operator COG OPERATIN	GLLC	Contact: E-Mail: kcastillo@	concho.com	30-015-	32330-00-S1		
3a. Address 600 W ILLINOIS A MIDLAND, TX 75			3b. Phone No. (include area code) Ph: 432-685-4332		d Pool or Exploratory Area HILLS-PADDOCK		
4. Location of Well (1	Footage, Sec., T.,	, R., M., or Survey Description	n)	11. County of	or Parish, State		
Sec 20 T17S R30	DE NWNE 990	OFNL 1650FEL		EDDY C	COUNTY, NM		
12. CHE	CK THE AP	PROPRIATE BOX(ES)	) TO INDICATE NATURE O	F NOTICE, REPORT, (	OR OTHER DATA		
TYPE OF SUBM	ISSION		TYPE OI	ACTION	CTION		
□ Notice of Intent		Acidize	Deepen	Production (Start/Re	· _		
_	Í	Alter Casing	Hydraulic Fracturing	Reclamation	U Well Integrity		
🛛 Subsequent Rep		Casing Repair	New Construction	Recomplete	Other		
Final Abandonm	nent Notice	Change Plans	Plug and Abandon	Temporarily Abando	n		
If the proposal is to d Attach the Bond under following completion	leepen directiona er which the wor of the involved pleted. Final Ab	ally or recomplete horizontally the will be performed or provid operations. If the operation re bandonment Notices must be fi	Plug Back ent details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BL/ esults in a multiple completion or reco iled only after all requirements, including	and true vertical depths o A. Required subsequent report completion in a new interval, a	ts must be filed within 30 days Form 3160-4 must be filed once		
If the proposal is to d Attach the Bond und following completion testing has been comp determined that the si 05/29/18 MIRU F POH w/ 145 jts o test csg, held 500 25 sx class C cm 576-273, WOC, to surface, Rigge off well head. We	leepen directiona er which the wor o of the involved pleted. Final Ab ite is ready for fi Plugging Equij f tbg & TAC. ( 0 psi. Spotted t @ 2850-25 05/31/18 Tac d down and r elded on "Belo	ration: Clearly state all pertin- illy or recomplete horizontally k will be performed or provid operations. If the operation re- nandonment Notices must be fi- inal inspection. pment. ND well head, PC 05/30/18 Set 5 1/2" CIBI 25 sx class C cmt @ 42 97'. Spotted 30 sx class gged plug @ 273'. ND Bi- noved off 06/15/18 Mox	ent details, including estimated starting, give subsurface locations and measure the Bond No. on file with BLM/BIA esults in a multiple completion or rec	ag date of any proposed work ared and true vertical depths of A. Required subsequent report completion in a new interval, a ling reclamation, have been co Dug out cellar NU BOP. MLF. Pressure (0) 3977'. Spotted (25 sx class C cmf (0) t (0) 60' & circulated of out cellar. Cu	ts must be filed within 30 days Form 3160-4 must be filed onc		
If the proposal is to d Attach the Bond und following completion testing has been comp determined that the si 05/29/18 MIRU F POH w/ 145 jts o test csg, held 500 25 sx class C cm 576-273' WOC.	leepen directiona er which the wor o of the involved pleted. Final Ab ite is ready for fi Plugging Equij f tbg & TAC. ( 0 psi. Spotted t @ 2850-25 05/31/18 Tac d down and r elded on "Belo	ration: Clearly state all pertinu- illy or recomplete horizontally k will be performed or provid operations. If the operation re- bandonment Notices must be fi- inal inspection. pment. ND well head, PC 05/30/18 Set 5 1/2" CIBI 25 sx class C cmt @ 42 97'. Spotted 30 sx class gged plug @ 273'. ND Bi- noved off. 06/15/18 Mov- bow Ground Dry Hole Mat	ent details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BLA esults in a multiple completion or reca iled only after all requirements, includ OH w/ rods, K-Bars, & pump. E P @ 4230'. Circulated hole w/ 230-23977'. WOC. Tagged plug C cmt @ 1200-897'. Spotted 2 OP. Spotted 25 sx class C cmi red in backhoe and welder. Du	g date of any proposed work red and true vertical depths o A. Required subsequent repor- completion in a new interval, a ling reclamation, have been ca Oug out cellar NU BOP. MLF. Pressure <u>@ 3977'</u> . Spotted <u>25 sx class C cmt @</u> t @ 60' & circulated g out cellar. Cut deadmen.	of all pertinent markers and zone ts must be filed within 30 days Form 3160-4 must be filed onc ompleted and the operator has ECLAMATION PROCEDUI		
If the proposal is to d Attach the Bond und following completion testing has been comp determined that the si 05/29/18 MIRU F POH w/ 145 jts o test csg, held 500 25 sx class C cm 576-273, WOC, to surface, Rigge off well head. We	leepen directiona er which the wor n of the involved pleted. Final Ab ite is ready for fi Plugging Equil f tbg & TAC. ( 0 psi. Spotted t @ 2850-259 05/31/18 Tac d down and f alded on "Belo , moved off.	ration: Clearly state all pertinu- illy or recomplete horizontally k will be performed or provid operations. If the operation re- bandonment Notices must be fi- inal inspection. pment. ND well head, PC 05/30/18 Set 5 1/2" CIBI 25 sx class C cmt @ 42 97'. Spotted 30 sx class gged plug @ 273'. ND By noved off. 06/15/18 Mov bow Ground Dry Hole Mat	ent details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BIA esults in a multiple completion or rec iled only after all requirements, includ OH w/ rods, K-Bars, & pump. IL P @ 4230'. Circulated hole w/ 230-3977'. WOC. Tagged plug C cmt @ 1200-897'. Spotted 20 OP. Spotted 25 sx class C cmt red in backhoe and welder. Du rker". Backfilled cellar. Cut off ted for record - NMIOCD #424498 verified by the BLM We OPERATING LLC, sent to the C cessing by PRISCILLA PEREZ of	Il Information System arlsbad in 06/18/2018 (18PP14915	of all pertinent markers and zone ts must be filed within 30 days Form 3160-4 must be filed onc ompleted and the operator has ECLAMATION PROCEDUI ATTACHED RECLAMATIO DUE <u>2-1-18</u>		
If the proposal is to d Attach the Bond und following completion testing has been com determined that the si 05/29/18 MIRU F POH w/ 145 its o test csg, held 500 25 sx class C cm 576-273, WOC, to surface, Rigge off well head. We Cleaned location	leepen directiona er which the wor n of the involved pleted. Final Ab ite is ready for fi Plugging Equil f tbg & TAC. ( 0 psi. Spotted t @ 2850-259 05/31/18 Tac d down and f elded on "Belo , moved off.	ration: Clearly state all pertinu- illy or recomplete horizontally k will be performed or provid operations. If the operation re- bandonment Notices must be fi- inal inspection. pment. ND well head, PC 05/30/18 Set 5 1/2" CIBI 25 sx class C cmt @ 42 97'. Spotted 30 sx class gged plug @ 273'. ND By noved off. 06/15/18 Mov bow Ground Dry Hole Mat	ent details, including estimated starting, give subsurface locations and measure the Bond No. on file with BLM/BL/ esults in a multiple completion or recalled only after all requirements, included OH w/ rods, K-Bars, & pump. DP @ 4230'. Circulated hole w/ 1230-3977'. WOC. Tagged plug C cmt @ 1200-897'. Spotted 25 sx class C cmi of cmt @ 1200-897'. Spotted 20 Cmt and welder. Du recer'. Backfilled cellar. Cut off for record - NMIOCD	Il Information System arlsbad in 06/18/2018 (18PP14915	of all pertinent markers and zone ts must be filed within 30 days Form 3160-4 must be filed onc ompleted and the operator has ECLAMATION PROCEDUI ATTACHED RECLAMATIO DUE <u>/2-1-/8</u>		
If the proposal is to d Attach the Bond und following completion testing has been com determined that the si 05/29/18 MIRU F POH w/ 145 jts o test csg, held 500 25 sx class C cm 576273' WOC. to surface, Rigge off well head. We Cleaned location	leepen directiona er which the wor n of the involved pleted. Final Ab ite is ready for fi Plugging Equil f tbg & TAC. ( 0 psi. Spotted t @ 2850-259 05/31/18 Tac d down and f elded on "Belo , moved off.	ration: Clearly state all pertin- illy or recomplete horizontally k will be performed or provid operations. If the operation r bandonment Notices must be final inspection. pment. ND well head, PC 05/30/18 Set 5 1/2" CIBI (25 sx class C cmt @ 42 97'. Spotted 30 sx class gged plug @ 273'. ND Bi noved off. 06/15/18 Nov bow Ground Dry Hole Man G C Accept strue and correct. Electronic Submission For COG mitted to AFMSS for pro- CASTILLO Submission)	ent details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BIA esults in a multiple completion or reca iled only after all requirements, includ OH w/ rods, K-Bars, & pump. IL P @ 4230'. Circulated hole w/ 230-3977'. WOC. Tagged plug C cmt @ 1200-897'. Spotted 20 OP. Spotted 25 sx class C cmt red in backhoe and welder. Du rker". Backfilled cellar. Cut off ted for record - NMIOCD #424498 verified by the BLM We OPERATING LLC, sent to the C cessing by PRISCILLA PEREZ of Title PREPA Date 06/18/2	ag date of any proposed work ared and true vertical depths of A. Required subsequent report completion in a new interval, a ling reclamation, have been completed Dug out cellar NU BOP. MLF. Pressure (25 sx class C cmf (25 sx class C cmf (26 cmf (	SE)		
If the proposal is to d Attach the Bond und following completion testing has been com determined that the si 05/29/18 MIRU F POH w/ 145 its o test csg, held 500 25 sx class C cm 576-273' WOC. to surface, Rigge off well head. We Cleaned location	leepen directiona er which the wor h of the involved pleted. Final Ab ite is ready for fi Plugging Equil f tbg & TAC. ( 0 psi. Spotted t @ 2850-255 05/31/18 Tac ed down and r elded on "Belo , moved off. the foregoing is Corr d) KANICIA (	ration: Clearly state all pertin- illy or recomplete horizontally k will be performed or provid operations. If the operation r bandonment Notices must be final inspection. pment. ND well head, PC 05/30/18 Set 5 1/2" CIBI (25 sx class C cmt @ 42 97'. Spotted 30 sx class gged plug @ 273'. ND Bi noved off. 06/15/18 Nov bow Ground Dry Hole Man G C Accept strue and correct. Electronic Submission For COG mitted to AFMSS for pro- CASTILLO Submission)	ent details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BIA esults in a multiple completion or reca iled only after all requirements, includ OH w/ rods, K-Bars, & pump. IL P @ 4230'. Circulated hole w/ 230-3977'. WOC. Tagged plug C cmt @ 1200-897'. Spotted 20 OP. Spotted 25 sx class C cmi red in backhoe and welder. Du rker". Backfilled cellar. Cut off ted for record - NMIOCD #424498 verified by the BLM We OPERATING LLC, sent to the C cessing by PRISCILLA PEREZ of Title PREPA	ag date of any proposed work ared and true vertical depths of A. Required subsequent report completion in a new interval, a ling reclamation, have been completed Dug out cellar NU BOP. MLF. Pressure (25 sx class C cmf (25 sx class C cmf (26 cmf (	of all pertinent markers and zone ts must be filed within 30 days Form 3160-4 must be filed onc ompleted and the operator has ECLAMATION PROCEDUI ATTACHED RECLAMATIO DUE <u>/2-1-/8</u>		
If the proposal is to d Attach the Bond und following completion testing has been com determined that the si 05/29/18 MIRU F POH w/ 145 its o test csg, held 500 25 sx class C cm 576-273' WOC. to surface, Rigge off well head. We Cleaned location	leepen directiona er which the wor h of the involved pleted. Final Ab ite is ready for fi Plugging Equil f tbg & TAC. ( 0 psi. Spotted t @ 2850-255 05/31/18 Tac ed down and r elded on "Belo , moved off. the foregoing is Corr d) KANICIA (	ration: Clearly state all pertin- illy or recomplete horizontally k will be performed or provid operations. If the operation r bandonment Notices must be final inspection. pment. ND well head, PC 05/30/18 Set 5 1/2" CIBI (25 sx class C cmt @ 42 97'. Spotted 30 sx class gged plug @ 273'. ND Bi noved off. 06/15/18 Nov bow Ground Dry Hole Man G C Accept strue and correct. Electronic Submission For COG mitted to AFMSS for pro- CASTILLO Submission)	ent details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BIA esults in a multiple completion or reca iled only after all requirements, includ OH w/ rods, K-Bars, & pump. IL P @ 4230'. Circulated hole w/ 230-3977'. WOC. Tagged plug C cmt @ 1200-897'. Spotted 20 OP. Spotted 25 sx class C cmt red in backhoe and welder. Du rker". Backfilled cellar. Cut off ted for record - NMIOCD #424498 verified by the BLM We OPERATING LLC, sent to the C cessing by PRISCILLA PEREZ of Title PREPA Date 06/18/2	Ill Information System arisbad of 0.18/2018 (18PP1491S ARequired subsequent report ompletion in a new interval, a ling reclamation, have been con- pug out cellar NU BOP. MLF. Pressure (25 sx class C cmt (2) (26 60' & circulated g out cellar. Cut deadmen.	SE)		
If the proposal is to d Attach the Bond und following completion testing has been com determined that the si 05/29/18 MIRU F POH w/ 145 its o test csg, held 500 25 sx class C cm 576-273' WOC, to surface, Rigge off well head. We Cleaned location 14. 1 hereby certify that Name (Printed/Typed Signature 	leepen directiona er which the wor n of the involved pleted. Final Ab ite is ready for fi Plugging Equil f tbg & TAC. ( D psi. Spotted t @ 2850-255 (05/31/18 Tag elded on "Belo , moved off. the foregoing is Com the foregoing is Com the foregoing is Com the foregoing is Com the foregoing is Com the foregoing is a second the foregoing is a second t	ration: Clearly state all pertinuilly or recomplete horizontally k will be performed or provid operations. If the operation re- bandonment Notices must be fi- inal inspection. pment. ND well head, PC 05/30/18 Set 5 1/2" CIBI 25 sx class C cmt @ 42 97. Spotted 30 sx class gged plug @ 273' ND Bi- noved off. 06/15/18 Mov- bow Ground Dry Hole Mat G C- Accept a true and correct. Electronic Submission i For COG nmitted to AFMSS for pro- CASTILLO Submission) THIS SPACE F	ent details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BIA esults in a multiple completion or reca iled only after all requirements, includ OH w/ rods, K-Bars, & pump. IL P @ 4230'. Circulated hole w/ 230-3977'. WOC. Tagged plug C cmt @ 1200-897'. Spotted 20 OP. Spotted 25 sx class C cmi red in backhoe and welder. Du rker". Backfilled cellar. Cut off iced for record - NMIOCD #424498 verified by the BLM We OPERATING LLC, sent to the C cessing by PRISCILLA PEREZ of Title PREPA Date 06/18/2 FOR FEDERAL OR STATE Title Es not warrant or	Il Information System arisbad of 06/18/2018 (18PP14915 MER Difference arisbad of 06/18/2018 (18PP14915 ARER	SE)		

- -

0



## **United States Department of the Interior**

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

## **Reclamation Objectives and Procedures**

**Reclamation Objective:** Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines. Strip and remove caliche, contour the location to blend with the surrounding landscape, redistribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Appropriate time for submittal would be when filing the Vell Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation

equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Henryetta Price Environmental Protection Specialist 575-234-5951

Shelly Tucker Environmental Protection Specialist 575-234-5979

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612