· · · · · · · · · · · · · · · · · · ·	UNITED STATES PARTMENT OF THE II UREAU OF LAND MANA	GEMENT NMOC	$\mathbf{C}\mathbf{D}$	OMB N Expires: J Lease Serial No.	APPROVED O. 1004-0137 anuary 31, 2018
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an				NMNM63757	
abandoned well. Use form 3160-3 (APD) for such proposals.			6.	6. If Indian, Allottee or Tribe Name	
SUBMIT IN 1	TRIPLICATE - Other inst	ructions on page 2	7.	If Unit or CA/Agre	ement, Name and/or N
1. Type of Well  S Oil Well Gas Well Other			8.	8. Well Name and No. PATTON MDP1 17 FEDERAL 2H	
2. Name of Operator OXY USA INC.	Contact: SARAH MITCHELL E-Mail: sarah_mitchell@oxy.com		9.	9. API Well No. 30-015-44460	
3a. Address P.O. BOX 50250 MIDLAND, TX 79710		3b. Phone No. (include area code) Ph: 432-699-4318	10	). Field and Pool or COTTON DRAY	Exploratory Area W, BONE SPRINC
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description,	)	11	. County or Parish,	State
Sec 8 T24S R31E Mer NMP SWSW 170FSL 846FWL 32.225060 N Lat, 103.805654 W Lon				EDDY COUNTY, NM	
12. CHECK THE AF	PPROPRIATE BOX(ES)	TO INDICATE NATURE O	F NOTICE, RE	PORT, OR OTH	HER DATA
TYPE OF SUBMISSION	TYPE OF ACTION				
□ Notice of Intent		Deepen	Production	(Start/Resume)	U Water Shut-O
Subsequent Report	Alter Casing	Hydraulic Fracturing	Reclamatio		Well Integrity
Final Abandonment Notice	Casing Repair	New Construction			Other Orilling Operation
	<ul> <li>Change Plans</li> <li>Convert to Injection</li> </ul>	Plug and Abandon Plug Back	Temporaril Water Disp		
testing has been completed. Final Ab determined that the site is ready for fi 1/8/2018 NULBOP test @ 250	pandonment Notices must be file inal inspection.	sults in a multiple completion or reco ed only after all requirements, includ ood test. RIH & tag cmt @ 43 _Drill 8-1/2" hole to 10566', we	ing reclamation, h	ave been completed a	and the operator has
testing has been completed. Final Ab determined that the site is ready for fi	andonment Notices must be fil- inal inspection. ) psi low, 5000 psi high, g T EMW= 10.5, good test. of the main wellbore, rece a curve (1/17/18). RIH w/ w/ 240 sxs (51 BBLs), 15. POOH. RIH w/ cmt stinge 9 sxs (50 BBLs) 17.5 PPG nue drilling 8-1/2" hole to 15150', pump 50 BBLs sp d, followed by 1015 sxs (2 rmed Bradenhead squeez	ed only after all requirements, includ ood test. RIH & tag cmt @ 43 Drill 8-1/2" hole to 10566', we ived verbal approval from BLN cmt stinger and tagged 10086 6 PPG cement, WOC. RIH w er, tag TOC @ 9417', pump 5 cmt, WOC. RIH w/ BHA & ta 15165'M 9985'V (1/28/2018). acer then cmt w/ 235 sxs (70 298 BBLs), 13.2 PPG, 1.65 yie ze by pumping 910 sxs (303 E	ing reclamation, h 27', drill new Mustafa Hag Mustafa Hag (cleanout asse BBLs mudflut ag cmt @ 8760 RIH & set BBLs) PPC w/ eld. TOC =	Accepted for mue embly, sh, 26 I.M. OIL AR	And the operator has H-18 ECORSERVAT TESIA DISTRICT PR-0, 3 2018
testing has been completed. Final Ab determined that the site is ready for fi 1/8/2018 NU BOP, test @ 250 formation to 4410', perform FI' inadvertently sidetracked out of to plugback well and redrill the BBLs spacer, then cemented v clean, and tag TOC @ 9417', BBLs spacer, then cmt W 280 Drill sidetrack @ 8842'. Conti 5-1/2" 20# P110 DQX csg @ ' additives, 13.2 PPG, 1.67 yield 6547' For second stage perfo additives, 12.9 PPG, 1.87 yield	andonment Notices must be fil- inal inspection. ) psi low, 5000 psi high, g. T EMW= 10.5, good test. of the main wellbore, rece a curve (1/17/18). RIH w/ w/ 240 sxs (51 BBLs), 15. POOH. RIH w/ cmt stinge 0 sxs (50 BBLs) 17.5 PPG 10 sxs (50 BBLs) 17.5 PPG nue drilling 8-1/2" hole to 15150', pump 50 BBLs sp d, followed by 1015 sxs (2 rmed Bradenhead squeez d. Ran echometer TOC =	ed only after all requirements, includ ood test. RIH & tag cmt @ 43 Drill 8-1/2" hole to 10566', we ived verbal approval from BLN cmt stinger and tagged 10086 6 PPG cement, WOC. RIH w er, tag TOC @ 9417', pump 5 cmt, WOC. RIH w/ BHA & ta 15165'M 9985'V (1/28/2018). acer then cmt w/ 235 sxs (70 298 BBLs), 13.2 PPG, 1.65 yie ze by pumping 910 sxs (303 E	ing reclamation, h 27', drill new Mustafa Hag Mustafa Hag (cleanout asse BBLs mudflut ag cmt @ 8760 RIH & set BBLs) PPC w/ eld. TOC =	Accepted for mue embly, sh, 26 I.M. OIL AR	and the operator has 4-18 ecord - NMOCD CONSERVAT TESIA DISTRICT
testing has been completed. Final Ab determined that the site is ready for fi 1/8/2018 NU BOP, test @ 250 formation to 4410', perform FI' inadvertently sidetracked out of to plugback well and redrill the BBLs spacer, then cemented of clean, and tag TOC @ 9417', BBLs spacer, then cmt w/ 280 Drill sidetrack @ 8842'. Contin 5-1/2" 20# P110 DQX csg @ ' additives, 13.2 PPG, 1.67 yield 6547' For second stage perfo additives, 12.9 PPG, 1.87 yield	andonment Notices must be fil- inal inspection. ) psi low, 5000 psi high, gr T EMW= 10.5, good test. of the main wellbore, rece a curve (1/17/18). RIH w/ w/ 240 sxs (51 BBLs), 15. POOH. RIH w/ cmt sting POOH. RIH w/ cmt sting sxs (50 BBLs) 17.5 PPG nue drilling 8-1/2" hole to 15150', pump 50 BBLs sp d, followed by 1015 sxs (2 rmed Bradenhead squeez d. Ran echometer TOC = true and correct. Electronic Submission #/ For OX Committed to AFMSS for	ed only after all requirements, includ ood test. RIH & tag cmt @ 43 Drill 8-1/2" hole to 10566', we ived verbal approval from BLN cmt stinger and tagged 10086 6 PPG cement, WOC. RIH w er, tag TOC @ 9417', pump 5 cmt, WOC. RIH w/ BHA & ta 15165'M 9985'V (1/28/2018). acer then cmt w/ 235 sxs (70 298 BBLs), 13.2 PPG, 1.65 yie ze by pumping 910 sxs (303 E	ing reclamation, ha 27', drill new M Mustafa Hag 3', pumped 26 7 cleanout asse 0 BBLs mudflus ag cmt @ 8760 RIH & set BBLs) PPC w/ elease rig	Accepted for rule embly, sh, 26 [CMf OIL AR	And the operator has H-18 ECORSERVAT TESIA DISTRICT PR-0, 3 2018
testing has been completed. Final Ab determined that the site is ready for fi 1/8/2018 NU BOP, test @ 250 formation to 4410', perform FI' inadvertently sidetracked out of to plugback well and redrill the BBLs spacer, then cemented v clean, and tag TOC @ 9417', BBLs spacer, then cmt W 280 Drill sidetrack @ 8842'. Conti 5-1/2" 20# P110 DQX csg @ ' additives, 13.2 PPG, 1.67 yield 6547' For second stage perfo additives, 12.9 PPG, 1.87 yield	andonment Notices must be fil- inal inspection. ) psi low, 5000 psi high, gr T EMW= 10.5, good test. of the main wellbore, rece a curve (1/17/18). RIH w/ w/ 240 sxs (51 BBLs), 15. POOH. RIH w/ cmt sting POOH. RIH w/ cmt sting sxs (50 BBLs) 17.5 PPG nue drilling 8-1/2" hole to 15150', pump 50 BBLs sp d, followed by 1015 sxs (2 rmed Bradenhead squeez d. Ran echometer TOC = true and correct. Electronic Submission #/ For OX Committed to AFMSS for	ed only after all requirements, includ ood test. RIH & tag cmt @ 43 Drill 8-1/2" hole to 10566', we ived verbal approval from BLN cmt stinger and tagged 10084 6 PPG cement, WOC. RIH w er, tag TOC @ 9417', pump 5 cmt, WOC. RIH w/ BHA & ta 15165'M 9985'V (1/28/2018). acer then cmt w/ 235 sxs (70 298 BBLs), 13.2 PPG, 1.65 yie ze by pumping 910 sxs (303 E = 1964'. Install well cap and re	ing reclamation, ha 27', drill new M Mustafa Hag 3', pumped 26 7 cleanout asse 0 BBLs mudflus ag cmt @ 8760 RIH & set BBLs) PPC w/ elease rig	Accepted for rue embly, sh, 26 [.[M OIL AR AR fistem 018 ()	And the operator has H-18 ECORSERVAT TESIA DISTRICT PR-0, 3 2018
testing has been completed. Final Ab determined that the site is ready for fi 1/8/2018 NU BOP, test @ 250 formation to 4410', perform FI' inadvertently sidetracked out of to plugback well and redrill the BBLs spacer, then cemented of clean, and tag TOC @ 9417', BBLs spacer, then cmt w/ 280 Drill sidetrack @ 8842'. Contin 5-1/2" 20# P110 DQX csg @ ' additives, 13.2 PPG, 1.67 yield 6547' For second stage perfo additives, 12.9 PPG, 1.87 yield	andonment Notices must be fil inal inspection. ) psi low, 5000 psi high, g T EMW= 10.5, good test. of the main wellbore, rece a curve (1/17/18). 'RIH w/ w/ 240 sxs (51 BBLs), 15. POOH. RIH w/ cmt sting POOH. RIH w/ cmt sting Sting RIH w/ cmt sting RIH w/ cmt sting	ed only after all requirements, includ ood test. RIH & tag cmt @ 43 Drill 8-1/2" hole to 10566', we ived verbal approval from BLN cmt stinger and tagged 10084 6 PPG cement, WOC. RIH w er, tag TOC @ 9417', pump 5 cmt, WOC. RIH w/ BHA & ta 15165'M 9985'V (1/28/2018). acer then cmt w/ 235 sxs (70 298 BBLs), 13.2 PPG, 1.65 yie ze by pumping 910 sxs (303 E = 1964'. Install well cap and re	ing reclamation, ha 227', drill new 21 Mustafa Hag 3', pumped 26 / cleanout asse 0. BBLs mudflus 0. BBLs mudflus ag cmt @ 8760 RIH & set BBLs) PPC w/ ald. TOC = 20 BBLs) PPC w/ alease rig	Accepted for rule embly, sh, 26 [.[M OIL AR AR Stem 018 () DVISOR	And the operator has H-18 ECONSERVAT TESIA DISTRICT PR-0, 3 2018 RECEIVER
testing has been completed. Final Ab determined that the site is ready for fi 1/8/2018 NU BOP, test @ 250 formation to 4410', perform FI' inadvertently sidetracked out of to plugback well and redrill the BBLs spacer, then cemented clean, and tag T <u>OC</u> @ 9417', BBLs spacer, then cmt W 280 Drill sidetrack @ 8842'. Contin 5-1/2" 20# P110 DQX csg @ ' additives, 13.2 PPG, 1.67 yield 6547' For second stage perfo additives, 12.9 PPG, 1.87 yield	andomment Notices must be fil inal inspection. ) psi low, 5000 psi high, gr T EMW= 10.5, good test. of the main wellbore, rece e curve (1/17/18). RIH w/ w/ 240 sxs (51 BBLs), 15. POOH. RIH w/ cmt stingg sxs (50 BBLs) 17.5 PPG nue drilling 8-1/2" hole to 15150', pump 50 BBLs sp d, followed by 1015 sxs (2 rmed Bradenhead squeez d. Ran echometer TOC = true and correct. Electronic Submission #4 For OX Committed to AFMSS for 'EWART Submission)	ed only after all requirements, includ ood test. RIH & tag cmt @ 43 Drill 8-1/2" hole to 10566', we ived verbal approval from BLM cmt stinger and tagged 10086 6 PPG cement, WOC. RIH we er, tag TOC @ 9417', pump 5 cmt, WOC. RIH w/ BHA & ta 15165'M 9985'V (1/28/2018), acer then cmt w/ 235 sxs (70 298 BBLs), 13.2 PPG, 1.65 yie ze by pumping 910 sxs (303 E 1964'. Install well cap and re 407159 verified by the BLM Well Y USA INC., sent to the Carlsb processing by JENNIFER SANC Title SR. REE	ing reclamation, hi 27', drill new Mustafa Hag 3', pumped 26 / cleanout asse 0. BBLs mudflus ag cmt @ 8760 RIH & set BBLs) PPC w/ eld. TOC = BBLs) PPC w/ eld. TOC = BBLs) PPC w/ elease rig	Accepted for rule ambly, sh, 26 [.[Mf OIL AR AR AR (018 () DVISOR	And the operator has H-18 ECONSERVAT TESIA DISTRICT PR-0, 3 2018 RECEIVER
testing has been completed. Final Ab determined that the site is ready for fi 1/8/2018 NU BOP, test @ 250 formation to 4410', perform FI' inadvertently sidetracked out o to plugback well and redrill the BBLs spacer, then cemented v clean, and tag TOC @ 94.17', BBLs spacer, then cmt w/ 280 Drill sidetrack @ 8842'. Contil 5-1/2" 20# P110 DQX csg @ ' additives, 13.2 PPG, 1.67 yield 6547' For second stage perfo additives, 12.9 PPG, 1.87 yield 14. 1 hereby certify that the foregoing is Name (Printed/Typed) DAVID ST Signature (Electronic S	andomment Notices must be fil inal inspection. ) psi low, 5000 psi high, gr T EMW= 10.5, good test. of the main wellbore, rece e curve (1/17/18). RIH w/ w/ 240 sxs (51 BBLs), 15. POOH. RIH w/ cmt stingg sxs (50 BBLs) 17.5 PPG nue drilling 8-1/2" hole to 15150', pump 50 BBLs sp d, followed by 1015 sxs (2 rmed Bradenhead squeez d. Ran echometer TOC = true and correct. Electronic Submission #4 For OX Committed to AFMSS for 'EWART Submission)	ed only after all requirements, includ ood test. RIH & tag cmt @ 43 Drill 8-1/2" hole to 10566', we ived verbal approval from BLI cmt stinger and tagged 1008 6 PPG cement, WOC. RIH w er, tag TOC @ 9417', pump 5 cmt, WOC. RIH w/ BHA & ta 15165'M 9985'V (1/28/2018), acer then cmt w/ 235 sxs (70 298 BBLs), 13.2 PPG, 1.65 yie ze by pumping 910 sxs (303 E 1964'. Install well cap and re 407159 verified by the BLM Wel Y USA INC., sent to the Carlsb processing by JENNIFER/SANG Title SR. REG Date 03/08/21	ing reclamation, hi 27', drill new Mustafa Hag 3', pumped 26 / cleanout asse 0. BBLs mudflus ag cmt @ 8760 RIH & set BBLs) PPC w/ eld. TOC = BBLs) PPC w/ eld. TOC = BBLs) PPC w/ elease rig	Accepted for rule ambly, sh, 26 [.[Mf OIL AR AR AR (018 () DVISOR	And the operator has H-18 ECONSERVAT TESIA DISTRICT PR-0, 3 2018 RECEIVED
testing has been completed. Final Ab determined that the site is ready for fi 1/8/2018 NU BOP, test @ 250 formation to 4410', perform FI' inadvertently sidetracked out o to plugback well and redrill the BBLs spacer, then cemented v clean, and tag TOC @ 9417', BBLs spacer, then cemt w/ 280 Drill sidetrack @ 8842'. Contin 5-1/2" 20# P110 DQX csg @ ' additives, 13.2 PPG, 1.67 yield 6547' For second stage perfo additives, 12.9 PPG, 1.87 yield 14. 1 hereby certify that the foregoing is Name ( <i>Printed/Typed</i> ) DAVID ST Signature (Electronic S Conditions of approval, if any, are attached certify that the applicant holds legal or equ	andonment Notices must be fil inal inspection. ) psi low, 5000 psi high, gr T EMW= 10.5, good test. of the main wellbore, rece a curve (1/17/18). RIH w/ w/ 240 sxs (51 BBLs), 15. POOH. RIH w/ cmt stinge sxs (50 BBLs) 17.5 PPG nue drilling 8-1/2" hole to 15150', pump 50 BBLs sp d, followed by 1015 sxs (2 rmed Bradenhead squeez d. Ran echometer TOC = true and correct. Electronic Submission #/ For OX Committed to AFMSS for EWART Submission) THIS SPACE FC d. Approval of this notice does uitable title to those rights in the	ed only after all requirements, includ ood test. RIH & tag cmt @ 43 Drill 8-1/2" hole to 10566', we ived verbal approval from BLN cmt stinger and tagged 10086 6 PPG cement, WOC. RIH w er, tag TOC @ 9417', pump 5 cmt, WOC. RIH w/ BHA & ta 15165'M 9985'V (1/28/2018). acer then cmt w/ 235 sxs (70 298 BBLs), 13.2 PPG, 1.65 yie ze by pumping 910 sxs (303 E = 1964'. Install well cap and re 407159 verified by the BLM Well Y USA INC., sent to the Carlsb processing by JENNIFERSANC Title SR. REC Date 03/08/21 DR FEDERAL OR STATE C Title	ing reclamation, ha 227', drill new Mustafa Hag Mustafa Hag y pumped 26 / cleanout asse 0 BBLs mudflus ag cmt @ 8760 RIH & set BBLs) PPC w/ elease rig Information Sy ad CHEZ on 03/12/2 GULATORY AL CHEZ on 03/12/2 GULATORY AL	Accepted for rue embly, sh, 26 [. M OIL AR for the other of the stem other of the pvisor FOR RECC	And the operator has H-18 ECONSERVAT TESIA DISTRICT PR-0, 3 2018 RECEIVER
testing has been completed. Final Ab determined that the site is ready for fi 1/8/2018 NU BOP, test @ 250 formation to 4410', perform FI' inadvertently sidetracked out o to plugback well and redrill the BBLs spacer, then cemented v clean, and tag TOC @ 9417', BBLs spacer, then cmt w/ 280 Drill sidetrack @ 8842'. Conti 5-1/2" 20# P110 DQX csg @ ' additives, 13.2 PPG, 1.67 yield 6547' For second stage perfo additives, 12.9 PPG, 1.87 yield 14. 1 hereby certify that the foregoing is Name (Printed/Typed) DAVID ST Signature (Electronic S Approved By Conditions of approval, if any, are attached	andonment Notices must be fil inal inspection. ) psi low, 5000 psi high, gr T EMW= 10.5, good test. of the main wellbore, rece e curve (1/17/18). RIH w/ w/ 240 sxs (51 BBLs), 15. POOH. RIH w/ cmt stinge sxs (50 BBLs) 17.5 PPG nue drilling 8-1/2" hole to 15150', pump 50 BBLs sp d, followed by 1015 sxs (2 rmed Bradenhead squeez d. Ran echometer TOC = true and correct. Electronic Submission #/ For OX Committed to AFMSS for EWART Submission) THIS SPACE FO d. Approval of this notice does itable title to those rights in the ict operations thereon. U.S.C. Section 1212, make it a	ed only after all requirements, includ ood test. RIH & tag cmt @ 43 Drill 8-1/2" hole to 10566', we ived verbal approval from BLI cmt stinger and tagged 10086 6 PPG cement, WOC. RIH we er, tag TOC @ 9417', pump 5 cmt, WOC. RIH w/ BHA & ta 15165'M 9985'V (1/28/2018), acer then cmt w/ 235 sxs (70 298 BBLs), 13.2 PPG, 1.65 yie ze by pumping 910 sxs (303 E 1964'. Install well cap and re 407159 verified by the BLM Wel Y USA INC., sent to the Carlsb processing by JENNIFERSANC Title SR. REC Date 03/08/22 DR FEDERAL OR STATE ( 	ing reclamation, hi 27', drill new Mustafa Hag 3', pumped 26 / cleanout asse 0 BBLs mudflus ag cmt @ 8760 RIH & set BBLs) PPC w/ eld. TOC = BBLs) PPC w/ eld. TOC = BBLs) PPC w/ eld. TOC = BBLs) PPC w/ eld. TOC = CHEZ on 03/12/2 GULATORY AL CHEZ ON 03/12/2 GULATORY AL CHEZ ON 03/12/2 GULATORY AL	Accepted for rue ambly, sh, 26 KM OIL AR Stem 018 () DVISOR FOR RECO	And the operator has ecord - NMOCD CONSERVAT TESIA DISTRICT PR 9 3 2018 RECEIVED
testing has been completed. Final Ab determined that the site is ready for fi 1/8/2018 NU BOP, test @ 250 formation to 4410', perform FI' inadvertently sidetracked out o to plugback well and redrill the BBLs spacer, then cemented v clean, and tag TOC @ 94.17', BBLs spacer, then cmt w/ 280 Drill sidetrack @ 8842'. Contin 5-1/2" 20# P110 DQX csg @ ' additives, 13.2 PPG, 1.67 yield 6547' For second stage perfo additives, 12.9 PPG, 1.87 yield 14. 1 hereby certify that the foregoing is <u>Name (Printed/Typed)</u> DAVID ST Signature (Electronic S <u>Conditions of approval, if any, are attached certify that the applicant holds legal or equ which would entitle the applicant to condu Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s (Instructions on page 2)</u>	andonment Notices must be fil inal inspection. ) psi low, 5000 psi high, gr T EMW= 10.5, good test. of the main wellbore, rece e curve (1/17/18). RIH w/ w/ 240 sxs (51 BBLs), 15. POOH. RIH w/ cmt stinge sxs (50 BBLs) 17.5 PPG nue drilling 8-1/2" hole to 15150', pump 50 BBLs sp d, followed by 1015 sxs (2 rmed Bradenhead squeez d. Ran echometer TOC = true and correct. Electronic Submission # For OX Committed to AFMSS for EWART Submission) THIS SPACE FC d. Approval of this notice does intable title to those rights in the ict operations thereon. U.S.C. Section 1212, make it a statements or representations as	ed only after all requirements, includ ood test. RIH & tag cmt @ 43 Drill 8-1/2" hole to 10566', we ived verbal approval from BLI cmt stinger and tagged 10086 6 PPG cement, WOC. RIH we er, tag TOC @ 9417', pump 5 cmt, WOC. RIH w/ BHA & ta 15165'M 9985'V (1/28/2018), acer then cmt w/ 235 sxs (70 298 BBLs), 13.2 PPG, 1.65 yie ze by pumping 910 sxs (303 E 1964'. Install well cap and re 407159 verified by the BLM Wel Y USA INC., sent to the Carlsb processing by JENNIFERSANC Title SR. REC Date 03/08/22 DR FEDERAL OR STATE ( 	ing reclamation, hi 27', drill new Mustafa Hag Mustafa Hag y cleanout asse 0 BBLs mudflut ag cmt @ 8760 RIH & set BBLs) PPC w/ eld. TOC = BBLs) PPC w/ eld. TOC = BBLs) PPC w/ eld. TOC = BBLs) PPC w/ eld. TOC = 03/12/2 GULATORY AL CARLSBA willfully to make the	Accepted for rue ambly, sh, 26 KMI OIL AR Stem 018 () DVISOR FOR RECO	and the operator has ecord - NMOCD CONSERVAT TESIA DISTRICT PR 9 3 2018 RECEIVED RECEIVED

## Additional data for EC transaction #407159 that would not fit on the form

32. Additional remarks, continued

(1/30/2018).