`							
Form 3160-5 (June 2015) DE BI	UNITED STATE PARTMENT OF THE UREAU OF LAND MAN	INTERIORI	Isbad F	'ield (FORM OMB N Expires: J SA Beau Schial No.	APPROVE 10. 1004-01 anuary 31, 1	37
SUNDRY Do not use thi	NOTICES AND REPC is form for proposals to	DRIS ON WE	enter an	rtesi	NMNM82896 6. If Indian, Allottee	or Tribo No.	
abandoned we	II. Use form 3160-3 (AF	PD) for such p	roposals.		6. If Indian, Allouee	or Tribe Ina	ne
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No.		
1. Type of Well Gas Well Other					8. Well Name and No. NIMITZ MDP1 12 FEDERAL COM 9H		
2. Name of Operator Contact: SARAH MITCHE OXY USA INCORPORATED E-Mail: sarah_mitchell@oxy.com					9. API Well No. 30-015-44581-00-X1		
3a. Address3b. Phone No5 GREENWAY PLAZA SUITE 110Ph: 432-69HOUSTON, TX 77046-0521Ph: 432-69			include area code) -4318 10. Field and Pool or Exploratory Area COTTON DRAW-BONE SPRING				
4. Location of Well (Footage, Sec., 7	· - ·		11. County or Parish,	State			
Sec 13 T24S R30E NENW 47 32.223850 N Lat, 103.837166		EDDY COUNTY, NM					
12. CHECK THE AI	PPROPRIATE BOX(ES) TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR OT	HER DA	ГА
TYPE OF SUBMISSION							
Notice of Intent	 Acidize Alter Casing 	Deep	pen raulic Fracturing	Producti Reclamation	on (Start/Resume) ition	_	ter Shut-Off Il Integrity
Subsequent Report	Casing Repair	🗖 New	Construction	🗖 Recomp	porarily Abandon Drilling		
Final Abandonment Notice	 Change Plans Convert to Injection 		and Abandon	Tempora Water D			goperations
following completion of the involved testing has been completed. Final A determined that the site is ready for f 5/1/18 NU BOP, test @ 250 p min, good test. RIH & drill ne to 4225' (5/2/18). Notified BL pump 20 BBLs gel spacer, the followed by 155 sks (37 BBLs Pressure test csg to 5000 psi 5/4/18 RIH and drill to 4425, p (5/15/18). Notified Michael at	bandonment Notices must be f inal inspection. si low, 5000 psi high, go w formation to 541', perf M of cement job. RIH w en cmt w/ 1150 sks (385) PPC w/ additives, 14.8 for 5 min, good test. WC perform FIT EMW= 13.4. BLM office of intent to c	iled only after all orm FIT EMW= (9-5/8" 43.5# L BBLs) PPC w/ PPG, 1.33 yie OC. Drill 8-1/2" ho cement. RIH w.	a 3/8" csg to 15 18.6 PPG. Dril -80 BTC csg an additives 12.9#, Id. Circ. 154 BB	ing reclamation 00 psi for 30 I 12-1/4" hol d set @ 422 , 1.88 yield, iLs to surface 952'V 10 DQX csg	e Accepted for T 5', 9. NM OII	and the ope $\gamma - 10$ $_{\rm ecord}$ - 1	SERVATION
and set @ 20350', pump 50 B 1.67 yield, followed by 1785 s 6300'. For second stage perf 14. I hereby certify that the foregoing is	ks (525 BBLs) PPC w/ a ormed Bradenhead sque	idditives, 13.2 l eeze by pumpir	PPĠ, 1.65 yield. ng 10 BBLs tune	Estimated 7 d spacer, the	FOC= en	RECEI	VED
Cor	Electronic Submission For OXY US nmitted to AFMSS for pro	SA INCORPORA	TED, sent to the	Carlsbad	•		
Name (Printed/Typed) DAVID S				ATORY AD			
Signature (Electronic	Signature (Electronic Submission)			Date 05/30/2018			
· · · · · · · · · · · · · · · · · · ·	THIS SPACE F	OR FEDERA	L OR STATE	OFFICE U	SE		
APPTOVED BY ACCEPTED			JONATHC _{Title} PETROLE	N SHEPAR		D	ate 06/13/2018
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office Carlsbad				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent				willfully to ma	ke to any department o	or agency of	the United
(Instructions on page 2)	ISED ** BI M REVISE		VISED ** BI M			 ** 0	

Additional data for EC transaction #421914 that would not fit on the form

.

32. Additional remarks, continued

cementing w/ 870 sks (300 BBLs) PPC w/ additives, 12.9 PPG, 1.94 yield. Ran echometer, TOC = 826'. ND BOP, install night cap, release rig (5/18/18).

.

Revisions to Operator-Submitted EC Data for Sundry Notice #421914

7

R

N	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM82896	NMNM82896
Agreement:		
Operator:	OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710 Ph: 432-699-4318	OXY USA INCORPORATED 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521 Ph: 713.350.4816
Admin Contact:	SARAH MITCHELL REGULATORY ADVISOR E-Mail: sarah_mitchell@oxy.com	SARAH MITCHELL REGULATORY SPECIALIST E-Mail: sarah_mitchell@oxy.com
	Ph: 432-699-4318	Ph: 432-699-4318
Tech Contact:	DAVID STEWART SR. REGULATORY ADVISOR E-Mail: david_stewart@oxy.com	DAVID STEWART REGULATORY ADVISOR E-Mail: david_stewart@oxy.com
	Ph: 432-685-5717	Ph: 432.685.5717
Location: State: County:	NM EDDY	NM EDDY
Field/Pool:	COTTON DRAW, BONE SPRING	COTTON DRAW-BONE SPRING
Well/Facility:	NIMITZ MDP1 12 FEDERAL COM 9H Sec 13 T24S R30E Mer NMP NENW 474FNL 2199FWL 32.223851 N Lat, 103.837167 W Lon	NIMITZ MDP1 12 FEDERAL COM 9 Sec 13 T24S R30E NENW 474FNL 32.223850 N Lat, 103.837166 W Lo

NIMITZ MDP1 12 FEDERAL COM 9H Sec 13 T24S R30E NENW 474FNL 2199FWL 32.223850 N Lat, 103.837166 W Lon