Form 3160-5 (June 2015) UNITED STATES DEPARTMENT OF THE INTERIOR					FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018	
BL	ld Of	Expires: January 31, 2018 Lease Scrial No.				
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to be but of A IT CSI a abandoned well. Use form 3160-3 (APD) for such proposals.					6. If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No.	
1. Type of Well S Oil Well Gas Well Other					8. Well Name and No. CORRAL CANYON 36-25 FED COM 21H	
2. Name of Operator Contact: JANA MENDIOLA OXY USA INCORPORATED E-Mail: janalyn_mendiola@oxy.com					9. API Well No. 30-015-44631-00-X1	
3a. Address3b. Phone No5 GREENWAY PLAZA SUITE 110Ph: 432-68HOUSTON, TX 77046-0521Ph: 432-68			include area code)10. Field and Pool or Exploratory Area-5936PIERCE CROSSING-BONE SPRING,			
4. Location of Well (Footage, Sec., T.	, R., M., or Survey Description	n)	11. County or Parish, State			
Sec 1 T25S R29E 381FNL 14 32.165501 N Lat, 103.941772		EDDY COUNTY, NM				
12. CHECK THE AF	PROPRIATE BOX(ES)) TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR OTI	IER DATA
TYPE OF SUBMISSION		TYPE OF ACTION				
Notice of Intent	Acidize	🗖 Dee	pen	Producti	on (Start/Resume)	Water Shut-Off
Notice of Intent	Alter Casing	🗖 Нус	Hydraulic Fracturing 🛛 🗖 R		ation	Well Integrity
Subsequent Report	Casing Repair	🗖 Nev	Construction	C Recomplete		Other Drilling Operations
Final Abandonment Notice	Change Plans	🖸 Pluj	Plug and Abandon D Te		brarily Abandon Drining Operations	
	Convert to Injection	🗖 Pluj] Plug Back 🔲 Wate		isposal	
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al determined that the site is ready for f 2/24/18 Skid rig back to Corra 5000# high, test 13-3/8" casin perform FIT test to EMW=17.7 RIH & set 9-5/8" 53.5# HCL-8 then cmt w/ 1122sx (516bbl) F additives 13.2ppg 1.58 yield, 1 (160bbl) cmt to surf. Pump 2r 13.6ppg 1.67 yield, full returns (258bbl) cmt to surface, WOC DVT, test 9-5/8" casing to 353 perform FIT test to EMW=13.5 14. I hereby certify that the foregoing is	l operations. If the operation r pandomment Notices must be fi inal inspection. I Canyon 36-25 Federal g to 1500# for 30 min, gr 7ppg, 260psi, good test. 0 csg @ 8621', DVT @ 3 PPC w/ additives 10.2pp full returns throughout joi nd stage w/ 50bbl spacer s, drop cancellation plug, Install pack-off, test to 10# for 30 min, good test 5ppg, good test.	esults in a multip iled only after all Com 21H. 2/. cod test. RIH 2/28/18 drill 1 3334', ACP @ g 2.58 yield fo b, open DVT, then cmt w/ pressure up 5000#, good . RIH & drill n Accep	le completion or reco requirements, includ 26/18 RU BOP, to & drill new forma 2-1/4" hole to 863 3376' pump 160 llowed by 268sx circ thru DVT, circ 1748sx (520bbl) F & close DVT, circ test. 1/25/18 RIF ew formation to 8 wed for record	mpletion in a r ling reclamation est @ 250# ation to 596', 31', 3/5/18. bbl mud pus (77bbl) PPC c 348sx PPC w/ addii : 867sx H & drill out 3670', - NMOCD	lew interval, a Form 31 h, have been completed low h spacer w/ tives NM OIL CO ARTESI/ JUN 2 REC	60-4 must be filed once and the operator has
Con Name(Printed/Typed) DAVID ST	TED, sent to the SCILLA PEREZ o	Carlsbad	(18PP1516SE)			
Signature (Electronic Submission)			Date 04/12/2018			
	THIS SPACE F		AL OR STATE		SE	
ACCEPTED			JONATHON SHEPARD TitlePETROLEUM ENGINEER Date 06/13/2018			
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office Carlsbad			
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent	U.S.C. Section 1212, make it statements or representations a	a crime for any p as to any matter v	erson knowingly and vithin its jurisdiction	l willfully to m	ake to any department o	r agency of the United
(Instructions on page 2) ** BLM REV	ISED ** BLM REVISE	D ** BLM R	EVISED ** BLN	M REVISED) ** BLM REVISE	ED **

-

4

Additional data for EC transaction #411481 that would not fit on the form

32. Additional remarks, continued

3/10/18 Drill 8-1/2" hole to 20726'M 9101'V 3/16/18. RIH & set 5-1/2" 20# P-110 csg @ 20716'. Pump 230bbl mud push express spacer then cmt w/ 2474sx (608bbl) PPC w/ additives 13.2ppg 1.38 yield, full returns throughout job, observed ~20bbl spacer interface back to surf, calc. TOC @ 8090', WOC. ND BOP, Install wellhead cap. RD Rel Rig 3/20/18.

تسكمنه

.

Revisions to Operator-Submitted EC Data for Sundry Notice #411481

Â

ί¢ς,

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM59386	NMNM59386
Agreement:		· .
Operator:	OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710 Ph: 432-685-5936	OXY USA INCORPORATED 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521 Ph: 713.350.4816
Admin Contact:	JANA MENDIOLA REGULATORY SPECIALIST E-Mail: janalyn_mendiola@oxy.com	JANA MENDIOLA REGULATORY COORDINATOR E-Mail: janalyn_mendiola@oxy.com
	Ph: 432-685-5936	Ph: 432-685-5936
Tech Contact:	DAVID STEWART SR. REGULATORY ADVISOR E-Mail: david_stewart@oxy.com Cell: 432-634-5688 Ph: 432-685-5717	DAVID STEWART REGULATORY ADVISOR E-Mail: david_stewart@oxy.com Ph: 432.685.5717
Location: State: County:	NM EDDY	NM EDDY
Field/Pool:	PIERCE CROSSING BN SPRG,E	PIERCE CROSSING-BONE SPRING, E
Well/Facility:	CORRAL CANYON 36-25 FED COM 21H Sec 1 T25S R29E Mer NMP NENW 381FNL 1493FWL 32.165500 N Lat, 103.941775 W Lon	CORRAL CANYON 36-25 FED COM 21H Sec 1 T25S R29E 381FNL 1493FWL 32.165501 N Lat, 103.941772 W Lon