

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTCarlsbad Field Office
OCB ArtesiaFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to deepen an abandoned well. Use form 3160-3 (APD) for such proposals.Lease Serial No.
NMNM59386

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
CORRAL CANYON 36-25 FED COM 23H9. API Well No.
30-015-44633-00-X110. Field and Pool or Exploratory Area
PIERCE CROSSING-BONE SPRING, E11. County or Parish, State
EDDY COUNTY, NM

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator
OXY USA INCORPORATEDContact: JANA MENDIOLA
E-Mail: janalyn_mendiola@oxy.com3a. Address
5 GREENWAY PLAZA SUITE 110
HOUSTON, TX 77046-05213b. Phone No. (include area code)
Ph: 432-685-5936

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 1 T25S R29E 381FNL 1563FWL
32.165501 N Lat, 103.941551 W Lon

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Drilling Operations
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

3/20/18 Skid rig back to Corral Canyon 36-25 Federal Com 23H. RU BOP, test @ 250# low 5000# high, test 13-3/8" casing to 1500# for 30 min, good test. 3/21/18 RIH & tag cmt @ 519', drill new formation to 596', perform LOT test to EMW=14.6ppg. 3/21/18 drill 9-7/8" hole to 8590', 3/26/18. RIH & set 7-5/8" 26.4# L-80 csg @ 8579', DVT @ 3334', ACP @ 3351' pump 80bbl mud push express then cmt w/ 723sx (332bbl) PPC w/ additives 10.2ppg 2.58 yield followed by 177sx (50bbl) PPC w/ additives 13.2ppg 1.58 yield, inflate ACP to 1800#, open DVT, circ thru DVT, circ 10bbl mud push express spacer to surf, no cmt to surf. Pump 2nd stage w/ 50bbl mud push express spacer then cmt w/ 1086sx (327bbl) PPC w/ additives 13.6ppg 1.69 yield, drop cancellation plug, pressure up & close DVT, circ 40bbl spacer to surf, no cmt to surface, WOC. 3/28/18 RUWL RIH w/ temp log, TOC @ ~255', report results to Mustafa Haque at BLM, obtained verbal approval to continue drilling, no cmt top job needed since there is sufficient isolation between the surface & intermediate casing. Install pack-off, test to 5000#, good test. ND BOP, install wellhead cap & release rig 3/28/18.

NM OIL CONSERVATION
ARTESIA DISTRICT

JUN 27 2018

RECEIVED

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #420143 verified by the BLM Well Information System

For OXY USA INCORPORATED, sent to the Carlsbad

Committed to AFMSS for processing by PRISCILLA PEREZ on 05/15/2018 (18PP1724SE)

Name (Printed/Typed) DAVID STEWART

Title REGULATORY ADVISOR

Signature (Electronic Submission)

Date 05/15/2018

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTED

JONATHON SHEPARD
Title PETROLEUM ENGINEER

Date 06/13/2018

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

Additional data for EC transaction #420143 that would not fit on the form

32. Additional remarks, continued

4/16/18 Skid rig from Corral Canyon 36-25 Federal Com 22H to Corral Canyon 36-25 Federal Com 23H. RU BOP, test @ 250# low 5000# high, good test. 4/17/18 RIH & drill out DVT, test 7-5/8" csg to 4685# for 30min, test passed. Drill new formation to 8600', perform FIT test to EMW=13.5ppg, 2018psi, good test. 4/18/18 Drill 6-3/4" hole to 20675'M 9138'V 4/23/18. RIH & set 5-1/2" 20# P-110 csg @ 20635'. Pump 110bbl mud push express spacer then cmt w/ 923sx (237bbl) PPC w/ additives 13.2ppg 1.37 yield, full returns throughout job, est. TOC @ 5104', WOC. ND BOP, install wellhead cap. RD Rel Rig 4/26/18.

Revisions to Operator-Submitted EC Data for Sundry Notice #420143

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM59386	NMNM59386
Agreement:		
Operator:	OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710 Ph: 432-685-5936	OXY USA INCORPORATED 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521 Ph: 713.350.4816
Admin Contact:	JANA MENDIOLA REGULATORY SPECIALIST E-Mail: janalyn_mendiola@oxy.com Ph: 432-685-5936	JANA MENDIOLA REGULATORY COORDINATOR E-Mail: janalyn_mendiola@oxy.com Ph: 432-685-5936
Tech Contact:	DAVID STEWART SR. REGULATORY ADVISOR E-Mail: david_stewart@oxy.com Cell: 432-634-5688 Ph: 432-685-5717	DAVID STEWART REGULATORY ADVISOR E-Mail: david_stewart@oxy.com Ph: 432.685.5717
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	PIERCE CROSSING BN SPRG,E	PIERCE CROSSING-BONE SPRING, E
Well/Facility:	CORRAL CANYON 36-25 FED COM 23H Sec 1 T25S R29E Mer NMP NENW 381FNL 1563FWL 32.165501 N Lat, 103.941549 W Lon	CORRAL CANYON 36-25 FED COM 23H Sec 1 T25S R29E 381FNL 1563FWL 32.165501 N Lat, 103.941551 W Lon