

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

Ken McQueen
Cabinet Secretary

Matthias Sayer
Deputy Cabinet Secretary

Heather Riley
Division Director



Response Required - Deadline Enclosed

Field Inspection Program
"Preserving the Integrity of Our Environment"

10-Sep-18

BREITBURN OPERATING LP

1111 Bagby Street Suite 1600
Houston TX 77002-7002

LETTER OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION

ARTESIA UNIT No.028				M-35-17S-28E	30-015-01732-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
09/10/2018	Routine/Periodic	Gilbert Cordero	Yes	No	12/14/2018	iGC1825349270
Comments on Inspection:		Well Sign (Rule 19.15.16.8). OPERATOR NAME NEEDS TO BE CORRECTED (QUANTUM RESOURCES) SIGN IS NOT LEGIBLE				

ARTESIA UNIT No.029				N-35-17S-28E	30-015-01742-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
09/10/2018	Routine/Periodic	Gilbert Cordero	Yes	No	12/14/2018	iGC1825348916
Comments on Inspection:		Well Sign (Rule 19.15.16.8). OPERATOR NAME NEEDS TO BE CORRECTED (QUANTUM RESOURCES)				

ARTESIA UNIT No.022				K-35-17S-28E	30-015-01747-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
09/10/2018	Routine/Periodic	Gilbert Cordero	Yes	No	12/14/2018	iGC1825348613
Comments on Inspection:		Well Sign (Rule 19.15.16.8). OPERATOR NAME NEEDS TO BE CORRECTED (QUANTUM RESOURCES) SIGN IS NOT LEGIBLE				

ARTESIA UNIT No.013

F-35-17S-28E

30-015-01754-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
09/10/2018	Routine/Periodic	Gilbert Cordero	Yes	No	12/14/2018	iGC1825337209
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR NAME NEEDS TO BE CORRECTED (QUANTUM RESOURCES)						

ARTESIA UNIT No.014

G-35-17S-28E

30-015-01755-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
09/10/2018	Routine/Periodic	Gilbert Cordero	Yes	No	12/14/2018	iGC1825336729
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR NAME NEEDS TO BE CORRECTED						

ARTESIA UNIT No.071

E-35-17S-28E

30-015-29862-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
09/10/2018	Routine/Periodic	Gilbert Cordero	Yes	No	12/14/2018	iGC1825338652
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR NAME NEEDS TO BE CORRECTED (SBX RESOURCES)						

ARTESIA UNIT No.072

E-35-17S-28E

30-015-29863-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
09/10/2018	Routine/Periodic	Gilbert Cordero	Yes	No	12/14/2018	iGC1825339061
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR NAME NEEDS TO BE CORRECTED (QUANTUM RESOURCES)						

ARTESIA UNIT No.075

F-35-17S-28E

30-015-29999-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
09/10/2018	Routine/Periodic	Gilbert Cordero	Yes	No	12/14/2018	iGC1825337749
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR NAME NEEDS TO BE CORRECTED (QUANTUM RESOURCES)						

ARTESIA UNIT No.088

K-35-17S-28E

30-015-31488-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
09/10/2018	Routine/Periodic	Gilbert Cordero	Yes	No	12/14/2018	iGC1825348358
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR NAME NEEDS TO BE CORRECTED (QUANTUM RESOURCES)						

ARTESIA UNIT No.101

M-35-17S-28E

30-015-33285-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
09/10/2018	Routine/Periodic	Gilbert Cordero	Yes	No	12/14/2018	iGC1825349099
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR NAME NEEDS TO BE CORRECTED (QUANTUM RESOURCES)						

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well.

Sincerely,

Gilbert Cordero

Staff Mgr

Artesia OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.

*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.