

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-01574
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-2071
7. Lease Name or Unit Agreement Name NG Phillips State
8. Well Number #6
9. OGRID Number 229137
10. Pool name or Wildcat E. Empire Yates S R
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3649' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
COG Operating, LLC

3. Address of Operator
600 W. Illinois Ave, Midland, TX 79701

4. Well Location
Unit Letter **I** : **1650** feet from the **S** line and **990** feet from the **E** line
Section **27** Township **17S** Range **28E** NMPM County **Eddy**

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Set 5 1/2" CIBP @ 800'. Circulate hole w/ MLF. Pressure test csg. Spot 15 sx cmt @ 800-700'. WOC & Tag.
2. Perf & Sqz 130 sx cmt @ 600'-Surface.
3. Cut off well head, verify cmt to surface, weld on Dry Hole Marker.

RECEIVED

SEP 04 2018

DISTRICT II-ARTESIA O.C.D.

Notify OCD 24 hrs. prior to
Any work done.

Spud Date:

Rig Release Date:

* See Attached COAs

Must be Plugged by 9-4-19

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Abigail Montgomery TITLE Agent DATE 8/30/18
Type or print name Abigail Montgomery E-mail address: abbym@bernardassociates.com PHONE: 432-580-7161
For State Use Only


APPROVED BY: [Signature] TITLE Staff Mgr DATE 9-4-18
Conditions of Approval (if any):

Field & Pool

Easte Empire Yates-7 Rivers

NG Phillips St #6

Well ID Info:	
API No:	30-015-01574
Spud Date:	5/26/1961



Csg: 8-5/8" 24# J55 STC
 Set @ 550'
 Cement w/ No mention of cement
 circ. in wells files or OCD

<u>Tubing Detail</u>	<u>Rod Detail</u>
2-3/8" Tubing	36 - 5/8" RODS
EOT @ 838'	2" X 1 1/2" X 8' RWTC #Y-8356

Yates 7 Rivers: 830' 4SPF
 Frac 15,000gals crude
 23,000 # sand

PBTD 866'
 TD 874'

Csg: 5-1/2" 17# J55 LTC
 Depth: 866'
 Cement w/ Cemented to surface
 circ. 285 sx

32.8030548

-104.158699

Field & Pool

Easte Empire Yates-7 Rivers

NG Phillips St #6

Well ID Info:	
API No:	30-015-01574
Spud Date:	5/26/1961

Csg: 8-5/8" 24# J55 STC
 Set @ 550'
 Cement w/ No mention of cement
 circ. in wells files or OCD

2. Perf & Sqz 130 sx cmt @ 600'-Surface.

<u>Tubing Detail</u>	<u>Rod Detail</u>
2-3/8" Tubing	36 - 5/8" RODS
EOT @ 838'	2" X 1 1/2" X 8' RWTC #Y-8356

1. Set 5 1/2" CIBP @ 800'. Circ hole w/ MLF. Pressure test csg.
 Spot 15 sx cmt @ 800-700'. WOC & Tag.

Yates 7 Rivers: 830' 4SPF
 Frac 15,000gals crude
 23,000 # sand

PBTD 866'
 TD 874'

Csg: 5-1/2" 17# J55 LTC
 Depth: 866'
 Cement w/ Cemented to surface
 circ. 285 sx