Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED OMB NO. 1004-0137

Expires: January 31, 2018 5. Lease Serial No. NMLC054988B

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an

6 If Indian Allottee or Tribe Na

abancioned well. Use form 3160-3 (APD) for such proposals.					o. It indian, Anottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No.	
1. Type of Well ☑ Oil Well ☐ Gas Well ☐ Other					Well Name and No. JENKINS B FEDERAL 18	
2. Name of Operator Contact: ABIGAIL MONTGOMERY COG OPERATING LLC E-Mail: Abbym@bcmandassociates.com					9. API Well No. 30-015-34474-00-S1	
3a. Address 600 W ILLINOIS AV ENUE MIDLAND, TX 79701	(include area code) 0-7161		10. Field and Pool or Exploratory Area LOCO HILLS-GLORIETA-YESO LOCO HILLS-QU-GB-SA			
4. Location of Well (Foo tage, Sec., T., R., M., or Survey Description)					11. County or Parish, S	
Sec 20 T17S R30E NWNW 330FNL 430FWL					EDDY COUNTY, NM	
12. CHECK THE AF	PROPRIATE BOX(ES)	TO INDICA	TE NATURE OI	F NOTICE,	REPORT, OR OTH	ER DATA
TYPE OF SUBMISSION	TYPE OF ACTION					
☑ Notice of Intent	☐ Acidize	Acidize Deepen		☐ Production (Start/Resume)		☐ Water Shut-Off
	☐ Alter Casing	☐ Hyd	☐ Hydraulic Fracturing ☐		ation	■ Well Integrity
☐ Subsequent Report	□ Casing Repair	☐ New	☐ New Construction ☐ Recon		lete	Other
☐ Final Abandonment Notice	□ Change Plans	Plug and Abandon		☐ Tempora	☐ Temporarily Abandon	
	☐ Convert to Injection ☐ Plug Back		Back	■ Water Disposal		
testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. 1. Tag 5 1/2" CIBP @ 4740'. 2. Set 5 1/2" CIBP @ 4265'. Circ. hole w/ MLF. Pressure test csg. Spot 25 sx cmt @ 3265-4065'. WOC & Tag. (DV Tool) 3. Spot 25 sx cmt @ 2800-2600' (San Andres) 4. Spot 25 sx cmt @ 1097-997'. WOC & Tag (8 5/8" Shoe)						
Below Ground level dry hole Marker Required						
14. I hereby certify that the foregoing is true and correct! Electronic Submission #433534 verified by the BLM Well Information System For COG OPERATING LLC, sent to the Carlsbad Committed to AFMSS for processing by DEBORAH MCKINNEY on 09/04/2018 (18DLM0646SE) Name (Printed/Typed) ABIGAIL MONTGOMERY Title AGENT						
AOLIVI						····
Signature (Electronic Submission) Date 08/31/2018				018		
THIS SPACE FOR FEDERAL OR STATE OFFICE USE						
Approved By Conditions of approval, if any, are attached. Approval of this notice does not warrant or		Title Say	ne. 6	167	9.15-18 Date	
certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office Of						
Fitle 18 U.S.C. Section 1001 and Title 43 U.S.C. States any false, fictitious or fraudulent st	J.S.C. Section 1212, make it a c atements or representations as t	rime for any per o any matter wi	rson knowingly and thin its jurisdiction.	willfully to ma	ke to any department or a	gency of the United

COG Operating LLC

Lease & Well # Jenkins B Federal # 18 SPUD: 2/6/06 Sec 20D, 17S, 30E, Eddy kCo., NM 3001534474 Elevation - 3641 KB -T/Salt 505 Est B/Salt 1080 8 5/8" 24# 8rd J-55 STC @ 1047. 525 sx, circ. 141 sx. 132lts PL 2 7/8" tbg PL SN DV tool -4135' PL XO PC Arroset 1 pkr @ 4,188' Converted to Producer 6-26-10 4312 - 4715.5, 97 holes 4166 Acidized w/2,500 gal 15% HCL Trt w/32,000 gal 20% HCL, 54,000 gal LG, 5,000 gal 15% HCL Acidized w/2,500 gal 15% HCL when converted to injector. CIBP @ 4740' w/10' cmt. Cmt retainer @ 4972~ Sqzd w/300 sx 5082 - 5412.5, 60 holes Acidized w/2500 gal 15% HCL, frac w/95,205 gal gl, 98,999 # sd Marker jt @ 5207' 5984 - 6181.5, 68 hoies Acidize w/ 25 00 gal 15 HCL, frac w/97,696 gal lg. 91,172 # sd.

PBTD - 63891

1st stage: 490 sx 50/50, circulated 246 sx.

2nd stage: 1015 sx. circulate 90 sx. ______ 5 1/2"_17# J-55 LT&C csg @ 6389'.___ 32.8264563

-104.0013733

COG Operating LLC

Lease & Well # Jenkins B Federal # 18 SPUD: 2/6/06 Sec 20D, 17S, 30E, Eddy kCo., NM 3001534474 Elevation - 3641 KB -13 3/8" 48# H-40 STC csg @ 425', 449 sx. Circ 149 sx. 5. Spot 50 sx cmt @ 475'-Surface 8 5/8" 24# 8rd J-55 STC @ 1047, 525 sx, circ. 141 sx. 4. Spot 25 sx cmt @ 1097-997'. WOC & Tag (8 5/8" Shoe) 3. Spot 25 sx cmt @ 2800-2600'. (San Andres) 132lts PL 2 7/8" tbg PL SN PL XO DV tool -4135' 2. Set 5 1/2" CIBP @ 4265'. Circ hole w/ MLF. Pressure test PC Arroset 1 pkr @ 4,188' csg. Spot 25 sx cmt @ 4265-4085'. WOC & Tag (DV Tool) Converted to Producer 6-26-10 Yeso 4312 - 4715.5, 97 holes Acidized w/2,500 gal 15% HCL Trt w/32,000 gal 20% HCL: 54,000 gal LG; 5,000 gal 15% HCL Acidized w/2,500 gal 15% HCL when converted to injector. CIBP @ 4740' w/10' cmt. 1. Tag 5 1/2" CIBP @ 4740' Cmt retainer @ 4972' Sqzd w/300 sx 5082 - 5412 5, 60 holes Acidized w/2500 gal 15% HCL, frac w/95,205 gal gl, 98,999 # sd Marker jt @ 5207' 5984 - 6181.5, 68 holes Acidize w/ 25 00 gal 15 HCL, frac w/97,696 gal lg, 91 172 # sd. 1st stage: 490 sx 50/50, circulated 246 sx. PBTD - 6389' 2nd stage: 1015 sx, circulate 90 sx,

5 1/2" 17# J-55 LT&C csg @ 6389'.

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Permanent Abandonment of Federal Wells Conditions of Approval (LPC Habitat)

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90th day provide this office, prior to the 90th day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

- 2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-393-3612.
- 3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.
- 4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of **brine** water. Minimum nine (9) pounds per gallon.
- 5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

6. Below Ground Level Cap (Lesser Prairie-Chicken Habitat): All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10th day, the BLM is to be contacted with justification to receive an extension for completing the cut off. Upon the plugging and subsequent abandonment of wells that are located in lesser prairie-chicken habitat, the casings shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The well bore shall then be covered with a metal plate at least ¼ inch thick and welded in place. A weep hole shall be left in the plate and/or casing.

NMOCD also requires the operator to notify NMOCD when this type of dry hole marker is used. This can be done on the subsequent report of abandonment which is submitted to the BLM after the well is plugged. State that a below ground cap was installed as required in the COA's from the BLM.

- 7. <u>Subsequent Plugging Reporting</u>: Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. <u>Show date well was plugged.</u>
- 8. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.

<u>Timing Limitation Stipulation/ Condition of Approval for Lesser Prairie-Chicken:</u>
From March 1st through June 15th annually, abandonment activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted