District I 1625 N. French Dr., Hobbs, NM 88240 District III 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		nergy, Minerals ar Oil Coi 1220 S	e of New Mex ad Natural Reso nservation Div outh St. France a Fe, NM 875	Submit Original OLCONSERVATION		
		GAS CAPTU	RE PLAN		RECEIVED	
⊠ Original □ Amended	Operator: Apache Corporation	on OGRID No:	873	Date: _ Date:	5/3/2018	
	on for Amendment:			-		

This Gas Capture Plan outlines actions to be taken by the Operator to reduce well/production facility flaring/venting for new completion (new drill, recomplete to new zone, re-frac) activity.

Note: A C-129 must be submitted and approved prior to exceeding 60 days allowed by Rule 19.15.18.12.A

Well(s)/Production Facility - Name of facility

The well(s) that will be located at the production facility are shown in the table below.

Well Name	API	Well Location (ULSTR)	Footages	Expected MCF/D	Flared or Vented	Comments
Palmillo 26 State 311H	30-015 44903	Sec 26 T19S R28E	830' FSL & 230' FEL	250	Flared	Flared only in emergency
Palmillo 26 State 312H		Sec 26 T19S R28E	870' FSL & 230' FEL	250	Flared	Flared only in emergency
Palmillo 26 State 313H		Sec 26 T19S R28E	1675' FSL & 275' FEL	250	Flared	Flare only in emergency
Palmillo 26 State 314H		Sec 26 T19S R28E	1620' FNL & 230' FEL	250	Flared	Flare only in emergency

Gathering System and Pipeline Notification

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is in place. The gas produced from production facility is dedicated to <u>DCP MIDSTREAM LP</u> and will be connected to <u>DCP</u> <u>MIDSTREAM'S LOW</u> pressure gathering system located in <u>EDDY</u> County, New Mexico. It will require <u>7150</u> ft of pipeline to connect the facility to <u>LOW</u> pressure gathering system. Apache Corporation provides (periodically) to <u>DCP</u> <u>MIDSTREAM LP</u> a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, Apache Corporation and <u>DCP MIDSTREAM LP</u> have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at <u>DCP ARTESIA</u> Processing Plant located in <u>Sec. 7, Twp 18S, Rng 28E, EDDY County</u>, New Mexico. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on <u>DCP MIDSTREAM LP</u> system at that time. Based on current information, it is Apache Corporation's belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
 - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
 - Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
 - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines