State Lease - 6 copies State of New Mexico Revised June 10, 2003 Fee Lease - 5 copies District I Energy, Minerals and Natural Resources Well API No. 1625 N. French Dr., Hobbs, NM 88240 30-015-34222 District II 1301 W. Grand Avenue, Artesia, NM 88210 Oil Conservation Division 5. Indicate Type of Lease RECEIVED District III ✓ STATE FEE 1220 South St. Francis Dr. 1000 Rio Brazos Rd, Aztec, NM 87410 District IV Santa Fe. NM 87505 MAY 0 1 2006 State Oil & gas Lease No. 1220 S. St. Francis Dr., Santa Fe, NM 87505 SELENATE SIA WELL COMPLETION OR RECOMPLETION REPORT AND LOG 1a Type of Well: 7. Lease Name and Unit Agreement Name Oil Well Dry Other ✓ Gas Well b. Type of Completion: Deepen Plug Back Diff. Resvr., Other ✓ New Well Work Over Spud 16 State 2. Name of Operator 8. Well No. **DEVON ENERGY PRODUCTION COMPANY, LP** 5 9. Pool name or Wildcat 3. Address of Operator 20 NORTH BROADWAY, OKC OK 73102-8260 Laguna Salado; Atoka (Gas) 4. Well Location **EAST Unit Letter** 2320 feet from the SOUTH line and 660 feet from the **NMPM** EDDY County Section 235 Township 29E **New Mexico** 10. Date Spudded 11. Date T.D. Reached 12. Date Completed 13. Elevations (DR, RKB, RT, GL)\* 14. Elev. Casinghead 10/23/2005 12/13/2005 2962 18. Intervals Rotary Tools 15. Total Depth: MD 16. Plug Back T.D.: 17. If Multiple Compl. How Many Cable Tools Drilled BY 12,500' 10,142 No 19. Producing Intervals(s), of this completion -Top, Bottom, Name Was Directional Survey Made 12,139' - 12,165' Atoka 21. Type Electric and Other Logs Run 22. Was Well Cored Neutron; Dual Laterolog 23 CASING RECORD (Report all strings set in well) Casing Size Weight LB./FT. Depth Set Hole Size Cementing Record **Amount Pulled** 13 3/8" 48# H-40 353' 17 1/2" 400 sx CI C, 50 sx to pit 1051 sx Cl C, 150 sx pit 9 5/8" 40# J-55 2948 12 1/4" 26# P-110 10500 8 3/4" 2120 sx Cl H, 58 to pit 4 1/2" 13.5# P-110 12500 6 1/8" 330 sx CI H Tubing Record Depth Set Liner Record **Bottom** Screen Size top Sacks Cement Size Packer Set 4 1/2" 12500' 2 7/8" 12.024 27. Acid, Shot, Fracture, Cement, Squeeze, ETC. 26. Perforation record (interval, size, and number) **Amount and Kind Material Used** Depth Interval 12,139-12,165; 4SPF, 104 holes 12139-12165 Acidize w/3000 gals 15% HCL acid & 24 tons CO2. PRODUCTION 28 **Date First Production** Production Method (Flowing, Gas lift, pumping - Size and type pump) Well Status (Prod. Or Shut-In) 1/20/2006 **Pumping Producing** Date of Test Hours Tested Choke Size Prod'n For Test Oil - BbL Gas - Oil Ratio Water - Bbl 3/1/2006 Period #DIV/0! Flowing Tubing Press Casing Pressure Calculated 24-Oil - Bbl Gas - MCF Water - Bbl Oil Gravity - API (Corr). Hour Rate O 3917 29. Disposition of Gas (Sold, used for fuel, vented, etc.) est Witnessed By Sold 30. List Attachments 31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief Printed **SIGNATURE** Name Stephanie A. Ysasaga Title Sr. Staff Engineering Technician DATE 5/15/2006 Stephanie. Ysasaga@dvn.com E-mail Address:

Form C-105

Submit to Appropriate District Office

This Form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem test. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATIONS TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Delaware         2989'         T. Canyon         T. Ojo Alamo         T. Penn "B"           Cherry Canyon         3862'         T. Strawn         T. Kirtland-Fruitland         T. Penn "C"           Brushy Canyon         5061'         T. Atoka         T. Pictured Cliffs         T. Penn "D"	n New Mexico	INDIO/ (TE ) OIG		Northwestern New Mexico	PHICAL SECTION OF STATE
Cherry Canyon   3862   T. Strawn   T. Kirtland-Fruitland   T. Penn "C"	Delaware	2989'	IT. Canvon		IT. Penn "B"
Structor	Cherry Canyon			T. Kirtland-Fruitland	
Sone Springs   6688"   T. Miss   T. Cliff House   T. Leadville	Brushy Canyon	5061'			T. Penn "D"
State   Sandstone   7683	Bone Springs				
2nd BS Sandstone					
Signate					
Nolfcamp					
Strawn					
Atoka Bank	•				
T.   Morrison   T.   Morriso					
Tubb					
T. Bone Springs					
T.   T.   T.   T.   T.   T.   T.   T.					
Notificamp					
T.   T.   Permian   T.     T.   Permian   T.   Pe					
T.     T.     T.     T.     T.       T.					
OIL OR GAS   SANDS OR ZONES					
SANDS OR ZONES	Cisco (Bough C	)	Т	T. Penn "A"	
SANDS OR ZONES					OIL OR GAS
No. 4, from	. 1 fram		4-	No. 0 form	SANDS OR ZONES
IMPORTANT WATER SANDS     Iude data on rate of water inflow and elevation to which water rose in hole.					
LITHOLOGY RECORD (Attach additional sheet if necessary)   Thickness in	J. 2, IIOIII				
. 1, from					
. 2, from	clude data on rat	e of water inflow and	elevation to which water rose i	n hole.	
. 3, from	o. 1, from		to	feet	***************************************
. 3, from	o. 2, from		to	feet	
LITHOLOGY RECORD (Attach additional sheet if necessary)  Thicknes In Thickness in					
Thicknes In Thickness in					
From To Feet Lithology From To Feet Lithology  High and the second secon		· ·			
	From T	o Feet	Lithology	From To	Feet Lithology

## McVAY DRILLING COMPANY

Post Office Box 924 Hobbs, New Mexico 88241 (505) 397-3311 FAX: 39-DRILL

Well Name and Number: Spud 16 State # 5

Location: Sec 16, T23S, R29E, Eddy County, NM

Operator: Devon

**Drilling Contractor: McVay Drilling Company** 

The undersigned certifies that he is an authorized representative of the drilling contractor who drilled the above described well and that he has conducted deviation tests and obtained the following results:

Degrees @ Depth		Degrees @ Depth		Degrees @ Depth		
1	325	3/4	6497	1	9639	
3/4	601	1	6709	1/2	10139	
1	879	1	6959	3/4	10500	
3/4	1513	3	7201	2	10925	
1/4	1831	2 1/4	7328	1 1/2	11238	
3/4	2144	1 ½	7701	1 ½	11370	
3/4	2910	1	7948	<b>1</b> ;	11539	
1/4	3455	1 1/2	8446	3/4	11985	
3/4	3944	1 1/2	8638	3/4	12500	
1/2	4421	1	8888			
3/4	4962	2	9136			
1	5498	1/4	9386			

**Drilling Contractor: McVay Drilling Company** 

Subscribed and sworn to before me this/by day of

, 2005

My Commission Expires. 8-16-09

**Notary Public** 

Lea County, New Mexico