

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTOil Cons.
N.M. DIV-Dist. 2
1301 W. Grand Avenue
Artesia, NM 88210FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Devon Energy Production Company, L.P.

Wally Frank

Senior Operations Engr.

3a. Address

20 N. Broadway, Suite 1500, OKC, OK 73102

3b. Phone No. (include area code)

(405)552-4595

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SHL: 1175' FSL & 2156' FEL, Unit O, Section 34-T21S-R24E, Eddy Cnty, NM

BHL: 660' FSL & 1980' FEL, Unit O, Section 34-T21S-R24E, Eddy Cnty, NM

5. Lease Serial No.

SHL & BHL: NM-NM53218

6. If Indian, Allottee or Tribe Name

N/A

If Unit or CA/Agreement, Name and/or No.

N/A

8. Well Name and No.

Righthand Canyon "34" Federal #5

9. API Well No.

30-015-32588

10. Field and Pool, or Exploratory Area

Indian Basin (Upper Penn) Assoc.

11. County or Parish, State

Eddy County,

New Mexico

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/ Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>spud casing strings</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	<u>WOCU</u>
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

This well spud on 3-10-2003 at 1945 hrs and drld a 14 3/4" hole to 300'. TOH and LD hammer tool. Ran 12 1/4" bit and drld to 1605'. On 3-13-2003 ran 41 jts 9 5/8" 36# J-55 ST&C csg, set at 1600'; cemented with 1000 sx Howco Prem Plus; ran Temp Svy which tagged inside casing at 1489' and showed cement at 1000' outside of casing; topped thru 1" tubing with 300 sx Howco Prem Plus preceded by 1/4 yard of pea gravel down backside; TOC at surface. WOC and moved out United Drlg. Moved in and rigged up Nabors Drlg. Ran bit to bottom on 3-28-2003 and press tested casing to 500 psi.

Drld 8 3/4" hole to kick off point at approx 6039' on 4-4-2003. Reached TD 8770' at 1630 hrs 4-16-2003. Schlumberger ran Platform Express Azimuthal Laterlog/MCFL/NGT and Three Detector Litho-Density Compensated Neutron/NGT logs.

On 4-19-2003 ran 205 jts 7" 23# J-55 and HCL-80 LT&C csg, set at 8744' with DV tools at 3986' and 7837', ECP at 7840'; cemented: stage 1 with 220 sx 15/61/11 Poz C preceded with 30 bbls turbo-flow-III; stage 2 with 790 sx 60/40/4 Poz C; stage 3 with 800 sx 60/40/4 Poz C.

Released rig at 0200 hrs 4-21-2003. WOCU.

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Candace R. Graham 405/235-3611 X4520

Title

Engineering Tech.

Signature

Candace R. Graham

Date

05/13/2003

ACCEPTED FOR RECORD

MAY 15 2003

ALEXIS C. SWOBODA
PETROLEUM ENGINEER

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)