

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0137  
Expires: January 31, 2018

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

**Carlsbad Field Office**  
**CD Artesia**

Internal No.  
NMNM89172

If Indian, Allottee or Tribe Name

**SUBMIT IN TRIPLICATE - Other instructions on page 2**

7. If Unit or CA/Agreement, Name and/or No.

1. Type of Well

Oil Well  Gas Well  Other

8. Well Name and No.  
PATTON MDP1 17 FEDERAL 172H

2. Name of Operator  
OXY USA INCORPORATED

Contact: JANA MENDIOLA  
E-Mail: janalyn\_mendiola@oxy.com

9. API Well No.  
30-015-44990-00-X1

3a. Address  
5 GREENWAY PLAZA SUITE 110  
HOUSTON, TX 77046-0521

3b. Phone No. (include area code)  
Ph: 432-685-5936

10. Field and Pool or Exploratory Area  
PURPLE SAGE-WOLFCAMP (GAS)

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 17 T24S R31E NENW 374FNL 1580FWL  
32.223564 N Lat, 103.803284 W Lon

11. County or Parish, State

EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Drilling Operations
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

8/16/18 Skid rig from Patton MDP1 17 Federal 173H to Patton MDP1 17 Federal 172H. RU BOP, test @ 250# low 5000# high, test 10-3/4" casing to 1500# for 30 min, good test. RIH & tag cmt @ 646', drill new formation to 745', perform FIT test to EMW=16.3ppg, 315psi, good test. 8/17/18 drill 9-7/8" hole to 11099', 8/22/18. RIH & set 7-5/8" 29.7# L-80 csg @ 0-3951' & 26.4# L-80 csg @ 3951-11084', DVT @ 4390', ACP @ 4407' pump 40bbl gel spacer then cmt w/ 720sx (392bbl) PPC w/ additives 10.2ppg 3.06 yield followed by 170sx (50bbl) PPC w/ additives 13.2ppg 1.65 yield, full returns throughout job, inflate ACP to 3000#, open DVT, circ thru DVT, circ 220sx (120bbl) cmt to surf. Pump 2nd stage w/ 40bbl tuned spacer then cmt w/ 1520sx (506bbl) PPC w/ additives 12.9ppg 1.87 yield, full returns, drop cancellation plug, pressure up & close DVT, circ 551sx (300bbl) cmt to surface, WOC. Install pack-off, test to 10000#, good test.

*GC 10-16-18*  
*Accepted for record - NMOCD*

RECEIVED

OCT 16 2018

9/8/18 Skid rig from Patton MDP1 17 Federal 171H to Patton MDP1 17 Federal 172H. RU BOP, test @

DISTRICT II-ARTESIA O.C.D.

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #439060 verified by the BLM Well Information System  
For OXY USA INCORPORATED, sent to the Carlsbad  
Committed to AFMSS for processing by PRISCILLA PEREZ on 10/11/2018 (19PP0098SE)

Name (Printed/Typed) DAVID STEWART

Title REGULATORY ADVISOR

Signature (Electronic Submission)

Date 10/10/2018

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

OCT 11 2018

/s/ Jonathon Shepard

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

CARLSBAD FIELD OFFICE

\*\* BLM REVISED \*\*

## Additional data for EC transaction #439060 that would not fit on the form

### 32. Additional remarks, continued

250# low 5000# high. 9/9/18 RIH & drill out DVT, test 7-5/8" csg to 2475# for 30min, good test. Drill new formation to 11109', perform FIT test to EMW=14.1ppg, good test. 9/9/18 Drill 6-3/4" hole to 16667'M 11801'V 9/14/18. RIH & set tapered csg string w/ 4-1/2" 13.5# P110 @ 16651-11899' and 5-1/2" 20# P110 csg @ 11899-0'. Pump 165bbl tuned spacer then cmt w/ 675sx (198bbl) PPC w/ additives @ 13.2ppg 1.64 yield, full returns throughout job, calc. TOC @ 7207', WOC. 9/15/18 RUWL RIH & set RBP @ 3008', test RBP to 1000# for 30 min, good test. ND BOP, Install wellhead cap, RD Rel Rig 9/16/18.