Submit 1 Copy To Appropriate District	State of New Mexico	Form C-103
Office District 1 – (575) 393-6161	Energy, Minerals and Natural Resources	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240	5.	WELL API NO.
<u>District II</u> - (575) 748-1283	OIL CONSERVATION DIVISION	30-015-44967
811 S. First St., Artesia, NM 88210 District III - (505) 334-6178	1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410		STATE STATE
District IV - (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM		
87505 SLD TO NOT	ICEC AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
	ICES AND REPORTS ON WELLS ISALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	South Loving 2/11 WOCF State
DIFFERENT RESERVOIR. USE "APPLIE		
PROPOSALS.)	NM OIL CONSERVATION	N. Well Number 1H
1. Type of Well: Oil Well	Gas Well Other ARTESIA DISTRICT	
2. Name of Operator		9. OGRID Number
Mewbourne Oil Company	NOV 2 0 2018	14744
3. Address of Operator	1107 2 2 2010	10. Pool name or Wildcat
PO Box 5270, Hobbs NM 88240		Purple Sage; Wolfcamp (gas)
4. Well Location	RECEIVED	
Unit Letter C : 360 feet from the North line and 1360 feet from the West line		
		NMPM Eddy County
Section 2	Township 24S Range 27E	
	11. Elevation (Show whether DR, RKB, RT, GR, etc.	
	3152' GL	and the second s
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
NOTICE OF IN	NTENTION TO: SUB	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON 🔲 REMEDIAL WOR	RK
TEMPORARILY ABANDON	CHANGE PLANS COMMENCE DR	ILLING OPNS.□ P AND A □
PULL OR ALTER CASING	_	IT JOB
DOWNHOLE COMMINGLE		_
DOMINIOLE COMMININGEL L.		
CLOSED-LOOP SYSTEM		П
CLOSED-LOOP SYSTEM	□ OTHER:	d give pertinent dates including estimated date
CLOSED-LOOP SYSTEM OTHER:	OTHER:	ad give pertinent dates, including estimated date
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or compost of starting any proposed we	OTHER: pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Co	ad give pertinent dates, including estimated date empletions: Attach wellbore diagram of
CLOSED-LOOP SYSTEM OTHER:	OTHER: pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Co	ad give pertinent dates, including estimated date impletions: Attach wellbore diagram of
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or compof starting any proposed we proposed completion or recomposed completion.	OTHER: pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Co	ad give pertinent dates, including estimated date empletions: Attach wellbore diagram of
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or compostarting any proposed we proposed completion or recomposed completion or recomposed.	OTHER: pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Co completion.	empletions: Attach wellbore diagram of
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or compost of starting any proposed we proposed completion or recomposed to the starting and proposed with the starting and proposed with the starting and proposed completion or recomposed to the starting and the	OTHER: pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Co completion. of 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550	sks Class C w/additives. Mixed @ 14.8#/g
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or compost starting any proposed we proposed completion or recomposed to the starting and proposed with the starting with the s	OTHER: pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. of 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of 6	sks Class C w/additives. Mixed @ 14.8#/g emt to the pits. Test BOPE to 5000# & Annular
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or compost starting any proposed we proposed completion or recomposed to the starting and proposed with the starting with the s	OTHER: pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Co completion. of 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550	sks Class C w/additives. Mixed @ 14.8#/g emt to the pits. Test BOPE to 5000# & Annular
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed we proposed completion or recomplete to 3500#. At 5:30 P.M. 08/06/18, te	OTHER: pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. of 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of 6	sks Class C w/additives. Mixed @ 14.8#/g emt to the pits. Test BOPE to 5000# & Annular
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed was proposed completion or recomplete of starting any proposed was proposed completion or recomplete of the starting any proposed was proposed completion or recomplete of the starting any proposed was proposed with the starting any proposed was proposed with the starting any proposed with the starting any proposed was proposed with the starting and the s	ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. Tof 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of cisted csg to 1500#, held OK. FIT test to 10.5 PPG EMV	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit.
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed was proposed completion or recompletion or recompletion of starting any proposed was proposed completion or recompletion or recompletion of the start of	OTHER: pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. of 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of casted csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cemented	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit.
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed we proposed completion or recompletion or recompletion of starting any proposed we proposed completion or recompletion or recompletion of the starting any proposed we proposed completion or recompletion or recompletion of the starting with	OTHER: pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. of 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of casted csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cemented Class C w/0.5% CaCl2. Mixed @ 14.8#/g w/1.33 yd. I	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit. ted with 425 sks Class C w/additives. Mixed @ Displaced w/171 bbls FW. Plug down @ 5:00
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed we proposed completion or recompletion of the state of	OTHER: pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. of 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of ested csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cement Class C w/0.5% CaCl2. Mixed @ 14.8#/g w/1.33 yd. I to the pits. Set Cameron mandrel hanger through BOP v	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit. ted with 425 sks Class C w/additives. Mixed @ Displaced w/171 bbls FW. Plug down @ 5:00
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed we proposed completion or recompletion of the state of	OTHER: pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. of 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of casted csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cemented Class C w/0.5% CaCl2. Mixed @ 14.8#/g w/1.33 yd. I	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit. ted with 425 sks Class C w/additives. Mixed @ Displaced w/171 bbls FW. Plug down @ 5:00
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed we proposed completion or recompletion of the state of	OTHER: pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. of 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of ested csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cement Class C w/0.5% CaCl2. Mixed @ 14.8#/g w/1.33 yd. I to the pits. Set Cameron mandrel hanger through BOP v	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit. ted with 425 sks Class C w/additives. Mixed @ Displaced w/171 bbls FW. Plug down @ 5:00
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed starting any proposed we proposed completion or recomposed to 2 1/2" hole @ 548'. Ran 533' w/1.34 yd. Displaced w/76 bbls of the store of t	pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. Tof 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of ested csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cemented Class C w/0.5% CaCl2. Mixed @ 14.8#/g w/1.33 yd. It of the pits. Set Cameron mandrel hanger through BOP worf 9.5 PPG. Drilled out with 8 3/4" bit.	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit. ted with 425 sks Class C w/additives. Mixed @ Displaced w/171 bbls FW. Plug down @ 5:00
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed we proposed completion or recompletion of the state of	OTHER: pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. of 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of ested csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cement Class C w/0.5% CaCl2. Mixed @ 14.8#/g w/1.33 yd. I to the pits. Set Cameron mandrel hanger through BOP v	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit. ted with 425 sks Class C w/additives. Mixed @ Displaced w/171 bbls FW. Plug down @ 5:00
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed starting any proposed we proposed completion or recomposed to 2 1/2" hole @ 548'. Ran 533' w/1.34 yd. Displaced w/76 bbls of the store of t	pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. Tof 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of ested csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cemented Class C w/0.5% CaCl2. Mixed @ 14.8#/g w/1.33 yd. It of the pits. Set Cameron mandrel hanger through BOP worf 9.5 PPG. Drilled out with 8 3/4" bit.	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit. ted with 425 sks Class C w/additives. Mixed @ Displaced w/171 bbls FW. Plug down @ 5:00
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed was proposed completion or recompletion of the second o	pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. Tof 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of ested csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cement Class C w/0.5% CaCl2. Mixed @ 14.8#/g w/1.33 yd. It of the pits. Set Cameron mandrel hanger through BOP wof 9.5 PPG. Drilled out with 8 3/4" bit. Rig Release Date:	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit. ted with 425 sks Class C w/additives. Mixed @ Displaced w/171 bbls FW. Plug down @ 5:00 w/85k#. At 4:00 A.M. 08/09/18, tested csg to
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed was proposed completion or recompletion of the second o	pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. Tof 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of ested csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cement Class C w/0.5% CaCl2. Mixed @ 14.8#/g w/1.33 yd. It of the pits. Set Cameron mandrel hanger through BOP wof 9.5 PPG. Drilled out with 8 3/4" bit. Rig Release Date:	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit. ted with 425 sks Class C w/additives. Mixed @ Displaced w/171 bbls FW. Plug down @ 5:00 w/85k#. At 4:00 A.M. 08/09/18, tested csg to
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed was proposed completion or recompletion of the second o	pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. Tof 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of ested csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cemented Class C w/0.5% CaCl2. Mixed @ 14.8#/g w/1.33 yd. It of the pits. Set Cameron mandrel hanger through BOP worf 9.5 PPG. Drilled out with 8 3/4" bit.	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit. ted with 425 sks Class C w/additives. Mixed @ Displaced w/171 bbls FW. Plug down @ 5:00 w/85k#. At 4:00 A.M. 08/09/18, tested csg to
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed was proposed completion or recompletion of the second o	pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Completion. Tof 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of ested csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cemented Class C w/0.5% CaCl2. Mixed @ 14.8#/g w/1.33 yd. If the pits. Set Cameron mandrel hanger through BOP word 9.5 PPG. Drilled out with 8 3/4" bit. Rig Release Date:	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit. ted with 425 sks Class C w/additives. Mixed @ Displaced w/171 bbls FW. Plug down @ 5:00 w/85k#. At 4:00 A.M. 08/09/18, tested csg to
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed was proposed completion or recompletion of the second o	pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Completion. Tof 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of ested csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cemented Class C w/0.5% CaCl2. Mixed @ 14.8#/g w/1.33 yd. If the pits. Set Cameron mandrel hanger through BOP word 9.5 PPG. Drilled out with 8 3/4" bit. Rig Release Date:	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit. ted with 425 sks Class C w/additives. Mixed @ Displaced w/171 bbls FW. Plug down @ 5:00 w/85k#. At 4:00 A.M. 08/09/18, tested csg to
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed starting any proposed we proposed completion or recomposed to the starting any proposed we proposed completion or recomposed to 3504/18 Spud 17 1/2" hole @ 548'. Ran 533' w/1.34 yd. Displaced w/76 bbls of the starting to 3500#. At 5:30 P.M. 08/06/18, te 08/08/18 TD'ed 12 1/4" hole @ 2315'. Ran 2 11.9#/g w/ 2.54 yd. Tail w/200 sks of PM 08/08/18. Circ 157 sks of cmt to 1500#, held OK. FIT test to EMW of Spud Date: 08/04/2018 I hereby certify that the information	DIHER: pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. Tof 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of ested csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cement Class C w/0.5% CaCl2. Mixed @ 14.8#/g w/1.33 yd. It to the pits. Set Cameron mandrel hanger through BOP worf 9.5 PPG. Drilled out with 8 3/4" bit. Rig Release Date: TITLE_Regulatory	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit. ted with 425 sks Class C w/additives. Mixed @ Displaced w/171 bbls FW. Plug down @ 5:00 w/85k#. At 4:00 A.M. 08/09/18, tested csg to DATE_8/31/18
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed starting any proposed we proposed completion or recomposed completion or recompletion or recomposed completion	DIHER: pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. Tof 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of ested csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cemented Class C w/0.5% CaCl2. Mixed @ 14.8#/g w/1.33 yd. It to the pits. Set Cameron mandrel hanger through BOP worf 9.5 PPG. Drilled out with 8 3/4" bit. Rig Release Date: TITLE Regulatory	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit. ted with 425 sks Class C w/additives. Mixed @ Displaced w/171 bbls FW. Plug down @ 5:00 w/85k#. At 4:00 A.M. 08/09/18, tested csg to DATE_8/31/18
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed we proposed completion or recomprosed completion or recompletion of the state of the s	DIHER: pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. Tof 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of ested csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cemented Class C w/0.5% CaCl2. Mixed @ 14.8#/g w/1.33 yd. It to the pits. Set Cameron mandrel hanger through BOP worf 9.5 PPG. Drilled out with 8 3/4" bit. Rig Release Date: TITLE Regulatory	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit. ted with 425 sks Class C w/additives. Mixed @ Displaced w/171 bbls FW. Plug down @ 5:00 w/85k#. At 4:00 A.M. 08/09/18, tested csg to DATE _ 8/31/18 PHONE: _575-393-5905
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed starting any proposed we proposed completion or recomposed completion or recompletion or recomposed completion	pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. Tof 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of ested csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cement Class C w/0.5% CaCl2. Mixed @ 14.8#/g w/1.33 yd. It to the pits. Set Cameron mandrel hanger through BOP vof 9.5 PPG. Drilled out with 8 3/4" bit. Rig Release Date: TITLE_Regulatory	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit. ted with 425 sks Class C w/additives. Mixed @ Displaced w/171 bbls FW. Plug down @ 5:00 w/85k#. At 4:00 A.M. 08/09/18, tested csg to DATE _ 8/31/18 PHONE: _575-393-5905
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed we proposed completion or recomprosed completion or recompletion of the state of the s	DIHER: pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. Tof 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of ested csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cemented Class C w/0.5% CaCl2. Mixed @ 14.8#/g w/1.33 yd. It to the pits. Set Cameron mandrel hanger through BOP worf 9.5 PPG. Drilled out with 8 3/4" bit. Rig Release Date: TITLE Regulatory	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit. ted with 425 sks Class C w/additives. Mixed @ Displaced w/171 bbls FW. Plug down @ 5:00 w/85k#. At 4:00 A.M. 08/09/18, tested csg to DATE_8/31/18
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed we proposed completion or recomprosed completion or recompletion of the state of the s	pleted operations. (Clearly state all pertinent details, ar ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. Tof 13 3/8" 54.5# J55 ST&C Csg. Cemented with 550 BW. Plug down @ 5:00 PM 08/05/18. Circ 235 sks of ested csg to 1500#, held OK. FIT test to 10.5 PPG EMV 300' of 9 5/8" 40# N80 & HCL80 LT&C Csg. Cement Class C w/0.5% CaCl2. Mixed @ 14.8#/g w/1.33 yd. It to the pits. Set Cameron mandrel hanger through BOP vof 9.5 PPG. Drilled out with 8 3/4" bit. Rig Release Date: TITLE_Regulatory	sks Class C w/additives. Mixed @ 14.8#/g cmt to the pits. Test BOPE to 5000# & Annular V. Drilled out with 12 1/4" bit. ted with 425 sks Class C w/additives. Mixed @ Displaced w/171 bbls FW. Plug down @ 5:00 w/85k#. At 4:00 A.M. 08/09/18, tested csg to DATE _ 8/31/18 PHONE: _575-393-5905