Form 3160-5 (June 2015)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

5. Lease Serial No. NMNM100549

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an

abandoned wei	II. Use form 3160-3 (APD) for	such proposals.	o II Indian, Allottee	or Tribe Name	
SUBMIT IN T	7. If Unit or CA/Agre	7. If Unit or CA/Agreement, Name and/or No.			
Type of Well     Oil Well		8. Well Name and No. HH SO 8 5 FED 003 4H			
Name of Operator     CHEVRON USA INCORPORA	9. API Well No. 30-015-45118-	00-X1			
CHEVRON USA INCORPORATED E-Mail: LBECERRA@CHEVRON.COM  3a. Address 6301 DEAUVILLE BLVD MIDLAND, TX 79706  3b. Phone No. (include area code) Ph: 432-687-7655			10. Field and Pool or PURPLE SAGI	10. Field and Pool or Exploratory Area PURPLE SAGE-WOLFCAMP (GAS)	
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)		11. County or Parish,	, State	
Sec 17 T26S R27E NENW 55 32.048241 N Lat, 104.213425	EDDY COUNT	Y, NM			
12. CHECK THE AF	PPROPRIATE BOX(ES) TO IN	NDICATE NATURE OF	F NOTICE, REPORT, OR OT	HER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
■ Notice of Intent	☐ Acidize	□ Deepen	☐ Production (Start/Resume)	■ Water Shut-Off	
_	☐ Alter Casing	☐ Hydraulic Fracturing	□ Reclamation	■ Well Integrity	
☐ Subsequent Report	□ Casing Repair	■ New Construction	☐ Recomplete	Other	
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon	□ Temporarily Abandon	Change to Original A PD	
	□ Convert to Injection	☐ Plug Back	■ Water Disposal		
determined that the site is ready for fi Chevron respectfully requests Lead and Tail and Production Details of the changes are atta	a variance to change the ceme Lead from Class H to Class C o	ent slurry on the Intermed cement.	diate Stage 1		
			-	L CONSERVATION RTESIA DISTRICT	
	Accepted for re	/-20 -/8 ecord - NMOCD	1	NOV 1 4 2018	
				RECEIVED	
14. I hereby certify that the foregoing is	Electronic Submission #437465 For CHEVRON USA IN	CORPORATED, sent to ti	he Carlsbad		
Committed to AFMSS for processing by PRISCILLA PEREZ on 10/01/20  Name (Printed/Typed) LAURA BECERRA Title REGULATORY:		ATORY SPECIALIST			
Signature (Electronic S	ubmission)	Date 09/27/20	018		
	THIS SPACE FOR FE	DERAL OR STATE (	OFFICE USE		
Approved By MUSTOCOME attached certify that the applicant holds legal or equ	itable title to those rights in the subject	Title UNITED OF Lease Office CL S	Runting 10 to 10 t	Date 11-13-2018	
which would entitle the applicant to condu- Fitle 18 U.S.C. Section 1001 and Title 43 I States any false, fictitious or fraudulent s	U.S.C. Section 1212, make it a crime for	or any person knowingly and		r agency of the United	

# Delaware Basin Changes to APD/COA for Federal Well



#### Well Info:

Well Name	API Number
HH SO 8 5 FED 003 1H	3001545115
HH SO 8 5 FED 003 2H	3001545116
HH SO 8 5 FED 003 3H	3001545117
HH SO 8 5 FED 003 4H	3001545118
HH SO 8 5 FED 003 5H	3001545119
HH SO 8 5 FED 003 6H	3001545120

Rig: Patterson 815

### **Chevron Contact:**

### **Brett Herman**

Drilling & Completions Engineer Chevron Mid-Continent Business Unit Drilling & Completions

Cell: (832) 457-0778

Email: brett.herman@chevron.com

# Summary of Changes to APD Submission

Chevron respectfully requests to change the intermediate and production cement Class to adhere to our standard operation procedure. We will change the Intermediate Stage 1 Lead and Tail and Production Lead from Class H to Class C. The slurry type has been changed to reflect this.

	Stage 2 Lead	Stage 2 Tail	Stage 1 Lead	Stage 1 Tail
Slurry Type:	Class C	Class C	Class C	Class C
Top:	0	1600	2100	7272
Bottom:	1600	2100	7272	8272
Density:	11.9	14.8	11.9	14.8
Yield:	2.5	1.33	2.5	1.33
Mix H20:	14.1	6.35	14.1	6.35
Sacks:	354	177	1296	353
Vol. (bbls)	157	42	577	84
% Excess:	100	50	100	50
50 psi CS:	9:10	5:44	11:48	5:11
70 Bc:	5:15	3:47	5:20	5:08
ent: KWM				

chlumberger

<sup>#</sup>bbl Tuned Spacer III @ 12.4 ppg

	Lead	Tail
Slurry Type:	Class C	Class H
Тор:	5353.	18911
Bottom:	18911'	19548'
Density:	13.2	15.0
Yield:	1.84	2.18
Mix H20:	9.85	9.55
Sacks:	2388	100
Vol. (bbls)	782	39
% Excess:	50	50
50 psi CS:	3:59	4:38
70 Bc:	5:06	4:39

# Changes Summary

**Summary:** Variance to change the cement slurry on the Intermediate Stage 1 Lead and Tail and Production Lead from Class H to Class C cement.