


Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 DISTRICT II ARTESIA O.C.D.			Form C-105 Revised April 3, 2017					
		1. WELL API NO. 30-005-64314								
		2. Type of Lease <input type="checkbox"/> STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN								
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)				5. Lease Name or Unit Agreement Name Moonshot						
				6. Well Number: 1						
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER										
8. Name of Operator Marshall & Winston, Inc.				9. OGRID 14187						
10. Address of Operator P. O. Box 50880, Midland, Texas 79710-0880				11. Pool name or Wildcat Elkins; Fusselman, South						
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	K	26	07S	28E		2112	South	2467	West	Chaves
BH:										
13. Date Spudded 07/23/18	14. Date T.D. Reached 08/15/18	15. Date Rig Released 08/18/18		16. Date Completed (Ready to Produce) 09/04/18		17. Elevations (DF and RKB, RT, GR, etc.) 4068' GR				
18. Total Measured Depth of Well 6900'		19. Plug Back Measured Depth 6872'		20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run CNL, GR, CCL, CBL				
22. Producing Interval(s), of this completion - Top, Bottom, Name 6712 - 6720' Fusselman										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13 3/8"		48# J55		406.30'		17 1/2"		421 sx Cl C		0
8 5/8"		32# J55		2848'		11"		640 sx Cl C		0
5 1/2"		17# N80		6873'		7 7/8"		715 sx Poz H+625 sx C		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN						
25. TUBING RECORD										
SIZE	DEPTH SET		PACKER SET							
2 7/8"	6676'		6676'							
26. Perforation record (interval, size, and number) 6712 - 6720' (32 shots, .38")						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL				
						AMOUNT AND KIND MATERIAL USED				
						6712 - 6720' 5000 gal 15% NeFe Acid				
28. PRODUCTION										
Date First Production 11/01/18		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 11/04/18	Hours Tested 24	Choke Size 20/64"	Prod'n For Test Period	Oil - Bbl 8	Gas - MCF 830	Water - Bbl. 4	Gas - Oil Ratio 1038			
Flow Tubing Press. 227#	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl. 8	Gas - MCF 830	Water - Bbl. 4	Oil Gravity - API - (Corr.) 61.4				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold						30. Test Witnessed By Travis Flemmons				
31. List Attachments Logs, Deviation Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.						33. Rig Release Date:				
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 		Printed Name		Todd Passmore		Title		Operations Manager		Date
										11/15/18
E-mail Address tpassmore@mar-win.com										

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

**OIL OR GAS
SANDS OR ZONES**

Submit Perfs. Thanks

No. 1, from.....to.....
 No. 2, from.....to.....
 No. 3, from.....to.....
 No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
400'	1840'		SS, Rd Sh, Anhy				
1840'	2660'		Dolomite				
2660'	3100'		Dolomite, SS, Anhy				
3100'	3740'		SS, Anhy, Dolomite				
3740'	3880'		Limestone				
3880'	4520'		Anhy, Dolomite, Sh				
4520'	4800'		SS, Dolomite, Anhy				
4800'	4880'		Salt, Dolomite, SS, Sh				
4880'	5820'		Sh, Dolomite, SS				
5820'	6680'		Limestone, Sh				
6680'	6820'		Dolomite, Sh, Limestone				
6820'	6900'		Dolomite, Sh, Limestone, Chrt				