Form 3160-5 (June 2015)

UNITED STATES DEP BUF

ARTMENT OF THE INTERIOR	
REAU OF LAND MANAGEMENT	┝
	ı

OMB :	NO. 1004-0137
Expires:	January 31, 201
0 111	

FORM APPROVED

5.
L

□ Production (Start/Resume)

☐ Temporarily Abandon

☐ Reclamation

☐ Recomplete

SUNDRY NOTICES AND REPORTS ON WELLS			NMNM100549	
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.		6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on page 2		7. If Unit or CA/Agreement, Name and/or No. NMNM138618		
1. Type of Well Gas Well Oth	er		8. Well Name and No. HH SO 8 5 FED 003 3H	
Name of Operator Contact: LAURA BECERRA CHEVRON USA INCORPORATED E-Mail: LBECERRA@CHEVRON.COM		9. API Well No. 30-015-45117-00-X1		
3a. Address 6301 DEAUVILLE BLVD MIDLAND, TX 79706		No. (include area code) -687-7655	10. Field and Pool or Exploratory Area PURPLE SAGE-WOLFCAMP (GAS)	
4. Location of Well (Footage, Sec., T.	R., M., or Survey Description)	<u>-</u>	11. County or Parish, State	
Sec 17 T26S R27E NENW 579 32.048172 N Lat, 104.213425			EDDY COUNTY, NM	
12. CHECK THE AP	PROPRIATE BOX(ES) TO INDI	CATE NATURE OF NOTICE	, REPORT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION			

□ Convert to Injection □ Plug Back ■ Water Disposal 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BlA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

□ Deepen

☐ Hydraulic Fracturing

☐ New Construction

□ Plug and Abandon

Chevron respectfully requests a variance to change the cement slurry on the Intermediate Stage 1 Lead and Tail and Production Lead from Class H to Class C cement.

☐ Acidize

□ Alter Casing

☐ Casing Repair

□ Change Plans

Details of the changes are attached.

■ Notice of Intent

□ Subsequent Report

Final Abandonment Notice

Larisbad rick unice **OCD** Artesia

RECEIVED

■ Water Shut-Off

Change to Original A

■ Well Integrity

Other

PD

				NOV 9 8 2018
14. I hereby certify that the	ne foregoing is true and correct. Electronic Submission #437464 verifie For CHEVRON USA INCORPO Committed to AFMSS for processing by PRI	RATED	. sent to the Carlsbad	DISTRICT II-ARTESIA O.C.D
Name (Printed/Typed)	LAURA BECERRA	Title	REGULATORY SPECIALIST	
Signature	(Electronic Submission)	Date	09/27/2018	
	THIS SPACE FOR FEDERA	L OR	STATE OFFICE USE	
_Approved_By_MUSTAF	FA_HAQUE	TitleF	PETROLEUM ENGINEER	Date 11/13/2018
certify that the applicant hol	ny, are attached. Approval of this notice does not warrant or ds legal or equitable title to those rights in the subject lease licant to conduct operations thereon.	Office	: Carlsbad	
	I and Title 43 U.S.C. Section 1212, make it a crime for any pe or fraudulent statements or representations as to any matter w			nent or agency of the United

(Instructions on page 2) ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

RN12-6-18

Delaware Basin Changes to APD/COA for Federal Well



Well Info:

Well Name	API Number
HH SO 8 5 FED 003 1H	3001545115
HH SO 8 5 FED 003 2H	3001545116
HH SO 8 5 FED 003 3H	3001545117
HH SO 8 5 FED 003 4H	3001545118
HH SO 8 5 FED 003 5H	3001545119
HH SO 8 5 FED 003 6H	3001545120

Rig: Patterson 815

Chevron Contact:

Brett Herman

Drilling & Completions Engineer Chevron Mid-Continent Business Unit Drilling & Completions

Cell: (832) 457-0778

Email: brett.herman@chevron.com

Summary of Changes to APD Submission

Chevron respectfully requests to change the intermediate and production cement Class to adhere to our standard operation procedure. We will change the Intermediate Stage 1 Lead and Tail and Production Lead from Class H to Class C. The slurry type has been changed to reflect this.

	Stage 2 Lead	Stage 2 Tail	Stage 1 Lead	Stage 1 Tail
Slurry Type:	Class C	Class C	Class C	Class C
Тор:	0	1600	2100	7272
Bottom:	1600	2100	7272	8272
Density:	11.9	14.8	11.9	14.8
Yield:	2.5	1.33	2.5	1.33
Mix H20:	14.1	6.35	14.1	6.35
Sacks:	354	177	1296	353
Vol. (bbls)	157	42	577	84
% Excess:	100	50	100	50
50 psi CS:	9:10	5:44	11:48	5:11
70 Bc:	5:15	3:47	5:20	5:08
ent: KWM				

chlumberger

i bbl Tuned Spacer III @ 12.4 ppg

	Lead	Tail
Slurry Type:	Class C	Class H
Top:	5353	18911
Bottom:	18911'	19548'
Density:	13.2	15.0
Yield:	1.84	2.18
Mix H20:	9.85	9.55
Sacks:	2388	100
Vol. (bbls)	782	39
% Excess:	50	50
50 psi CS:	3:59	4:38
70 Bc:	5:06	4:39

Changes Summary

Summary: Variance to change the cement slurry on the Intermediate Stage 1 Lead and Tail and Production Lead from Class H to Class C cement.