
	·
+Submit 3 Copies to Appropriate District Office DISTRICT I O State of New Mexico Energy, Minerals and Natural Resources Department of the Construction of the Const	Form C 103 Revised 1-1-89
District Office	
DISTRICT I P.O. Box 1980, Webs, NM \$8240 (1) P.O. Box 2088	WELL AFINO.
P.O. Box 1980, #85bs, NM \$8240 P.O. Box 2088 DISTRICT II FOR RECENSED P.O. Box 2088 Santa Fe, New Mexico 87504-2088	30 015 01729
P.O. Drawer DD, Affesia, NA 188210	5. Indicate Type of Lease STATE FEE
DISTRICT III 1000 Rio Brazos Rd., NM 87410	6. State Oil& Gas Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	7. Lease Name or Unit Agreement Name
1. Type of Well: Oil Well Well OTHER	Charles
2. Name of Operator	State 8. Well No.
Melrose Operating Company	1
3. Address of Operator c/o P.O. Box 953, Midland, TX, 79702	9. Pool name or Wildcat Artesia; QN-GR-SA
4. Well Location	Attesia, QIV-GIC-SA
Unit Letter E 2310' Feet From The North Line and	250' Feet From The West Lin
Section 35 Township 17S Range 28E	NMPM Eddy County
10. Elevation (Show whether DF, RKB. RT, GR,	, etc.)
Check Appropriate Box to Indicate Nature of No NOTICE OF INTENTION TO:	otice, Report, or Other Data SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL W	ORK ALTERING CASING
TEMPORARILY ABANDON CHANGE PLANS COMMENCE I	DRILLING OPNS. PLUG AND ABANDONMENT
PULL OR ALTER CASING CASING TEST	AND CEMENT JOB
OTHER: OTHER	
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent work) SEE RULE 1103.	t dates, including estimated date of starting any proposed
As per NMOCD Case No. 12709 requires that the "Welch State" Well #1 drilled by abandonded by Melrose Operating Company in order to proceed with the Melrose O	
Plan to P & A as follows:	
25 sx @ 1900-1800 2700 - 749 25 sx pluq @ 2036	Salt gel mud consisting of 10#
50 sx @ 1150-1050.	Brine W/25# of gel per bbl must be placed between each plug
50 sx @ 640-540' Notify OCD 24 hrs. prior to any work done	must be placed between each plug
100 sx @ 340-240' 5 sx surface plug	
Records show (copies attached) that all strings of casing were pulled. Will notify OC	CD 48 hours before plugging.
I hereby certify that the information above is true and complete to the best of my knowledge and belief.	
Pamilatory	A gent 2-13-03

TYPE OR PRINT NAME Ann E. Ritchie TELEPHONE NO. 915 684-6381TITLE Suld Sup P (this space for State Use) FEB 18 2003 APPROVED BY -CONITIONS OF APPROVAL, IF ANY:

WELLBORE SCHEMATIC

Welch
State #1
2310 FNL & 250 FWL
Section 35-17s-28e
Eddy County, New Mexico
Ground Elevation:
Total Depth: 2,710 feet
API #30-015-01729

Date Drilled: 9/9/26
Date Plugged: 8/14/34



Porm C-102

N. XICO OIL CONSERVATION CC X ION Santa Fe. New Mexico

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of no	ILCO DY CHOCKING BOIGW:
MODER OF IMPRICAL TO SECT CACING	
SHUT-OFF	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL
NOTICE OF INTENTION TO CHANGE PLANS	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING
NOTICE OF INTENTION TO REPAIR WELL	Notice of intention to abandon we
NOTICE OF INTENTION TO DEEPEN WELL	NOTICE OF INTENTION TO PLUG WELL
OIL CONSERVATION COMMISSION, Santa Fe, New Mexico Gentlemen: Following is a notice of intention to do certain work as	APTERIA, New Mexico Mic. 10, 34 By Solution Date 30-015-0176 escribed below at the
Malah Nasa	Well No. / in mix 115
Company or Contain Losso	•
(Sec	N. M. P. M., Artesta Field.
County	
	POSED PLAN OF WORK
	AND REGULATIONS OF THE COMMISSION
	5, 1934. The reason for whishing to
of 8% oasing; 1100 of 6 6/8%	casing.
l hole with mud to 1900I. Cement h mud to 1100'. Pull 6 5/8" casis ing. Pull 82" easing. Fill with	with five sacks of cement. Fill ag. Fill with mud to cottom of 82 mad to bottom of 10 casing. Pull
work which we propose to do in all hole with mud to 1900I. Cement in mud to 11:0°. Pull 6 5/8" casis ling. Pull 8½" casing. Fill with casing and fill with mud to surface the surface of t	with five sacks of cement. Fill ag. Fill with mud to cottom of 82 mud to bottom of 10 casing. Pull ace and erect regulation marker.
l hole with mud to 1900I. Cement h mud to 1100'. Pull 6 5/8" casis ing. Pull 82" casing. Fill with casing and fill with mud to surface the surface of the su	with five sacks of cement. Fill ag. Fill with mud to cottom of 82 mud to bottom of 10 casing. Pull ace and creet regulation marker. Walch Brothers Company of Operator
l hole with mud to 1900I. Cement h mud to 1100'. Pull 6 5/8" casis ing. Pull 82" casing. Fill with casing and fill with mud to surface the surface of the su	with five sacks of cement. Fill ag. Fill with mud to cottom of 82 mud to bottom of 10 casing. Pull ace and creet regulation marker.
l hole with mud to 1900I. Cement h mud to 1100'. Pull 6 5/8" casis ing. Pull 82" casing. Fill with casing and fill with mud to surface the surface of the su	with five sacks of coment. Fill ag. Fill with mud to cottom of 82 and to bottom of 10 casing. Pull ace and erect regulation marker. Walch Brothers Company of Operator By V. P. Welch
l hole with mud to 1900I. Cement h mud to 1100'. Pull 6 5/8" casis ing. Pull 82" casing. Fill with casing and fill with mud to surface the surface of the su	with five sacks of cement. Fill ag. Fill with mud to cottom of 82 mud to bottom of 10 casing. Pull ace and creet regulation marker. Walch Brothers Company of Operator
l hole with mud to 1900I. Cement h mud to 1100'. Pull 6 5/8" casis ing. Pull 82" casing. Fill with casing and fill with mud to surface and fill with mud to surface.	Walch Brothers By V. P. Welch Pusition Still with mud to bottom of 82* Walch Brothers Company or Operator
l hole with mud to 1900I. Cement in mud to 1100'. Pull 6 5/8" casis ing. Pull 8% casing. Fill with casing and fill with mud to surface and fill with mud to surface as follows:	Walch Brothers By V. P. Welch Pusition Send communications regarding well to
l hole with mud to 1900I. Cement h mud to 1100'. Pull 6 5/8" casis ing. Pull 8½" casing. Fill with casing and fill with mud to surface the surface of the su	Walch Brothers By V. P. Welch Pusition
l hole with mud to 1900I. Cement h mud to 1100'. Pull 6 5/8" casis ing. Pull 8% casing. Fill with casing and fill with mud to surface the surface of the sur	Walch Brothers By V. P. Welch Pusition

Perm 80104



NOTICE OF INTENTION TO ABANDON WELL

Notice must be given at least five days before work is to begin to the State Geologist or to the proper Oil and Gas Inspector. It is desirable that a representative of the Department of the State Geologist witness the plugging of wells being abandoned whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in duplicate.

__	rtesia, N. Mex. Aug. 10, 1924	
Mr. S. H. Wells		
Santa Fc, New Mexico. Dear Sir:		
You are hereby notified that it is our intention	to abandon	
No 1 in the of Mills of Sec.	36 Twp 17 Rge 28	
N. M. P. M. Artesia O	il Field. Eddy County.	
We plan to commence work on	August 15th, 19.34	
The reasons for wishing to abandon the well ar	e as follows:	
Son-productive.	30-015-0172	
	11 4 45	
The present condition of the well is as follows:	1 Deoges	
	f 10" Casing.	
598 feet of	? 8-1/4" Casing. ? 6-5/9" Casing	
DUPLICAT	E	
The work which we propose to do in ahand		
Fill hole with mud to 1900 feet. Coment with five eachs of sement. Fill with mud to 1100 feet. Pull 6-5/6" casing. Fill with mud to bottom of 8-1/4" casing. Pull 8-1/4" casing. Fill with mud to bottom of 10" casing. Pull 10" casing and fill with mud to surface and erect regulation marker.		
	Sincerely yours,	
Approved AUG 1 4 1934	Welch Brothers	
Except as follows:	By U. P. Welch	
	Position Partner	
	Send communications regarding this well to	
108	Name Artesia, Bew Mexico	
State Game for or Off and Gas Inspector.	Address	

OPERATOR: Melrose Operating Co.	API# 30-015-01729
WELL: State # 1	LOCATION: E-35-17-28
SURFACE CSG	
INT.CSG-	
LONG STRING-	
OTHER-	

