

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-29234
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator OXY USA WTP LP		6. State Oil & Gas Lease No. LG794-1
3. Address of Operator P.O. Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name OXY Bulldog State
4. Well Location Unit Letter <u>H</u> : <u>1980</u> feet from the <u>north</u> line and <u>660</u> feet from the <u>east</u> line Section <u>16</u> Township <u>20S</u> Range <u>28E</u> NMPM County <u>Eddy</u>		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3265'		9. OGRID Number 192463
		10. Pool name or Wildcat Burton Flat Wolfcamp, N.-Saladar Strawn

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: Plugback-Recompletion-DHC-4822 <input checked="" type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

12/12/17-1/19/18

MIRU PU, NDWH, NU BOP. RIH & tag CR @ 9378', DO to CIBP @ 10582'. Attempt to test csg to 600#, wouldn't hold. RIH & set CIBP @ 10576', POOH. RIH w/ tbg & tag CIBP @ 10576', test csg to 600# for 15min, tested good. M&P 15sx CI H cmt, PUH, WOC. RIH & tag cmt @ 10508', POOH. RIH & perf 6spf @ 9068-9213', 10319-10328', POOH. RIH & set pkr & attempt to breakdown perfs and acidize with a total of 18350g 15% acid. POOH & LD WS tbg, RIH w/ tbg & GLV, NDBOP, NUWH, attempt to produce & swab, RDPU. SI for engineering evaluation.

8/1/18-8/16/18

MIRU PU, NDWH, NUBOP, POOH w/ tbg & GLV. RIH & re-perf w/ 6spf @ 10319-10324', 9205-9213', 9078-9092', 9068-9078'. Acidize with a total of 14200g 15% acid. RIH w/ tbg & GLV, NDBOP, NUWH, RDPU and turn well over to production for flowback.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 12/11/18


Type or print name David Stewart E-mail address: david.stewart@oxy.com PHONE: 432-685-5717


For State Use Only

APPROVED BY: Rusty H TITLE Business Ops Spec A DATE 12-28-2018


Conditions of Approval (if any):


OXY USA WTP LP - Current
 OXY Bulldog State #1
 API No. 30-015-29234




17-1/2" hole @ 416' 
 13-3/8" csg @ 416'
 w/ 420sx-TOC-Surf-Circ

Csg part @ 1272' & 1432', sqz w/ 500sx cmt

7" csg @ 2902' 
 w/ 250sx-TOC-Surf-Circ

11" hole @ 3050' 
 8-5/8" csg @ 3046'
 DVT @ 1210'
 w/ 1975sx-TOC-Surf-Circ

4/12-csg lk @ 5810-5842' 
 sqz w/ 490sx cmt-TOC-2540'-Calc

2-3/8" 4.7# L80 Tbg @ 10279'
 Pkr Mandrel/Seal Asmbly @ 8994', 10263'
 Sliding Sleeve @ 9016'
 GLV's @ 1967', 3325', 4493', 5532', 6377',
 7157', 7804', 8382', 8959'

CIBP @ 10576' w/ 15sx to 10508' Tagged
 4/12-CIBP @ 10582'

Perfs @ 9068-9213'
 4/12-Perf @ 9500', sqz w/ 415sx cmt TOC-5852'-TS
 6-1/4" hole @ 11431'
 4-1/2" csg @ 11431'
 w/ 125sx-TOC-9566'-CBL

Perfs @ 10319-10328'

Perfs @ 10630-11154'

PB-11385'

TD-11431'