Form 3160-5 (June 2015)	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT			OCD Artesia		FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018 5. Lease Serial No. NMNM0405444A			
		NOTICES AND REPORTS ON WELLS							
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.						6. If Indian, Allottee or Tribe Name			
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No.				
1. Type of Well Gas Well Other						8. Well Name and No. TODD 26J FED 21			
2. Name of Operator Contact: NATALIE L BEAVERS DEVON ENERGY PRODUCTION CON-Mail: NATALIE.BEAVERS@DVN.COM					9. API Well No. 30-015-27200-00-S1				
	SHERIDAN AVEN A, OK 73102	3b. Phone No. (include area code) Ph: 405-552-3573			10. Field and Pool or Exploratory Area INGLE WELLS				
4. Location of We	ell (Footage, Sec., T	, R., M., or Survey Description	n)			11. County	y or Parish, St	ate	
Sec 26 T235	S R31E NWSE 19	80FSL 1980FEL				EDDY	COUNTY,	NM	
12.	CHECK THE AF	PROPRIATE BOX(ES)	TO INDICA	TE NATURE O	F NOTIC	E, REPORT	, OR OTH	ER DATA	
TYPE OF S	UBMISSION			ТҮРЕ ОГ	F ACTION				
Notice of I	ntent	🗖 Acidize	🗖 Dee	pen	🗖 Produ	ction (Start/R	lesume)	UWater Shut-Of	
		Alter Casing	🗖 Hyd	Iraulic Fracturing	🗖 Recla	mation		U Well Integrity	
🛛 Subsequen	it Report	Casing Repair	🗖 Nev	v Construction	🗖 Reco	nplete		Other	
🗖 Final Abar	ndonment Notice	Change Plans	🔀 Pluj	g and Abandon	Temporarily Abandon		don		
						Disposal			
If the proposal Attach the Bon following comp testing has been	is to deepen directionand under which the work of the involved	Convert to Injection eration: Clearly state all pertine ally or recomplete horizontally rk will be performed or provid operations. If the operation re- bandonment Notices must be fi- inal inspection.	ent details, includ , give subsurface e the Bond No. o esults in a multip	ling estimated startin locations and measu n file with BLM/BIA le completion or reco	g date of any red and true . Required ompletion in	y proposed wor vertical depths subsequent rep a new interval.	of all pertine orts must be f , a Form 3160 completed ar	nt markers and zones iled within 30 days -4 must be filed once id the operator has	
If the proposal Attach the Bon following comp testing has been determined that 1. 11/26/18 continue. 2. 11/27/18 tbg. 3. 11/28/18 "c"_cmt @ Spot 100 s 4. 11/29/18 sxs class " 5. 11/30/18 5 1/2" x 8	is to deepen directiona d under which the woi pletion of the involved n completed. Final At t the site is ready for fi Notified BLM of <u>Cut tbg @ 669</u> Test well 500 <u>6690'-6440'</u> . Spo <u>tss class "c" cmt</u> Spot 165 sxs (c" cmt @ 1747-7 Circ 14 bbi ML	ration: Clearly state all pertine ally or recomplete horizontally twill be performed or provide operations. If the operation re- bandonment Notices must be fi- inal inspection. intent. TAC stuck. Jin 4'. Set <u>5</u> 1/2" CIBP @ psi. Good. Circ 60 bbl t <u>25</u> sxs class "c" cmt <u>@ 4250'-3300". Tag T class "c" cmt @ 3386- 300". Tag TOC @ 730" F. 730'-140'. <u>Perf/circ</u> @ surf. Cut off wellhe</u>	ent details, includ , give subsurface e the Bond No. o esults in a multip iled only after all n Amos w/BL <u>0 6690'. Verif</u> MLF. 6690'- <u>0 5759'-559</u> <u>0 3386</u> <u>1750'. Tag</u> <u>15</u> 1/2" × 8 35 sxs class	ling estimated startin locations and measu n file with BLM/BIA le completion or reco requirements, includ .M ok'd to cut <u>y CIBP @ 669(</u> 4250' spot 25 s 29'. Tag TOC @ <u>OC @ 1757'</u> . F 5/8". "c" cmt @ 140 and cleaned too	g date of am red and true to and true mpletion in ling reclama TAC and D' w/2 3/8 SXS class D 5524'. Perf/sqz 2 D'-surf	y proposed wor vertical depths subsequent rep a new interval, tion, have been	is of all pertine orts must be f a Form 3160 completed ar RECLA	nt markers and zones iled within 30 days -4 must be filed once d the operator has MATION PROCE	
If the proposal Attach the Bon following comp testing has been determined that 1. 11/26/18 continue. 2. 11/27/18 tbg. 3. 11/28/18 "c" cmt @ Spot 100 s 4. 11/29/18 sxs class " 5. 11/30/18 5 1/2" x 8 Set dry hol	is to deepen directiona dunder which the woi pletion of the involved n completed. Final At the site is ready for fi Notified BLM of <u>Cut tbg @ 669</u> Test well 500 <u>6690'-6440'. Spo</u> <u>cs class "c" cmt</u> <u>Spot 165 sxs (c" cmt @ 1747-5</u> Circ 14 bbi ML 5/8". Verify cmt le marker. P&A (c)	ration: Clearly state all pertine ally or recomplete horizontally twill be performed or provide operations. If the operation re- bandonment Notices must be fi- inal inspection. intent. TAC stuck. Jin 4'. Set <u>5</u> 1/2" CIBP @ psi. Good. Circ 60 bbl t <u>25</u> sxs class "c" cmt <u>@ 4250'-3300". Tag T class "c" cmt @ 3386- 300". Tag TOC @ 730" F. 730'-140'. <u>Perf/circ</u> @ surf. Cut off wellhe</u>	ent details, includ , give subsurface e the Bond No. o esults in a multip iled only after all n Amos w/BL <u>0 6690'. Verif</u> MLF. 6690'- <u>0 5759'-559</u> <u>0 3386</u> <u>1750'. Tag</u> <u>15</u> 1/2" × 8 35 sxs class	ling estimated startin locations and measu n file with BLM/BIA le completion or reco requirements, includ .M ok'd to cut <u>y CIBP @ 6690</u> 4250' spot 25 s 99'. Tag TOC @ <u>OC @ 1757</u> '. F 5/8". "c" cmt @ 140	g date of am red and true to and true mpletion in ling reclama TAC and D' w/2 3/8 SXS class D 5524'. Perf/sqz 2 D'-surf	y proposed wor vertical depths subsequent rep a new interval, tion, have been	is of all pertine orts must be f a Form 3160 completed ar RECLA	nt markers and zones iled within 30 days -4 must be filed once d the operator has MATION PROCE ATTACHED D LAMATIO	
If the proposal Attach the Bon following comj testing has been determined that 1. 11/26/18 continue. 2. 11/27/18 tbg. 3. 11/28/18 "c" cmt @ Spot 100 s 4. 11/29/18 sxs class " 5. 11/30/18 5 1/2" x 8 Set dry hol	is to deepen directional dunder which the wor pletion of the involved n completed. Final At the site is ready for fi Notified BLM of <u>Cut tbg @ 669</u> Test well 500 <u>6690'-6440'. Spot 6690'-6440'. Spot 5690'-6440'. Spot c" cmt @ 1747-3 Circ 14 bbi ML 5/8". Verify cmt le marker. P&A of <u>9 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0</u></u>	ration: Clearly state all pertine ally or recomplete horizontally to version the performed or provide operations. If the operation re- bandonment Notices must be fi- inal inspection. intent. TAC stuck. Jin 4'. Set <u>5</u> 1/2" CIBP @ psi. Good. Circ 60 bbl to 25 sxs class "c" cmt @ 4250-3300". Tag T class "c" cmt @ 3386- 300". Tag TOC @ 730". F. 730'-140'. Perf/circ @ surf. Cut off wellhe completed. DHM. Electronic Submission f For DEVON ENERG	ent details, includ , give subsurface e the Bond No. o esults in a multip led only after all n Amos w/BL 6690'. Verif MLF. 6690'- @ 5759'-555 OC @ 3386 1750'. Tag 1750'. Tag 35 sxs class ad, anchors	ling estimated startin locations and measu n file with BLM/BIA le completion or reco requirements, includ .M ok'd to cut y CIBP @ 6690 4250' spot 25 s 29'. Tag TOC @ 0C @ 1757'. F 5/8" "c" cmt @ 140 and cleaned loc Accepted for	g date of any red and true bornpletion in ling reclama TAC and D' w/2 3/8 b 5524'. Perf/sqz 2 D'-surf atton.	y proposed wor vertical depths subsequent rep a new interval, tion, have been 20 20	is of all pertine orts must be f a Form 3160 completed ar RECLA	nt markers and zones iled within 30 days -4 must be filed once d the operator has MATION PROCE ATTACHED D LAMATIO	
If the proposal Attach the Bon following comj testing has been determined that 1. 11/26/18 continue. 2. 11/27/18 tbg. 3. 11/28/18 "c" cmt @ Spot 100 s 4. 11/29/18 sxs class " 5. 11/30/18 5 1/2" x 8 Set dry hol	is to deepen directional dunder which the word pletion of the involved n completed. Final At the site is ready for fi Notified BLM of <u>Cut tbg @ 669</u> Test well 500 <u>6690'-6440'. Spo</u> <u>cut tbg @ 669</u> Test well 500 <u>6690'-6440'. Spo</u> <u>cut 165 sxs of</u> <u>Cut 14 bbl ML</u> 5/8". Verify cmt le marker. P&A of <u>Cut the foregoing is</u> Com	and orrect. Electronic Submission of the correct. Electronic Submission of the correct. Elect	ent details, includ , give subsurface e the Bond No. o esults in a multip led only after all n Amos w/BL 6690'. Verif MLF. 6690'- @ 5759'-555 OC @ 3386 1750'. Tag 1750'. Tag 35 sxs class ad, anchors	ing estimated startin locations and measu n file with BLM/BIA le completion or reco requirements, includ .M ok'd to cut y CIBP @ 6690 4250' spot 25 s 99'. Tag TOC @ 00C @ 1757'. F 5/8" "c" cmt @ 140 and cleaned loc Accepted for d by the BLM Wei on COM LP, sent CILLA PEREZ on	g date of any red and true A. Required ompletion in ling reclama TAC and D' w/2 3/8 axs_class D 5524'. Perf/sqz_2 D'-surf atton. J/ - 6 -	y proposed wor vertical depths subsequent rep a new interval, tion, have been	is of all pertine orts must be f a Form 3160 completed ar RECLA THER 2. 21_78_ REC DUE	nt markers and zones iled within 30 days -4 must be filed once id the operator has MATION PROCE ATTACHED LA MATIO 5 - 3 0 - 1 RECEIVED	
If the proposal Attach the Bon following comp testing has been determined that 1. 11/26/18 continue. 2. 11/27/18 tbg. 3. 11/28/18 "c" cmt @ Spot 100 s 4. 11/29/18 sxs class " 5. 11/30/18 5 1/2" x 8 Set dry hol	is to deepen directional dunder which the word pletion of the involved n completed. Final At the site is ready for fi Notified BLM of <u>Cut tbg @ 669</u> Test well 500 <u>6690'-6440'. Spo</u> <u>cut tbg @ 669</u> Test well 500 <u>6690'-6440'. Spo</u> <u>cut 165 sxs of</u> <u>Cut 14 bbl ML</u> 5/8". Verify cmt le marker. P&A of <u>Cut the foregoing is</u> Com	intent. TAC stuck. Jin 4'. Set 5 1/2" CIBP @ psi. Good. Circ 60 bbl 225 sxs class "c" cmt @ 4250-3300". Tag TC Class "c" cmt @ 3386- 300". Tag TOC @ 730" F. 730"-140". Perf/circ @ 500". Tag TOC @ 730" F. 730". Tag TOC @ 730" F.	ent details, includ , give subsurface e the Bond No. o esults in a multip led only after all n Amos w/BL 6690'. Verif MLF. 6690'- @ 5759'-555 OC @ 3386 1750'. Tag 1750'. Tag 35 sxs class ad, anchors	ing estimated startin locations and measu n file with BLM/BIA le completion or reco requirements, includ .M ok'd to cut y CIBP @ 6690 4250' spot 25 s 99'. Tag TOC @ 00C @ 1757'. F 5/8" "c" cmt @ 140 and cleaned loc Accepted for d by the BLM Wei on COM LP, sent CILLA PEREZ on	g date of amy red and true A. Required ompletion in ling reclama TAC and D' w/2 3/8 Sxs class D 5524'. Derf/sqz 2 D'-surf atton. J/ / 6 J/ sqc - 2 D'-surf atton. J/ record	y proposed wor vertical depths subsequent rep a new interval, tion, have been	is of all pertine orts must be f a Form 3160 completed ar RECLA THER 2. 21_78_ REC DUE	nt markers and zones iled within 30 days -4 must be filed once d the operator has MATION PROCE ATTACHED LA MATIO S · 3 0 - 1 RECEIVED	
If the proposal Attach the Bon following comp testing has been determined that 1. 11/26/18 continue. 2. 11/27/18 tbg. 3. 11/28/18 "c"_cmt @ Spot 100 s 4. 11/29/18 sxs_class_" 5. 11/30/18 5 1/2" x 8 Set dry hol <u>Beloce</u> 14. I hereby certit	is to deepen directional dunder which the wor pletion of the involved n completed. Final At the site is ready for fi Notified BLM of <u>Cut tbg @ 669</u> Test well 500 <u>6690'-6440'. Spo</u> <u>5001 165 sxs of</u> <u>Cut at bol ML</u> 5/8". Verify cmt le marker. P&A of <u>Com</u> <i>Governer</i> <i>Com</i> <i>Com</i> <i>Com</i> <i>Com</i> <i>Com</i>	intent. TAC stuck. Jin 4'. Set 5 1/2" CIBP @ psi. Good. Circ 60 bbl 225 sxs class "c" cmt @ 4250-3300". Tag TC Class "c" cmt @ 3386- 300". Tag TOC @ 730" F. 730"-140". Perf/circ @ 500". Tag TOC @ 730" F. 730". Tag TOC @ 730" F.	ent details, includ, give subsurface e the Bond No. o esults in a multip iled only after all n Amos w/BL <u>6690'. Verif</u> MLF. 6690'- <u>0C @ 3386</u> <u>1750'. Tag T</u> <u>5 172" x 8</u> <u>35 sxs class</u> ead, anchors	ling estimated startin locations and measu n file with BLM/BIA le completion or reco requirements, includ .M ok'd to cut <u>y CIBP @ 6690</u> 4250' spot 25 s 99'. Tag TOC @ 14250' spot 25 s 99'. Tag TOC @ 0C @ 1757'. F 5/8" "c" cmt @ 140 and cleaned loc Accepted for cluby the BLM Wellow COM LP, sent CILLA PEREZ on Title PRODU	g date of am red and true S. Required ompletion in ling reclama TAC and D' w/2 3/8 Sxs class D 5524'. Perf/sqz 2 D'-surf cation. J//6 Hinformat t to the Cau D 12/20/201 JCTION T	y proposed wor vertical depths subsequent rep a new interval, tion, have been	is of all pertine orts must be f a Form 3160 completed ar RECLA TEER 2 -2/2 /8. REC DUE	nt markers and zones iled within 30 days -4 must be filed once d the operator has MATION PROCE ATTACHED INTACHE	
If the proposal Attach the Bon following comp testing has been determined that 1. 11/26/18 continue. 2. 11/27/18 tbg. 3. 11/28/18 "C" cmt @ Spot 100 s 4. 11/29/18 sxs class." 5. 11/30/18 5 1/2" x 8 Set dry hol <u>Belocc</u> 14. I hereby certif	is to deepen directional dunder which the wor pletion of the involved n completed. Final At the site is ready for fi Notified BLM of <u>Cut tbg @ 669</u> Test well 500 <u>6690'-6440'. Spo</u> <u>5001 165 sxs of</u> <u>Cut at bol ML</u> 5/8". Verify cmt le marker. P&A of <u>Com</u> <i>Governer</i> <i>Com</i> <i>Com</i> <i>Com</i> <i>Com</i> <i>Com</i>	Learly state all pertine ally or recomplete horizontally will be performed or provide operations. If the operation re- bandonment Notices must be fi- inal inspection. intent. TAC stuck. Jin 4'. Set <u>5</u> 1/2" CIBP @ psi. Good. Circ 60 bbl t 25 sxs class "c" cmt @ 4250'-3300". Tag T class "c" cmt @ 3386- 300". Tag TOC @ 730" F. 730'-140'. Perf/circ @ surf. Cut off wellhe completed. DHM. strue and correct. Electronic Submission f For DEVON ENERC mitted to AFMSS for proc L BEAVERS	ent details, includ, give subsurface e the Bond No. o esults in a multip iled only after all n Amos w/BL <u>6690'. Verif</u> MLF. 6690'- <u>0C @ 3386</u> <u>1750'. Tag T</u> <u>5 172" x 8</u> <u>35 sxs class</u> ead, anchors	ing estimated startin locations and measu n file with BLM/BIA le completion or reco requirements, includ .M ok'd to cut y CIBP @ 6690 4250' spot 25 s 29'. Tag TOC @ 0C @ 1757'. F 5/8" "c" cmt @ 140 and cleaned loc Accepted for CLLA PEREZ on Title PRODU Date 12/20/2 AL OR STATE	g date of am red and true S. Required ompletion in ling reclama TAC and D' w/2 3/8 Sxs class D 5524'. Perf/sqz 2 D'-surf cation. J//6 Hinformat t to the Cau D 12/20/201 JCTION T	y proposed wor vertical depths subsequent rep a new interval, tion, have been	is of all pertine orts must be f a Form 3160 completed ar RECLA TEER 2 -2/2 /8. REC DUE	nt markers and zones iled within 30 days -4 must be filed once d the operator has MATION PROCE ATTACHED ATTACHE	
If the proposal Attach the Bon following comp testing has been determined that 1. 11/26/18 continue. 2. 11/27/18 tbg. 3. 11/28/18 "c"_cmt @ Spot 100 s 4. 11/29/18 sxs_class " 5. 11/30/18 5 1/2" x 8 Set dry hol <u>Belocc</u> 14. I hereby certif Name (Printed) Signature	is to deepen directional dunder which the wor pletion of the involved n completed. Final At the site is ready for fi Notified BLM of <u>Cut tbg @ 669</u> Test well 500 <u>6690'-6440'. Spo</u> <u>5001 165 sxs (C" cmt @ 1747-3</u> Circ 14 bbl ML 5/8". Verify cmt le marker. P&A (<u>O 9 ^ 0 M - 0</u> (Electronic S) (Typed) NATALIE	This Space F	ent details, includ, give subsurface e the Bond No. o esults in a multip iled only after all n Amos w/BL 6690'. Veriff MLF. 6690'- @ 5759'-559 OC @ 3386 1750'. Tag 1.5 1/2" x 8 35 sxs class ad, anchors W448712 verifie SY PRODUCTI essing by PRIS	ling estimated startin locations and measu n file with BLM/BIA le completion or reco requirements, includ .M ok'd to cut <u>y CIBP @ 6690</u> 4250' spot 25 s 99'. Tag TOC @ 14250' spot 25 s 99'. Tag TOC @ 0C @ 1757'. F 5/8" "c" cmt @ 140 and cleaned loc Accepted for cluby the BLM Wellow COM LP, sent CILLA PEREZ on Title PRODU	g date of am red and true S. Required ompletion in ling reclama TAC and D' w/2 3/8 Sxs class D 5524'. Perf/sqz 2 D'-surf cation. J//6 Hinformat t to the Cau D 12/20/201 JCTION T	y proposed wor vertical depths subsequent rep a new interval, tion, have been	is of all pertine orts must be f a Form 3160 completed ar RECLA TEER 2 -2/2 /8. REC DUE	nt markers and zones iled within 30 days -4 must be filed once d the operator has MATION PROCE ATTACHED INTACHE	



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crystal Weaver Environmental Protection Specialist 575-234-5943

Shelly Tucker Environmental Protection Specialist 575-234-5979

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612