

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.
NMNM7752

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
HOBGOBLIN 7 FEDERAL COM UBB 4H9. API Well No.
30-015-4181510. Field and Pool or Exploratory Area
LOCO HILLS-QU-GB-SA11. County or Parish, State
EDDY COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator
COG OPERATING LLCContact: DANA KING
E-Mail: dking@concho.com3a. Address
600 W ILLINOIS AVENUE
MIDLAND, TX 797013b. Phone No. (include area code)
Ph: 432-618-1228
BUREAU OF LAND MANAGEMENT
ARTESIA DISTRICT

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 7 T17S R30E Mer NMP SENE 2310FNL 150FEL

MAR 01 2019

RECEIVED

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input checked="" type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

COG Operating LLC respectfully requests the Hobgoblin 7 Federal Com UBB #4H for a Casing Test.

The Hobgoblin 7 Federal Com UBB #4H is an Upper Blinbry horizontal well drilled in Sec 7, T17S, R30E. We are going to run a CCL/GR to 4,350' to 2,000' and set a CIBP at ~4,350' w/ 40' of CMT on top of the plug to have our PBD @ 4,310'. We will then test the casing to 4,300 psi and chart to verify integrity.

Please see attached proposed procedure and WBD.

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #456383 verified by the BLM Well Information System
For COG OPERATING LLC, sent to the Carlsbad

Name (Printed/Typed) DANA KING

Title PERMIT SPECIALIST II

Signature (Electronic Submission)

Date 02/28/2019

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

Title

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Pending BLM approvals will
subsequently be reviewed
and scanned
3-1-19


Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and w
States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Department or agency of the United

(Instructions on page 2)

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

The Hobgoblin 7 Federal Com UBB #4H is an Upper Blinebry horizontal well drilled in Sec 7, T17S, R30E. We are going to run a CCL/GR to 4,350' to 2,000' and set a CIBP at ~4,350' w/ 40' of CMT on top of the plug to have our PBTD @ 4,310'. We will then test the casing to 4,300 psi and chart to verify integrity.



Wellbore at Rig Release

APR 10-015-11815 SYD: 3.25.2014 RE: 4" 2014 REC: Conrad Drilling and	Hobgoblin 7 Federal Com UBB #4H Leco Hills Charlotte-Vero Field Eddy County, NM	See 7, T-175, B-365 SER: 1217 FLS @ 1.57 FLS Sec RSL: 120" FLS 120 FLS Sec CL: 3.6" I RB: 3.615 (1" ASL)	MDL 8 EX 17 1/2" 12 1/4" 6 3/4" = 1.87"	100 f	60-62 (4) 100 f	EVALUATION
---	--	--	--	-------	--------------------	------------

1.12" Production Casing @ 9.430''
 5-1 7/8" L-80 LTC
 dia 511 in 1st stage
 dia 323 in 2nd stage

FC @ 9.430
 5-1 7/8" Master Joint @ 4.364''
 5-1 7/8" DV Tool @ 4.362''

Updated by: G Rohwer
 Date: 4/8/2014

Note: Fluid in wellbore is 8.4# Fresh Water

General Well Information

Well Name: Hobgoblin 7 Federal Com UBB #4H

API #30-015-41815

Surface Location: H- Sec 7, T-17S, R-30E

Equipment Pull / Casing Test Procedure

- MIRU WSU, NU BOP
- Unset pump and POOH with rods / pump and laydown
- ND WH, NU BOP and POOH with Tubing standing back
- PU scraper and scrape down to 4,350'
- POOH and laydown all tubing
- RU Wireline
- Make gauge ring/ junk basket run
- Run CCL/GR to 4,350' to 2,000'
- Set CIBP @ 4,350' @ 1 degrees pending confirmation from geology
- Wireline truck dump 40' Class C cement of top of CIBP
- Load casing with fresh water and test casing to 4,300 psi and chart for 30mins report back to engineering if the pressure holds.
- Secure wellbore
- RDMO WSU