

30-015-44187

Matador Resources

Eddy County, NM (NAD27)

Stebbins Federal 19

#137H

OH

Plan: Prelim C

Standard Planning Report

11 March, 2019

Pro Directional Planning Report

Database:	WellPlanner1	Local Co-ordinate Reference:	Well #137H
Company:	Matador Resources	TVD Reference:	3242 + 28.5 = KB @ 3270.50usft (Patt 809)
Project:	Eddy County, NM (NAD27)	MD Reference:	3242 + 28.5 = KB @ 3270.50usft (Patt 809)
Site:	Stebbins Federal 19	North Reference:	Grid
Well:	#137H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Prelim C		

Project		Eddy County, NM (NAD27)	
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		

Site: Stebbins Federal 19		
Site Position:	Northing: 564,789.00 usft	Latitude: 32.552507
From: Map	Easting: 570,139.00 usft	Longitude: -104.105700
Position Uncertainty: 3.30 usft	Slot Radius: 13-3/16 "	Grid Convergence: 0.12 °

Well:	#137H					
Well Position	+N-S	-120.00 usft	Northing:	564,669.00 usft	Latitude:	32.552177
	+E-W	-10.00 usft	Easting:	570,129.00 usft	Longitude:	-104.105733
Position Uncertainty	0.00 usft		Wellhead Elevation:		Ground Level:	3,242.00 usft

Wellbore	OH
-----------------	----

Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM	2/19/2019	7.23	60.32	48,008.00

Design:	Prelim C
----------------	----------

Audit Notes:				
Version:	Phase:	PROTOTYPE	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N-S (usft)	+E-W (usft)	Direction (°)
	0.00	0.00	0.00	269.96

Plan Survey Tool Program		Date	3/11/2019		
Depth From (usft)	Depth To (usft)	Survey (Wellbore)	Tool Name	Remarks	
1	0.00	13,623.51 Prelim C (OH)	MWD+HDGM		
			OWSG MWD + HRGM		

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N-S (usft)	+E-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
1,400.00	0.00	0.00	1,400.00	0.00	0.00	0.00	0.00	0.00	0.00	
1,780.26	7.61	5.95	1,779.14	25.06	2.61	2.00	2.00	0.00	5.95	
7,818.73	7.61	5.95	7,764.50	819.94	85.39	0.00	0.00	0.00	0.00	
8,198.99	0.00	0.00	8,143.64	845.00	88.00	2.00	-2.00	0.00	180.00	
8,648.99	45.00	305.00	8,548.78	941.26	-49.47	10.00	10.00	0.00	305.00	
9,195.22	90.00	269.96	8,758.00	1,061.05	-516.72	10.00	8.24	-6.41	-44.76	
13,573.51	90.00	269.96	8,758.00	1,058.00	-4,895.00	0.00	0.00	0.00	0.00	LPP (Stebbins 19 F
13,623.51	90.00	269.96	8,758.00	1,057.97	-4,945.00	0.00	0.00	0.00	0.00	

Pro Directional Planning Report

Database:	WellPlanner1	Local Co-ordinate Reference:	Well #137H
Company:	Matador Resources	TVD Reference:	3242 + 28.5 = KB @ 3270.50usft (Patt 809)
Project:	Eddy County, NM (NAD27)	MD Reference:	3242 + 28.5 = KB @ 3270.50usft (Patt 809)
Site:	Stebbins Federal 19	North Reference:	Grid
Well:	#137H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Prelim C		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
8,750.00	52.55	296.05	8,615.38	979.45	-114.91	114.23	10.00	7.65	-8.34
8,800.00	56.50	292.29	8,644.40	996.08	-152.06	151.36	10.00	7.91	-7.52
8,850.00	60.56	288.87	8,670.50	1,011.04	-191.97	191.27	10.00	8.12	-6.85
8,900.00	64.70	285.71	8,693.48	1,024.21	-234.36	233.65	10.00	8.28	-6.32
8,950.00	68.90	282.76	8,713.18	1,035.48	-278.90	278.17	10.00	8.40	-5.90
9,000.00	73.15	279.97	8,729.43	1,044.78	-325.24	324.51	10.00	8.50	-5.57
9,050.00	77.44	277.31	8,742.12	1,052.03	-373.04	372.30	10.00	8.57	-5.33
9,100.00	81.75	274.73	8,751.15	1,057.18	-421.93	421.19	10.00	8.62	-5.15
9,150.00	86.08	272.22	8,756.45	1,060.19	-471.54	470.80	10.00	8.66	-5.04
9,195.22	90.00	269.96	8,758.00	1,061.05	-516.72	515.98	10.00	8.67	-4.99
EOC: 4378.28 hold at 9195.22 MD									
9,200.00	90.00	269.96	8,758.00	1,061.05	-521.50	520.75	0.00	0.00	0.00
9,300.00	90.00	269.96	8,758.00	1,060.98	-621.50	620.75	0.00	0.00	0.00
9,400.00	90.00	269.96	8,758.00	1,060.91	-721.50	720.75	0.00	0.00	0.00
9,500.00	90.00	269.96	8,758.00	1,060.84	-821.50	820.75	0.00	0.00	0.00
9,600.00	90.00	269.96	8,758.00	1,060.77	-921.50	920.75	0.00	0.00	0.00
9,700.00	90.00	269.96	8,758.00	1,060.70	-1,021.50	1,020.75	0.00	0.00	0.00
9,800.00	90.00	269.96	8,758.00	1,060.63	-1,121.50	1,120.75	0.00	0.00	0.00
9,900.00	90.00	269.96	8,758.00	1,060.56	-1,221.50	1,220.75	0.00	0.00	0.00
10,000.00	90.00	269.96	8,758.00	1,060.49	-1,321.50	1,320.76	0.00	0.00	0.00
10,100.00	90.00	269.96	8,758.00	1,060.42	-1,421.50	1,420.76	0.00	0.00	0.00
10,200.00	90.00	269.96	8,758.00	1,060.35	-1,521.50	1,520.76	0.00	0.00	0.00
10,300.00	90.00	269.96	8,758.00	1,060.28	-1,621.50	1,620.76	0.00	0.00	0.00
10,400.00	90.00	269.96	8,758.00	1,060.21	-1,721.50	1,720.76	0.00	0.00	0.00
10,500.00	90.00	269.96	8,758.00	1,060.14	-1,821.50	1,820.76	0.00	0.00	0.00
10,600.00	90.00	269.96	8,758.00	1,060.07	-1,921.50	1,920.76	0.00	0.00	0.00
10,700.00	90.00	269.96	8,758.00	1,060.00	-2,021.50	2,020.76	0.00	0.00	0.00
10,800.00	90.00	269.96	8,758.00	1,059.93	-2,121.50	2,120.76	0.00	0.00	0.00
10,900.00	90.00	269.96	8,758.00	1,059.86	-2,221.50	2,220.76	0.00	0.00	0.00
11,000.00	90.00	269.96	8,758.00	1,059.79	-2,321.50	2,320.76	0.00	0.00	0.00
11,100.00	90.00	269.96	8,758.00	1,059.72	-2,421.50	2,420.76	0.00	0.00	0.00
11,200.00	90.00	269.96	8,758.00	1,059.65	-2,521.50	2,520.76	0.00	0.00	0.00
11,300.00	90.00	269.96	8,758.00	1,059.58	-2,621.50	2,620.76	0.00	0.00	0.00
11,400.00	90.00	269.96	8,758.00	1,059.51	-2,721.50	2,720.76	0.00	0.00	0.00
11,500.00	90.00	269.96	8,758.00	1,059.44	-2,821.50	2,820.76	0.00	0.00	0.00
11,600.00	90.00	269.96	8,758.00	1,059.37	-2,921.50	2,920.76	0.00	0.00	0.00
11,700.00	90.00	269.96	8,758.00	1,059.31	-3,021.50	3,020.76	0.00	0.00	0.00
11,800.00	90.00	269.96	8,758.00	1,059.24	-3,121.50	3,120.76	0.00	0.00	0.00
11,900.00	90.00	269.96	8,758.00	1,059.17	-3,221.50	3,220.76	0.00	0.00	0.00
12,000.00	90.00	269.96	8,758.00	1,059.10	-3,321.50	3,320.76	0.00	0.00	0.00
12,100.00	90.00	269.96	8,758.00	1,059.03	-3,421.50	3,420.76	0.00	0.00	0.00
12,200.00	90.00	269.96	8,758.00	1,058.96	-3,521.50	3,520.76	0.00	0.00	0.00
12,300.00	90.00	269.96	8,758.00	1,058.89	-3,621.50	3,620.76	0.00	0.00	0.00
12,400.00	90.00	269.96	8,758.00	1,058.82	-3,721.50	3,720.76	0.00	0.00	0.00
12,500.00	90.00	269.96	8,758.00	1,058.75	-3,821.50	3,820.76	0.00	0.00	0.00
12,600.00	90.00	269.96	8,758.00	1,058.68	-3,921.50	3,920.76	0.00	0.00	0.00
12,700.00	90.00	269.96	8,758.00	1,058.61	-4,021.50	4,020.76	0.00	0.00	0.00
12,800.00	90.00	269.96	8,758.00	1,058.54	-4,121.50	4,120.76	0.00	0.00	0.00
12,900.00	90.00	269.96	8,758.00	1,058.47	-4,221.50	4,220.76	0.00	0.00	0.00
13,000.00	90.00	269.96	8,758.00	1,058.40	-4,321.50	4,320.76	0.00	0.00	0.00
13,100.00	90.00	269.96	8,758.00	1,058.33	-4,421.50	4,420.76	0.00	0.00	0.00
13,200.00	90.00	269.96	8,758.00	1,058.26	-4,521.49	4,520.76	0.00	0.00	0.00
13,300.00	90.00	269.96	8,758.00	1,058.19	-4,621.49	4,620.76	0.00	0.00	0.00

Pro Directional Planning Report

Database:	WellPlanner1	Local Co-ordinate Reference:	Well #137H
Company:	Matador Resources	TVD Reference:	3242 + 28.5 = KB @ 3270.50usft (Patt 809)
Project:	Eddy County, NM (NAD27)	MD Reference:	3242 + 28.5 = KB @ 3270.50usft (Patt 809)
Site:	Stebbins Federal 19	North Reference:	Grid
Well:	#137H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Prelim C		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
13,400.00	90.00	269.96	8,758.00	1,058.12	-4,721.49	4,720.76	0.00	0.00	0.00
13,500.00	90.00	269.96	8,758.00	1,058.05	-4,821.49	4,820.76	0.00	0.00	0.00
13,573.51	90.00	269.96	8,758.00	1,058.00	-4,895.00	4,894.26	0.00	0.00	0.00
13,600.00	90.00	269.96	8,758.00	1,057.98	-4,921.49	4,920.76	0.00	0.00	0.00
13,623.51	90.00	269.96	8,758.00	1,057.97	-4,945.00	4,944.26	0.00	0.00	0.00

TD at 13623.51

Design Targets

Target Name	hit/miss target	Dip Angle (°)	Dip Dir (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
FPP (Stebbins 19 Fed	- plan misses target center by 1062.68usft at 0.00usft MD (0.00 TVD, 0.00 N, 0.00 E)	0.00	0.00	0.00	1,062.00	38.00	565,731.00	570,167.00	32.555096	-104.105602
- Point										
LPP (Stebbins 19 Fed	- plan hits target center	0.00	0.00	8,758.00	1,058.00	-4,895.00	565,727.00	565,234.00	32.555113	-104.121612
- Point										

Casing Points

Measured Depth (usft)	Vertical Depth (usft)	Name	Casing Diameter (")	Hole Diameter (")
400.00	400.00	20"	20	26
1,200.00	1,200.00	13 3/8"	13-3/8	17-1/2
3,112.84	3,100.00	9 5/8"	9-5/8	12-1/4

Plan Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		
		+N/-S (usft)	+E/-W (usft)	Comment
1,400.00	1,400.00	0.00	0.00	Start Build 2.00
1,780.26	1,779.14	25.06	2.61	Start 6038.47 hold at 1780.26 MD
7,818.73	7,764.50	819.94	85.39	Start Drop -2.00
8,198.99	8,143.64	845.00	88.00	KOP: Build 10.00
8,648.99	8,548.78	941.26	-49.47	Turn&Build: DLS 10.00 TFO -44.76
9,195.22	8,758.00	1,061.05	-516.72	EOC: 4378.28 hold at 9195.22 MD
13,623.51	8,758.00	1,058.00	-4,895.00	TD at 13623.51

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-44187		² Pool Code 52805	³ Pool Name Russel Bone Spring
⁴ Property Code	⁵ Property Name STEBBINS 19 FED		⁶ Well Number 137H
⁷ OGRID No.	⁸ Operator Name MATADOR PRODUCTION COMPANY		⁹ Elevation 3242'

¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	19	20-S	29-E	-	210'	SOUTH	140'	EAST	EDDY

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
4	19	20-S	29-E	-	1270'	SOUTH	60'	WEST	EDDY

¹² Dedicated Acres 155.83	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

BOTTOM HOLE LOCATION NEW MEXICO EAST NAD 1927 X=565194 Y=565727 LAT.: N 32.5551142 LONG.: W 104.1217430 NAD 1983 X=606374 Y=565789 LAT.: N 32.5552324 LONG.: W 104.1222478	LAST PERFORATION POINT NEW MEXICO EAST NAD 1927 X=565234 Y=565727 LAT.: N 32.5551140 LONG.: W 104.1216131 NAD 1983 X=606414 Y=565789 LAT.: N 32.5552323 LONG.: W 104.1221180	SURFACE LOCATION NEW MEXICO EAST NAD 1927 X=570129 Y=564669 LAT.: N 32.5521779 LONG.: W 104.1057313 NAD 1983 X=611310 Y=564731 LAT.: N 32.5522963 LONG.: W 104.1062357	FIRST PERFORATION POINT NEW MEXICO EAST NAD 1927 X=570167 Y=565731 LAT.: N 32.5550948 LONG.: W 104.1056018 NAD 1983 X=611348 Y=565792 LAT.: N 32.5552132 LONG.: W 104.1061063	¹⁷OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <u>Code LaBolt</u> Date: <u>3/18/19</u> Printed Name: <u>Code LaBolt</u> E-mail Address: <u>code.labolt@matadorresources.com</u>
				¹⁸SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief. Date of Survey: <u>01/10/2019</u> Signature and Seal: <u>Michael Brown</u> Professional Surveyor Certificate Number: <u>18329</u>

[illegible]

LATITUDE N 32.5522963 LONGITUDE W 104.1062357




SCALE: 1" = 2000'



0' 1000' 2000'

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2803 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1853 OR (800) 767-1853 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM

VICINITY MAP



LEASE NAME & WELL NO.: STEBBINS 19 FED 137H

SECTION 19 TWP 20-S RGE 29-E SURVEY N.M.P.M.
 COUNTY EDDY STATE NM
 DESCRIPTION 210' FSL & 140' FEL

DISTANCE & DIRECTION

FROM INT. OF US-285 AND US-180/US-62 E/W GREENE ST. GO EAST ON
US-180 E/US-62 E/W ±8.3 MILES. THENCE NORTH (LEFT) ON MAGNUM
RD. ±5.9 MILES. THENCE SOUTHEAST ON BURTON FLATS RD. ±1.0
MILES. THENCE SOUTH (RIGHT) ON A PROPOSED RD. ±4701 FEET TO A
POINT ±300 FEET NORTH OF THE LOCATION

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY MATADOR PRODUCTION COMPANY. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE NEW MEXICO STATE PLANE COORDINATE SYSTEM, EAST ZONE OF THE NORTH AMERICAN DATUM 1983, U.S. SURVEY FEET.

SCALE: 1" = 10000'
 0' 5000' 10000'




TOPOGRAPHIC
 LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
 TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
 2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
 TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
 WWW.TOPOGRAPHIC.COM

SCALE: 1" = 1000'
0' 500' 1000'




SECTION 19, TOWNSHIP 20-S, RANGE 29-E, N.M.P.M.
EDDY COUNTY, NEW MEXICO



LEASE NAME & WELL NO.: STEBBINS 19 FED 137H
SECTION 19 TWP 20-S RGE 29-E SURVEY N.M.P.M.
COUNTY EDDY STATE NM
DESCRIPTION 210' FSL & 140' FEL

DISTANCE & DIRECTION
FROM INT. OF US-285 AND US-180/US-62 E/W GREENE ST. GO EAST ON
US-180 E/US-62 E/W ±8.3 MILES, THENCE NORTH (LEFT) ON MAGNUM
RD. ±5.9 MILES, THENCE SOUTHEAST ON BURTON FLATS RD. ±1.0
MILES, THENCE SOUTH (RIGHT) ON A PROPOSED RD. ±4701 FEET TO A
POINT ±300 FEET NORTH OF THE LOCATION

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE NEW MEXICO STATE PLANE COORDINATE SYSTEM, EAST ZONE OF THE NORTH AMERICAN DATUM 1983, U.S. SURVEY FEET. THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY MATADOR PRODUCTION COMPANY. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
AS OF THE DATE OF SURVEY, ALL ABOVE GROUND APPURTENANCES WITHIN 300' OF THE STAKED LOCATION ARE SHOWN HEREON.



Michael Blake Brown, P.S. No. 18329
MARCH 5, 2019




TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 148 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM



SECTION 19, TOWNSHIP 20-S, RANGE 29-E, N.M.P.M.
EDDY COUNTY, NEW MEXICO

DETAIL VIEW
SCALE: 1" = 100'



LEGEND

- == == == EXISTING ROAD
- - - - - ARCH SURVEY
- GAS — GAS LINE
- OHE — OVERHEAD ELECTRIC
- - - - - PROPOSED ROAD

LEASE NAME & WELL NO.: STEBBINS 19 FED 137H

137H LATITUDE N 32.5522963

137H LONGITUDE W 104.1062357

CENTER OF PAD IS 285' FSL & 175' FEL

SCALE: 1" = 100'

0' 50' 100'

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE NEW MEXICO STATE PLANE COORDINATE SYSTEM, EAST ZONE OF THE NORTH AMERICAN DATUM 1983, U.S. SURVEY FEET

THIS PROPOSED PAD SITE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY MATADOR PRODUCTION COMPANY. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.




TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 148 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2803 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM

ORIGINAL DOCUMENT SIZE: 8.5" X 11"

SCALE: 1" = 300'
0' 150' 300'

SECTION 19, TOWNSHIP 20-S, RANGE 29-E, N.M.P.M.
EDDY COUNTY, NEW MEXICO



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY
1400 EVERMAN PARKWAY, Ste. 148 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2803 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM



Michael Blake Brown, P.S. No. 18329
MARCH 5, 2019

STEBBINS 19 FED 137H PROXIMITY	REVISION:		NOTES:
	GJU	01/10/19	
	AMD	03/05/19	1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY MATADOR PRODUCTION COMPANY. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
DATE: 01/03/2019			
FILE: LO_STEBBINS_19_FED_137H_REV2_OPT_1			
DRAWN BY: GJU			
SHEET: 7 OF 7			