Form 3160-5 (June 2015) UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on page 2					FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018 5. Lease Serial No. NMNM43744 6. If Indian, Allottee or Tribe Name 7. If Unit or CA/Agreement, Name and/or No.								
							1. Type of Well					8. Well Name and No	
							Soll Well Gas Well Other						1 34-3 FEDERAL COM 5H
2. Name of Operator Contact: JANA MENDIOLA OXY USA INCORPORATED E-Mail: janalyn_mendiola@oxy.com					9. API Well No. 30-015-45171-	D0-X1							
3a. Address3b.5 GREENWAY PLAZA SUITE 110Ph:HOUSTON, TX 77046-0521Ph:). (include area code) 35-5936	,	10. Field and Pool or INGLE WELLS								
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State								
Sec 34 T23S R31E NENE 110 32.267887 N Lat, 103.760254		•	EDDY COUNTY, NM		Y, NM								
12. CHECK THE AN	PPROPRIATE BOX(ES)	TO INDICA	TE NATURE OI	F NOTICE,	REPORT, OR OT	HER DATA							
TYPE OF SUBMISSION	TYPE OF ACTION												
□ Notice of Intent	□ Acidize	Deepen		Production (Start/Resume)		□ Water Shut-Off							
Subsequent Report	□ Alter Casing	— ·	draulic Fracturing 🛛 🗖 Re			Well Integrity							
	Casing Repair	—	v Construction	 Recomplete Temporarily Abandon Water Disposal 		Other Drilling Operations							
Final Abandonment Notice	 Change Plans Convert to Injection 		g and Abandon g Back			0 1							
 13. Describe Proposed or Completed Op- If the proposal is to deepen direction: Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al determined that the site is ready for f 10/17/18 Skid rig from Platinu BOP, test @ 250# low 5000# @ 645', drill new formation to drill 12-1/4" hole to 4475', 10/ spacer then cmt w/ 1344sx (4) PPC w/ additives 14.9ppg 1.3 WOC. 10/20/18 ND BOP & pi 9-5/8" casing to 1500# for 30 to EMW=10.4ppg, 300psi, goo 7-5/8" 26.4# HCL-80 csg @ 9 13.2ppg 1.6 yield, no returns, 1.96 yield, followed by 207sx for the state of the state of the state of the state of the state 14 bit of the state of the state of the state of the state of the state of the state of the state of the state of the state state of the state of the state of the state of the state of the state of the state test of the state of the state of the state of the state of the state state of the state of the state	ally or recomplete horizontally, rk will be performed or provide (operations. If the operation res- bandonment Notices must be file inal inspection. m MDP1 34-3 Federal Co- high, test 13-3/8" casing tr 723', perform FIT test to E 19/18. RIH & set 9-5/8" 43 09bbl) PPC w/ additives 1 3 yield, full returns through rep rig for skid. 10/26/18 the min, good test. RIH & dril bot test. 10/28/18 drill 8-1/ 755', pump 40bbl spacer tr WOC. Pump 2nd stage c (65bbl) PPC w/ additives 1	give subsurface the Bond No. o sults in a multip ed only after all m 6H to Plat o 1500# for 3 EMW=13.2pp 3.5# L-80 csg 2.9ppg 1.71 hout job, circ RU BOP, tes I new format 2" hole to 97 then cmt w/ 315sx	locations and measu n file with BLM/BIA le completion or reco requirements, includi inum MDP1 34-3 30 min, good test. 9, 120psi, good test. 9, 120psi, good test. 9, 120psi, good test. 9, 4472', pump yield followed by 624sx (190bbl) ct t @ 250# low 500 ion to 4585', perfd 65', 10/31/18. RI 48sx (44bbl) PPC w/	red and true vo Required sui mpletion in a n ing reclamatio Federal Cc . RIH & tag test. 10/18/ 80bbl mudp 167sx (40b cmt to surf, 00# high, te form FIT test IH & set C w/ additives 1	rtical depths of all perti- bacquent reports must be new interval, a Form 316 n, have been completed m 5H. RU cmt 18 bush bl) st es 2.8ppg	nent markers and zones. e filed within 30 days 50-4 must be filed once							
	#Electronic Submission For OXY USA nmitted to AFMSS for proce	INCORPORA	TED, sent to the SCILLA PEREZ or	Carlsbad n 12/06/2018	(19PP0533SE)								
Name (Printed/Typed) DAVID STEWART			Title REGULATORY ADVISOR										
Signature (Electronic Submission)			Date 12/04/2018										
	THIS SPACE FO	R FEDER		OFFICE U	SE								
Approved By ACCEPTED				N SHEPAR UM ENGIN		Date 12/06/2018							
Conditions of approval, if any, are attached. Approval of this notice does not warran certify that the applicant holds legal or equitable title to those rights in the subject le which would entitle the applicant to conduct operations thereon.			Office Carlsbad										
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent				willfully to m	ake to any department of	r agency of the United							
(Instructions on page 2) ** BLM REV	ISED ** BLM REVISED) ** BLM R	EVISED ** BLM) ** BLM REVISE	D **							

.

.

Additional data for EC transaction #446470 that would not fit on the form

32. Additional remarks, continued

11/03/18 Test 7-5/8" casing to 2600# for 30 min, good test. RIH & tag cmt @ 9660', drill new formation to 9775', perform FIT test to EMW=11.1ppg, good test.

11/04/18 Drill 6-3/4" hole to 20532'M 10270'V 11/8/18. RIH & set 5-1/2" 20# P110 csg @ 20522'. Pump 60bbl mudpush express then cmt w/ 822sx (221bbl) PPC w/ additives @ 13.2ppg 1.39 yield, full returns throughout job, est. TOC @ 9237', WOC. ND BOP, install wellhead cap, RD Rel Rig 11/11/18.

Revisions to Operator-Submitted EC Data for Sundry Notice #446470

	Operator Submitted	BLM Revised
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM43744	NMNM43744
Agreement:		
Operator:	OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710 Ph: 432-685-5936	OXY USA INCORF 5 GREENWAY PL HOUSTON, TX 77 Ph: 713.350.4816
Admin Contact:	JANA MENDIOLA REGULATORY SPECIALIST E-Mail: janalyn_mendiola@oxy.com	JANA MENDIOLA REGULATORY CO E-Mail: janalyn_me
	Ph: 432-685-5936	Ph: 432-685-5936
Tech Contact:	DAVID STEWART SR. REGULATORY ADVISOR E-Mail: david_stewart@oxy.com	DAVID STEWART REGULATORY AD E-Mail: david_stew
	Ph: 432-685-5717	Ph: 432.685.5717
Location: State: County:	NM EDDY	NM EDDY
Field/Pool:	COTTON DRAW; BONE SPRING	INGLE WELLS
Well/Facility:	PLATINUM MDP1 34-3 FEDERAL COM 5H Sec 34 T23S R31E Mer NMP NENE 110FNL 968FEL 32.267886 N Lat, 103.760254 W Lon	PLATINUM MDP1 Sec 34 T23S R31E 32.267887 N Lat, 1

۰.

(AFMSS)

RPORATED LAZA SUITE 110 77046-0521 6

A COORDINATOR nendiola@oxy.com

≀T ADVISOR ewart@oxy.com

P1 34-3 FEDERAL COM 5H 81E NENE 110FNL 968FEL t, 103.760254 W Lon