Office	ate of New Mexico	Form C-103
District I – (575) 393-6161 Energy, Mi 1625 N. French Dr., Hobbs, NM 88240	herals and Natural Resources	Revised July 18, 2013 WELL API NO.
District II (575) 748 1283	SERVATION DIVISION	30-015-35062
<u>District III</u> – (505) 334-6178 1220	South St. Francis Dr.	5. Indicate Type of Lease STATE X FEE
<u>Bisinerry</u> (505) no 5100	anta Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505		
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)		 Lease Name or Unit Agreement Name MESA ARRIBA
PROPOSALS.) 1. Type of Well: Oil Well 🔀 Gas Well 🗌 O	ther	8. Well Number 4
2. Name of Operator		9. OGRID Number
CHISHOLM ENERGY OPERATING, LLC 3. Address of Operator 801 CHERRY STREET, SUITE 1200-UNIT 20		372137 10. Pool name or Wildcat
FORT WORTH, TX 76102		HAPPY VALLEY; BONE SPRING, EAST
4. Well Location		
		650 feet from the EAST line
Section 10 Town	ship 22S Range 26E Show whether DR, RKB, RT, GR, etc	NMPM County EDDY
	show whether DA, AAD, AT, GA, etc	
12. Check Appropriate Bo	x to Indicate Nature of Notice,	Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:		
PERFORM REMEDIAL WORK 🔲 PLUG AND ABANDON 📋 REMEDIAL WORK 🔲 AL		
TEMPORARILY ABANDON 🔀 CHANGE PLAN PULL OR ALTER CASING 🔲 MULTIPLE COI		ILLING OPNS. PAND A
DOWNHOLE COMMINGLE		П <u>30</u> В П
CLOSED-LOOP SYSTEM	_	
OTHER: 13. Describe proposed or completed operations.	Clearly state all pertinent details at	ad give pertinent dates, including estimated date
of starting any proposed work). SEE RULE		
proposed completion or recompletion.		
05/01/2019-CHISHOLM ENERGY OPERATING, CURRENT TA EXPIRED ON 04/01/2019 CHISH		
05/01/2019-CHISHOLM ENERGY OPERATING, CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO	IOLM REQUESTS EXTENSION IN OI	RDER TO CONTINUE
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO PREVIOUS MIT WAS DONE ON 07/28/2017. CH	IOLM REQUESTS EXTENSION IN OI IN OR GET A PLUGGING COMPANY	RDER TO CONTINUE LINED UP TO PA WELL.
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO	IOLM REQUESTS EXTENSION IN OI IN OR GET A PLUGGING COMPANY	RDER TO CONTINUE LINED UP TO PA WELL.
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO PREVIOUS MIT WAS DONE ON 07/28/2017. CH	IOLM REQUESTS EXTENSION IN OI IN OR GET A PLUGGING COMPANY	RDER TO CONTINUE LINED UP TO PA WELL.
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO PREVIOUS MIT WAS DONE ON 07/28/2017. CH OFFICE TO SCHEDULE AN MIT.	IOLM REQUESTS EXTENSION IN OI ON OR GET A PLUGGING COMPANY HISHOLM ENERGY OPERATING WI	RDER TO CONTINUE LINED UP TO PA WELL. LL CALL THE DIST. 2
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO PREVIOUS MIT WAS DONE ON 07/28/2017. CH OFFICE TO SCHEDULE AN MIT.	IOLM REQUESTS EXTENSION IN OI ON OR GET A PLUGGING COMPANY HISHOLM ENERGY OPERATING WII	RDER TO CONTINUE LINED UP TO PA WELL. LL CALL THE DIST. 2
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO PREVIOUS MIT WAS DONE ON 07/28/2017. CH OFFICE TO SCHEDULE AN MIT.	IOLM REQUESTS EXTENSION IN OI ON OR GET A PLUGGING COMPANY HISHOLM ENERGY OPERATING WI	RDER TO CONTINUE LINED UP TO PA WELL. LL CALL THE DIST. 2
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO PREVIOUS MIT WAS DONE ON 07/28/2017. CH OFFICE TO SCHEDULE AN MIT.	IOLM REQUESTS EXTENSION IN OI ON OR GET A PLUGGING COMPANY HISHOLM ENERGY OPERATING WII	RDER TO CONTINUE LINED UP TO PA WELL. LL CALL THE DIST. 2
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO PREVIOUS MIT WAS DONE ON 07/28/2017. CH OFFICE TO SCHEDULE AN MIT.	HOLM REQUESTS EXTENSION IN OI ON OR GET A PLUGGING COMPANY HISHOLM ENERGY OPERATING WI Abancerod Status epproved -14 - 19	RDER TO CONTINUE LINED UP TO PA WELL. LL CALL THE DIST. 2 MAY 0 2 2019 DISTRICT II-ARTESIA O.C.D .
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO PREVIOUS MIT WAS DONE ON 07/28/2017. CH OFFICE TO SCHEDULE AN MIT.	IOLM REQUESTS EXTENSION IN OI ON OR GET A PLUGGING COMPANY HISHOLM ENERGY OPERATING WII	RDER TO CONTINUE LINED UP TO PA WELL. LL CALL THE DIST. 2 RECEIVED MAY 0 2 2019 DISTRICT II-ARTESIA O.C.D.
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO PREVIOUS MIT WAS DONE ON 07/28/2017. CH OFFICE TO SCHEDULE AN MIT.	HOLM REQUESTS EXTENSION IN OI ON OR GET A PLUGGING COMPANY HISHOLM ENERGY OPERATING WI Abancerod Status epproved -14 - 19	RDER TO CONTINUE LINED UP TO PA WELL. LL CALL THE DIST. 2 MAY 0 2 2019 DISTRICT II-ARTESIA O.C.D .
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO PREVIOUS MIT WAS DONE ON 07/28/2017. CH OFFICE TO SCHEDULE AN MIT.	HOLM REQUESTS EXTENSION IN OI ON OR GET A PLUGGING COMPANY HISHOLM ENERGY OPERATING WI Abancerod Status expressed -14 - 19 Rig Release Date: 08/30	RDER TO CONTINUE LINED UP TO PA WELL. LL CALL THE DIST. 2 MAY 0 2 2019 DISTRICT II-ARTESIA O.C.D. /2006
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO PREVIOUS MIT WAS DONE ON 07/28/2017. CH OFFICE TO SCHEDULE AN MIT.	HOLM REQUESTS EXTENSION IN OI ON OR GET A PLUGGING COMPANY HISHOLM ENERGY OPERATING WI Abancerod Status expressed -14 - 19 Rig Release Date: 08/30	RDER TO CONTINUE LINED UP TO PA WELL. LL CALL THE DIST. 2 MAY 0 2 2019 DISTRICT II-ARTESIA O.C.D. /2006
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO PREVIOUS MIT WAS DONE ON 07/28/2017. CH OFFICE TO SCHEDULE AN MIT.	HOLM REQUESTS EXTENSION IN OF IN OR GET A PLUGGING COMPANY HISHOLM ENERGY OPERATING WITH Abandened Status approved -14 - 19 Rig Release Date: 08/30 complete to the best of my knowled	RDER TO CONTINUE LINED UP TO PA WELL. LL CALL THE DIST. 2 MAY 0 2 2019 DISTRICT II-ARTESIA O.C.D. /2006
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO PREVIOUS MIT WAS DONE ON 07/28/2017. CH OFFICE TO SCHEDULE AN MIT.	HOLM REQUESTS EXTENSION IN OF ON OR GET A PLUGGING COMPANY HISHOLM ENERGY OPERATING WIT Abandened Status expressed -14 - 19 Rig Release Date: 08/30 complete to the best of my knowled	RDER TO CONTINUE LINED UP TO PA WELL. LL CALL THE DIST. 2 MAY 0 2 2019 DISTRICT II-ARTESIA O.C.D. /2006 ge and belief. CH
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO PREVIOUS MIT WAS DONE ON 07/28/2017. CH OFFICE TO SCHEDULE AN MIT.	HOLM REQUESTS EXTENSION IN OF ON OR GET A PLUGGING COMPANY HISHOLM ENERGY OPERATING WIT Abandened Status expressed -14 - 19 Rig Release Date: 08/30 complete to the best of my knowled	RDER TO CONTINUE LINED UP TO PA WELL. LL CALL THE DIST. 2 MAY 0 2 2019 DISTRICT II-ARTESIA O.C.D. /2006
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO PREVIOUS MIT WAS DONE ON 07/28/2017. CH OFFICE TO SCHEDULE AN MIT.	HOLM REQUESTS EXTENSION IN OF ON OR GET A PLUGGING COMPANY IN OR GET A PLUGGING COMPANY HISHOLM ENERGY OPERATING WITH Adamscened Status expressed -14 - 19 Rig Release Date: 08/30 complete to the best of my knowled	RDER TO CONTINUE LINED UP TO PA WELL. L CALL THE DIST. 2 MAY 0 2 2019 DISTRICT II-ARTESIA O.C.D. /2006 ge and belief. CH DATE 05/01/2019 menergy.com PHONE: 817-953-3728
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO PREVIOUS MIT WAS DONE ON 07/28/2017. CH OFFICE TO SCHEDULE AN MIT.	HOLM REQUESTS EXTENSION IN OF ON OR GET A PLUGGING COMPANY IN OR GET A PLUGGING COMPANY HISHOLM ENERGY OPERATING WITH Adamscened Status expressed -14 - 19 Rig Release Date: 08/30 complete to the best of my knowled	RDER TO CONTINUE LINED UP TO PA WELL. L CALL THE DIST. 2 MAY 0 2 2019 DISTRICT II-ARTESIA O.C.D. /2006 ge and belief. CH DATE 05/01/2019 menergy.com PHONE: 817-953-3728
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO PREVIOUS MIT WAS DONE ON 07/28/2017. CH OFFICE TO SCHEDULE AN MIT.	HOLM REQUESTS EXTENSION IN OF ON OR GET A PLUGGING COMPANY IN OR GET A PLUGGING COMPANY HISHOLM ENERGY OPERATING WITH Adamscened Status expressed -14 - 19 Rig Release Date: 08/30 complete to the best of my knowled	RDER TO CONTINUE LINED UP TO PA WELL. L CALL THE DIST. 2 MAY 0 2 2019 DISTRICT II-ARTESIA O.C.D. /2006 ge and belief. CH DATE 05/01/2019 menergy.com PHONE: 817-953-3728
CURRENT TA EXPIRED ON 04/01/2019. CHISH EVALUATION FOR POSSIBLE RECOMPLETIO PREVIOUS MIT WAS DONE ON 07/28/2017. CH OFFICE TO SCHEDULE AN MIT.	HOLM REQUESTS EXTENSION IN OF ON OR GET A PLUGGING COMPANY IN OR GET A PLUGGING COMPANY HISHOLM ENERGY OPERATING WITH Adamscened Status expressed -14 - 19 Rig Release Date: 08/30 complete to the best of my knowled	RDER TO CONTINUE LINED UP TO PA WELL. L CALL THE DIST. 2 MAY 0 2 2019 DISTRICT II-ARTESIA O.C.D. /2006 ge and belief. CH DATE 05/01/2019 menergy.com PHONE: 817-953-3728