DISTRICT 1 1625 N, French Dr., Hohbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 DISTRICT 11 811 S, First SL, Arnesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 DISTRICT 111 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 DISTRICT 1V 1220 S, SL Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

DAMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

A			Pool Code		Pool Name							
30-015- 46065				97565		N. SEVEN RIVERS; GLORIETA-YESO						
Property Code 324926			Property Name LAKEWOOD FEDERAL COM						Well Number 16H			
OGRID 1 37175		PERCU	SSION	Operator		Name EM OPERATING, LLC				Elevation 3529'		
		1			Surface I	ocation				······		
UL or lot No. Section 7		Township	Fownship Range		Feet from	the North/South line		Feet from the		East/West line	County	
4	3	20-S	25-E		430	N	NORTH 12		250	WEST	EDDY	
				Bottom I	lole Location If	Different F	rom Surface					
UL or lot No.	Section	Township	Range	Lot Idr	Feet from	from the North/Sou				East/West line	County	
D	34	19-S	25-E		20	N	NORTH	9	85	WEST	EDDY	
Dedicated Acres 160	Joint or	Infill	Consolidation C	ode (Order No.							
985'	.T.P. GRID AZ.= HORIZ. DIS				. SCA NAD 83 NME Y= 590918.9 N X= 496823.7 E LAT.=32.624403 ONG.=104.477920 LAST TAKE POIN NAD 83 NME Y= 590839.0 E X= 496822.9 E LAT.=32.624183	N W LC T	200' NTOM HOLE LOU NAD 27 NME Y= 590858.2 X= 455645.2 LAT.=32.624290 ONG.=104.47740 LAST TAKE POI NAD 27 NME Y= 590778 X= 455644.5 LAT.=32.624070	E N D'N 00'W WINT E N E E	I hereby co complete t that this or unleased n proposed l well at this of such mi pooling ag	ATOR CERTIF ertify that the informatio to the best of my knowle gunization either owns a nineral interest in the lan bottom hole location or f s location pursuant to a c ineral or working interess areement or a compulsor, entered by the division.	n herein is true and dge and belief, and working interest or d including the las a right to drill this ontract with an owne , or to a voluntury	
F.T.P 8 ~- 985' - 0.7/	<u>GRID AZ.=</u> HORIZ. C	 	 SEC. 34		ONG.=104.477922 CORNER H A - Y= 584 C - Y= 5855 D - Y= 5855 E - Y= 5908 F - Y= 5908	W LC COORDINATE VAD 27 NME 180.0 N, X= 181.2 N, X= 514.1 N, X= 518.4 N, X= 383.8 N, X= 376.2 N, X=	ONG.=104.4774(ES TABLE E = 454608.0 E = 455929.3 E = 455932.2 E = 4546611.4 E = 454660.7 E = 455985.8 E	02' W	Printed N E-mail A	BRI. ^{Name} rian@permi	Date AN WOOE	
D	<u>LOT 3</u>	T-20-S <i>LOT_2</i> 	SEC. 3 		A - Y= 584 B - Y= 584 C - Y= 585 D - Y= 585 E - Y= 590	241.8 N, X 574.7 N, X 579.0 N, X 944.5 N, X 937.0 N, X		E E E E	I hereby ce was plotted me or unde and correct Date of St	VEYOR CERT mily and the well then inform the addition of the remy supportion, and it to the best if may begin E APRIL 05, urves	on show on this plat adjurvey thade by the same is true	
		 			NAD 83 NME Y= 585675.8 N X= 496775.6 E LAT.=32.609991' ONG.=104.478053' EODETIC COORDIN NAD 83 NME SURFACE LOCATIC Y= 585145.0 X= 497038.5 E LAT.=32.608533'	N W L ATES G DN	NAD 27 NA Y= 585615. X= 455597. LAT.=32.60987 LONG.=104.4775 GEODETIC COORE NAD 27 NA SURFACE LOC4. Y= 585084 X= 455860.(LAT.=32.60842	ME 1 N 1 E 78" N 533" W 533" W 533" W 533" W DINATES WE ATION 4 N 0 E	Signature	& Solid Profession POFESS <u>Idf Cudam</u> e Number Gary	at Supervor: NA <u>05/24/20</u> G. Eidson 1264 d J. Eidson 323	

Rup 6-11-19

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Original to Appropriate District Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 GAS CAPTURE PLAN

Date: 10-11-18

X Original

Operator & OGRID No.: Percussion Petroleum Operating, LLC (371755)

□ Amended - Reason for Amendment:

This Gas Capture Plan outlines actions to be taken by the Operator to reduce well/production facility flaring/venting for new completion (new drill, recomplete to new zone, re-frac) activity.

Note: Form C-129 must be submitted and approved prior to exceeding 60 days allowed by Rule (Subsection A of 19.15.18.12 NMAC).

Well(s)/Production Facility – Name of facility

Well Name	API	SHL (ULSTR)	SHL Footages	Expected MCF/D	Flare or Vent	Comments
Lakewood Federal Com 14H	30-015-	D-3-20s-25e	430' FNL & 1290' FWL	100	<30 days	flare until well clean, then connect
Lakewood Federal Com 15H	30-015-	D-3-20s-25e	430' FNL & 1270' FWL	100	<30 days	flare until well clean, then connect
Lakewood Federal Com 16H	30-015-	D-3-20s-25e	430' FNL & 1250' FWL	100	<30 days	flare until well clean, then connect

The well(s) that will be located at the production facility are shown in the table below.

Gathering System and Pipeline Notification

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is in place. The gas produced from production facility is not yet dedicated, but will be connected to a 3rd party gathering system located in Eddy County, New Mexico. It will require an unknown length of pipeline to connect the facility to a gathering system. Percussion will provide (periodically) to Gas Transporter a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, Percussion and Gas Transporter will have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at an unknown Processing Plant located in Eddy County, New Mexico. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on <u>Gas Transporter</u> system at that time. Based on current information, it is <u>Percussion's</u> belief a system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

Alternatives to Reduce Flaring

0

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
 - Only a portion of gas is consumed operating the generator, remainder of gas will be flared
 - Compressed Natural Gas On lease o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
 - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines