

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-33469
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <u>Pressure Monitor</u>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator OXY USA Inc.		6. State Oil & Gas Lease No. VA 2956
3. Address of Operator P.O. Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name Pierce Crossing 36 State
4. Well Location Unit Letter <u>D</u> : <u>530</u> feet from the <u>North</u> line and <u>545</u> feet from the <u>West</u> line Section <u>36</u> Township <u>24S</u> Range <u>29E</u> NMPM. County <u>Eddy</u>		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>3098</u>		9. OGRID Number 16696
		10. Pool name or Wildcat Owen Mesa Atoka (Gas)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <u>Workover - Pressure Monitor</u> <input checked="" type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached

Approved for (1) one year
SC

RECEIVED

JUN 19 2019

DISTRICT II-ARTESIA O.C.D.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE



TITLE

Sr. Regulatory Advisor

DATE

6/14/19

Type or print name

David Stewart

E-mail address:


david_stewart@oxy.com

PHONE:

432-685-5717

For State Use Only

APPROVED BY:



TITLE

STA H

DATE

6/19/19

Conditions of Approval (if any):

Attachment C-103 – OXY USA Inc.

Pierce Crossing 36 State #1 – 30-015-33469

OXY USA Inc. respectfully requests to change the pressure monitoring plan. Plan to utilize live gauges run on tubing separated by packers from WC (10,550') to 1st Bone Spring (8,200'). Each gauge will monitor pressure through perforations. OXY will monitor pressure for 1 year, at which point an extension request may be filed or an Intent to P&A will be filed to plug the well.

Description

MIRU Workover rig

Run scraper on tubing

Displace hole with fluid

POOH and lay down work string

RIH with perforating guns and perforate on depth.


POOH with perforating guns

Pick up tubing, gauge, and packer assemblies and RIH to depth

Set packers

Shut in well and rig down

OXY USA Inc. - Proposed
Pierce Crossing 36 State #1
API No. 30-015-33469



17-1/2" hole @ 776'
13-3/8" csg @ 776'
w/ 500sx-TOC-Surf-Circ

12-1/4" hole @ 4778'
9-5/8" csg @ 4778'
w/ 1775sx-TOC-Surf-Circ

Pkr @ +/- 8190' w/gauge
Pkr @ +/- 8690' w/gauge
Pkr @ +/- 8895' w/gauge
Pkr @ +/- 9040' w/gauge
Pkr @ +/- 9140' w/gauge
Pkr @ +/- 9325' w/gauge
Pkr @ +/- 9490' w/gauge
Pkr @ +/- 9960' w/gauge
Pkr @ +/- 10240' w/gauge
Pkr @ +/- 10365' w/gauge
Pkr @ +/- 10540' w/gauge

Perf @ 8200'
Perf @ 8700'
Perf @ 8905'
Perf @ 9050'
Perf @ 9150'
Perf @ 9335'
Perf @ 9500'
Perf @ 9970'
Perf @ 10250'
Perf @ 10375'
Perf @ 10550'

8-3/4" hole @ 10938'
7" csg @ 10938'
w/ 1175sx-TOC-1900'-CBL

6-1/8" hole @ 10068'
5" liner @ 10441-14068'
w/ 350sx-TOC-10441'-Circ/CBL

CIBP @ 12670' w/ 2sx cmt to 12640' Tagged


Perfs @ 12716-12724'

Perfs @ 13342-13420'

PB-14025'

TD-14068'

OXY USA Inc. - Current
Pierce Crossing 36 State #1
API No. 30-015-33469



17-1/2" hole @ 776'
13-3/8" csg @ 776'
w/ 500sx-TOC-Surf-Circ

12-1/4" hole @ 4778'
9-5/8" csg @ 4778'
w/ 1775sx-TOC-Surf-Circ

8-3/4" hole @ 10938'
7" csg @ 10938'
w/ 1175sx-TOC-1900'-CBL

6-1/8" hole @ 10068'
5" liner @ 10441-14068'
w/ 350sx-TOC-10441'-Circ/CBL

CIBP @ 12670' w/ 2sx cmt to 12640' Tagged

Perfs @ 12716-12724'

Perfs @ 13342-13420'

PB-14025'

TD-14068'