(June 2015)		UNITED STATES EPARTMENT OF THE II UREAU OF LAND MANA	NTERIOR		Expires: J	O. 1004-0137 anuary 31, 2018		
: .	SUNDRY NOTICES AND REPORTS ON WELLS			5. Lease Serial No. NMNM54398				
·	abandoned wel	this form for proposals to drill or to re-enter an vell. Use form 3160-3 (APD) for such proposals.			6. If Indian, Allottee or Tribe Name			
<u></u>	SUBMIT IN T	TRIPLICATE - Other inst	tructions on page 2		7. If Unit or CA/Agre	ement, Name and/or N		
I. Type of Well ☑ Oil Well ☑ Gas Well		ıer		· · · .	8. Well Name and No. HOWITZER FEDERAL COM 602H			
2. Name of Operato COG OPERA		Contact: E-Mail: mreyes1@	MAYTE REYES		9. API Well No. 30-015-45831-0	00-S1		
3a. Address 600 W ILLINC MIDLAND, TX		· · ·	3b. Phone No. (include area co Ph: 575-748-6945	ode)	10. Field and Pool or PURPLE SAGE	Exploratory Area E-WOLFCAMP, (GA		
	<u> </u>	., R., M., or Survey Description,	,	•	11. County or Parish,	State		
	R28E NENE 10 Lat, 104.034302			• •	EDDY COUNT	Y, NM		
12. (12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA							
TYPE OF SU	JBMISSION		ТҮРЕ	OF ACTION				
Notice of In	itent		Deepen	Produc	tion (Start/Resume)	UWater Shut-O		
Subsequent		Alter Casing	Hydraulic Fracturi	:		U Well Integrity		
-	donment Notice	 Casing Repair Change Plans 	New ConstructionPlug and Abandon		plete prarily Abandon	Change to Origin		
	·	Convert to Injection	Plug Back		•	PD		
determined that t	the site is ready for find LLC, respectf	bandonment Notices must be fil inal inspection.	the following changes to the	cluding reclamation	on, have been completed	50-4 must be filed once and the operator has		
 determined that t 	the site is ready for fing LLC, respectf D.	bandonment Notices must be fil inal inspection.	ed only after all requirements, inc	cluding reclamation	on, have been completed	and the operator has		
determined that t COG Operatii approved API Surface: Drill 26? hole Set 20? 94# J Cement in on	the site is ready for fing LLC, respectf D. to 300? J-55 BTC casing he stage to surfac	andonment Notices must be fil inal inspection. fully requests approval for @ 300?	ed only after all requirements, ind	cluding reclamation	on, have been completed	AND 27 2019		
determined that t COG Operatin approved API Surface: Drill 26? hole Set 20? 94# J Cement in on Tail: 450 sx o Intermediate 2M BOP Syst	the site is ready for fing LLC, respectf D. to 300? J-55 BTC casing the stage to surfac of Class C + 2% (1 tem	andonment Notices must be fil inal inspection. fully requests approval for @ 300? ce:	ed only after all requirements, ind	cluding reclamation	on, have been completed	AND 2 7 2019		
determined that t COG Operatin approved API Surface: Drill 26? hole Set 20? 94# J Cement in on Tail: 450 sx o Intermediate 2M BOP Syst	the site is ready for fing LLC, respectf D. to 300? J-55 BTC casing the stage to surfac of Class C + 2% (1 tem	andonment Notices must be fil inal inspection. fully requests approval for @ 300? ce: CaCl2 (14.8 ppg/ 1.36 cuf	ed only after all requirements, ind	cluding reclamation	on, have been completed	AND 2 7 2019		
determined that t COG Operatin approved API Surface: Drill 26? hole Set 20? 94# J Cement in on Tail: 450 sx o Intermediate 2M BOP Syst Drill 17.5? hol	the site is ready for fing LLC, respectif D. to 300? J-55 BTC casing the stage to surfact of Class C + 2% (1 tem ble to 2700?, belo	andonment Notices must be fil inal inspection. fully requests approval for @ 300? ce: CaCl2 (14.8 ppg/ 1.36 cuf ow the base of the salt	ed only after all requirements, ind the following changes to th t/sx)	Cluding reclamation	DISTRIC	AND 27 2019		
determined that t COG Operatin approved API Surface: Drill 26? hole Set 20? 94# J Cement in on Tail: 450 sx o Intermediate 2M BOP Syst Drill 17.5? hol	the site is ready for fing LLC, respectif D. to 300? J-55 BTC casing the stage to surfact of Class C + 2% (1 tem the to 2700?, belo	andonment Notices must be fil inal inspection. fully requests approval for @ 300? ce: CaCl2 (14.8 ppg/ 1.36 cuf ow the base of the salt s true and correct. Electronic Submission # For COG O ommitted to AFMSS for pro	ed only after all requirements, ind the following changes to th t/sx) 461696 verified by the BLM PPERATING LLC, sent to the cessing by ZOTA STEVENS	Well Information Well Information Carlsbad on 04/17/2019	on, have been completed DISTRIC on System (19ZS0019SE)	AND 27 2019		
determined that t COG Operatin approved API Surface: Drill 26? hole Set 20? 94# J Cement in on Tail: 450 sx o Intermediate 2M BOP Syst Drill 17.5? hol	the site is ready for fing LLC, respectif D. to 300? J-55 BTC casing the stage to surface of Class C + 2% (1 tem tem the to 2700?, belo	andonment Notices must be fil inal inspection. fully requests approval for @ 300? ce: CaCl2 (14.8 ppg/ 1.36 cuf ow the base of the salt s true and correct. Electronic Submission # For COG O ommitted to AFMSS for pro	ed only after all requirements, ind the following changes to th t/sx) 461696 verified by the BLM PPERATING LLC, sent to the cessing by ZOTA STEVENS	Cluding reclamation	on, have been completed DISTRIC on System (19ZS0019SE)	AND 2 7 2019		
determined that t COG Operatin approved API Surface: Drill 26? hole Set 20? 94# J Cement in on Tail: 450 sx o Intermediate 2M BOP Syst Drill 17.5? hol	the site is ready for fing LLC, respectf D. to 300? J-55 BTC casing the stage to surfact of Class C + 2% (1 tem ble to 2700?, belo v that the foregoing is Co <i>Typed)</i> MAYTE F	andonment Notices must be fil inal inspection. fully requests approval for @ 300? ce: CaCl2 (14.8 ppg/ 1.36 cuf ow the base of the salt s true and correct. Electronic Submission # For COG O ommitted to AFMSS for pro	ed only after all requirements, ind the following changes to the t/sx) #61696 verified by the BLM PERATING LLC, sent to the cessing by ZOTA STEVENS Title REG	Well Information Well Information Carlsbad on 04/17/2019	on, have been completed DISTRIC on System (19ZS0019SE)	AND 27 2019		
determined that t COG Operatin approved API Surface: Drill 26? hole Set 20? 94# J Cement in on Tail: 450 sx o Intermediate 2M BOP Syst Drill 17.5? hol 14. Thereby certify Name (Printed/T	the site is ready for fing LLC, respectf D. to 300? J-55 BTC casing the stage to surfact of Class C + 2% (1 tem ble to 2700?, belo v that the foregoing is Co <i>Typed)</i> MAYTE F	andonment Notices must be fil inal inspection. fully requests approval for @ 300? ce: CaCl2 (14.8 ppg/ 1.36 cuff bw the base of the salt Electronic Submission # For COG O For COG O Committed to AFMSS for pro REYES	ed only after all requirements, ind the following changes to the t/sx) #61696 verified by the BLM PERATING LLC, sent to the cessing by ZOTA STEVENS Title REG	Well Information he originally carlsbad on 04/17/2019 ULATORY AN 6/2019	on, have been completed DISTRIC on System (19ZS0019SE) JALYST	AND 27 2019		
determined that t COG Operatin approved API Surface: Drill 26? hole Set 20? 94# J Cement in on Tail: 450 sx o Intermediate 2M BOP Syst Drill 17.5? hol 14. I hereby certify Name (Printed/T) Signature	the site is ready for fing LLC, respectif D. to 300? J-55 BTC casing the stage to surface of Class C + 2% C 1 tem ble to 2700?, belo withat the foregoing is Co <i>(Electronic S)</i>	andonment Notices must be fil inal inspection. fully requests approval for @ 300? ce: CaCl2 (14.8 ppg/ 1.36 cuff bw the base of the salt Electronic Submission # For COG O For COG O Committed to AFMSS for pro REYES	461696 verified by the BLM the following changes to the t/sx) 461696 verified by the BLM t/sx) Title REG Date 04/10 DR FEDERAL OR STAT	Well Information he originally Carlsbad on 04/17/2019 ULATORY AN 6/2019	J DISTRIC On System (192S0019SE) JALYST JSE	and the operator has RECEIVED UN 2 7 2019 TII-ARTESIAO.C		
determined that t COG Operatin approved API Surface: Drill 26? hole Set 20? 94# " Cement in on Tail: 450 sx o Intermediate 2M BOP Syst Drill 17.5? hol 14. I hereby certify Name (Printed/T Signature 	the site is ready for fing LLC, respectif D. to 300? J-55 BTC casing the stage to surface of Class C + 2% (1 tem ble to 2700?, belo (Electronic S (Electronic S TA STEVENS al, if any, are attache	andonment Notices must be fil inal inspection. fully requests approval for @ 300? ce: CaCl2 (14.8 ppg/ 1.36 cuff ow the base of the salt s true and correct. Electronic Submission # For COG O ommitted to AFMSS for pro REYES Submission) THIS SPACE FC	ed only after all requirements, ind the following changes to the t/sx) 461696 verified by the BLM 1 DPERATING LLC, sent to the cessing by ZOTA STEVENS Title REG Date 04/10 DR FEDERAL OR STAT	Well Information he originally carlsbad on 04/17/2019 ULATORY AN 6/2019	J DISTRIC On System (192S0019SE) JALYST JSE	and the operator has RECEIVED UN 2 7 2019 TII-ARTESIAO.C		
determined that t COG Operatin approved API Surface: Drill 26? hole Set 20? 94# J Cement in on Tail: 450 sx o Intermediate 2M BOP Syst Drill 17.5? hol 14. I hereby certify Name (Printed/T) Signature 	the site is ready for fing LLC, respectif D. to 300? J-55 BTC casing the stage to surface of Class C + 2% (1 tem ble to 2700?, belo withat the foregoing is (Electronic S (Electronic S TA STEVENS al, if any, are attache ant holds legal or equi- he applicant to condu	andonment Notices must be fil inal inspection. Fully requests approval for (@ 300?) Ce: CaCl2 (14.8 ppg/ 1.36 cuff) bow the base of the salt Submission # For COG O Dommitted to AFMSS for pro REYES Submission) THIS SPACE FO ed. Approval of this notice does uitable title to those rights in the act operations thereon.	ed only after all requirements, ind the following changes to the t/sx) 461696 verified by the BLM 1 PERATING LLC, sent to the cessing by ZOTA STEVENS Title REG Date 04/10 DR FEDERAL OR STAT Interent or subject lease Office Carls	Well Information he originally Carlsbad on 04/17/2019 ULATORY AN 6/2019 TE OFFICE L DLEUM ENGIN	ISE	and the operator has RECEIVED UN 2 7 2019 T/I-ARTESIAO.C Date 04/17/		
determined that t COG Operatin approved API Surface: Drill 26? hole Set 20? 94# ~ Cement in on Tail: 450 sx o Intermediate 2M BOP Syst Drill 17.5? hol 14. I hereby certify Name (Printed/T) Signature 	the site is ready for fing LLC, respectif D. to 300? J-55 BTC casing the stage to surface of Class C + 2% (1 term ble to 2700?, belo (Electronic S TA STEVENS	bandonment Notices must be fil inal inspection. fully requests approval for @ 300? .e: CaCl2 (14.8 ppg/ 1.36 cuff bw the base of the salt .et and correct. Electronic Submission # For COG O pommitted to AFMSS for pro REYES Submission) THIS SPACE FO .et. Approval of this notice does uitable title to those rights in the act operations thereon. U.S.C. Section 1212, make it a	461696 verified by the BLM t/sx) 461696 verified by the BLM PPERATING LLC, sent to the cessing by ZOTA STEVENS Title REG Date 04/10 DR FEDERAL OR STAT TitlePETRC	Well Information he originally Carlsbad on 04/17/2019 ULATORY AN 6/2019 TE OFFICE L DLEUM ENGIN	ISE	and the operator has RECEIVED UN 2 7 2019 T/I-ARTESIAO.C Date 04/17/		
determined that t COG Operatin approved API Surface: Drill 26? hole Set 20? 94# J Cement in on Tail: 450 sx o Intermediate 2M BOP Syst Drill 17.5? hol 14. I hereby certify Name (Printed/T) Signature 	the site is ready for fing LLC, respectif D. to 300? J-55 BTC casing the stage to surface of Class C + 2% (Construction) (class C + 2% (Construction) (class C + 2% (Construction)) (class C + 2% (class C + 2% (class C + 2% (class C + 2% (class C +	andonment Notices must be fil inal inspection. Fully requests approval for @ 300? CaCl2 (14.8 ppg/ 1.36 cuff ow the base of the salt s true and correct. Electronic Submission # For COG O For COG O Committed to AFMSS for pro REYES Submission) THIS SPACE FC ed. Approval of this notice does uitable title to those rights in the uct operations thereon. U.S.C. Section 1212, make it a statements or representations as	461696 verified by the BLM to the following changes to the following changes to the perified by the BLM to perform the following LLC, sent to the cessing by ZOTA STEVENS Title REG Date 04/10 DR FEDERAL OR STAT	Well Information he originally be carlsbad on 04/17/2019 ULATORY AN 6/2019 TE OFFICE L DLEUM ENGIN bad and willfully to n ion.	on, have been completed i DISTRIC On System (192S0019SE) VALYST JSE JEER	RECEIVED UN 2 7 2019 T//-ARTESIAO.C Date 04/17/		

Ĩ.
Î.

Additional data for EC transaction #461696 that would not fit on the form

32. Additional remarks, continued

Set 13.375? 61# J-55 BTC casing @ 2700? Cement in single stage to surface Lead: 1500 sx of Class C+4% Gel (13.5 ppg / 1.75 cuft/ sx) Tail: 250 sx of Class C+2% CaCl2 (14.8 ppg/ 1.36 cuft/sx)

Intermediate 2 9 5/8? as per original APD

÷

e. î

Revisions to Operator-Submitted EC Data for Sundry Notice #461696

	Operator Submitted	BLM Revi
Sundry Type:	APDCH NOI	APDCH NOI
Lease:	NMNM54398	NMNM54398
Agreement:		•
Operator:	COG OPERATING LLC 2208 W MAIN STREET ARTESIA, NM 88210 Ph: 575-748-6940	COG OPERA 600 W ILLING MIDLAND, T Ph: 432.685
Admin Contact:	MAYTE REYES SENIOR REGULATORY ANALYST E-Mail: mreyes1@concho.com	MAYTE REY REGULATOF E-Mail: mreye
	Ph: 575-748-6945	Ph: 575-748
Tech Contact:	MAYTE REYES SENIOR REGULATORY ANALYST E-Mail: mreyes1@concho.com	MAYTE REY REGULATOF E-Mail: mreye
	Ph: 575-748-6945	Ph: 575-748
Location:		
State: County:	NM EDDY	NM EDDY
Field/Pool:	PURPLE SAGE; WOLFCAMP GAS	PURPLE SA
Well/Facility:	HOWITZER FED COM 602H Sec 12 T24S R28E NENE 1014FNL 620FEL	HOWITZER I Sec 12 T24S

vised (AFMSS)

RATING LLC NOIS AVENUE TX 79701 55.4385

EYES DRY ANALYST eyes1@concho.com

8-6945

EYES DRY ANALYST eyes1@concho.com

8-6945

AGE-WOLFCAMP (GAS)

HOWITZER FEDERAL COM 602H Sec 12 T24S R28E NENE 1014FNL 620FEL 32.236874 N Lat, 104.034302 W Lon