Form 3160-5 (June 2015)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Carisbad	Field	DEPT OVED OMB NO. 1004-0137 Capires: January 31, 2018
OCD	Artac	OMB NO. 1004-0137

SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					5. Lease Serial No. NMLC029020L 6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No.		
Type of Well     ☐ Gas Well ☐ Other					8. Well Name and No. SHAWNEE FEDERAL 4		
Name of Operator     COG OPERATING LLC  COG OPERATING LLC  Contact: ROBYN RUSSELL E-Mail: rrussell@concho.com					9. API Well No. 30-015-34899-00-S1		
3a. Address 600 W ILLINOIS AVENUE MIDLAND, TX 79701	3b. Phone No. (include area code) Ph: 432-685-4385				10. Field and Pool or Exploratory Area LOCO HILLS-QU-GB-SA		
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)	)			11. County or Parish,	State	
Sec 15 T17S R30E NWSE 16	90FSL 1870FEL				EDDY COUNTY	′, NM	
12. CHECK THE AF	PPROPRIATE BOX(ES)	TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR OTH	IER DATA	
TYPE OF SUBMISSION			ТҮРЕ О	ACTION			
Notice of Intent     ■	☐ Acidize	☐ Dee	pen	☐ Product	tion (Start/Resume)	☐ Water Shut-Off	
_	☐ Alter Casing	☐ Hyd	raulic Fracturing	☐ Reclam	ation	■ Well Integrity	
☐ Subsequent Report	□ Casing Repair	□ New	☐ New Construction ☐ Reco		plete	Other	
☐ Final Abandonment Notice	□ Change Plans	Plug	g and Abandon		rarily Abandon	Right of Way	
	☐ Convert to Injection	Plug	Back	■ Water Disposal			
following completion of the involved testing has been completed. Final At determined that the site is ready for fit COG Operating LLC respectfupipe to 2" poly surface lines wused to transport produce wat	nandonment Notices must be file inal inspection. Illy requests to change the ith a 125 MAX PSI rating.	ed only after all	requirements, includ	ing reclamation	n, have been completed a	0-4 must be filed once and the operator has	
Original Flowline length: 669' New Flowline length: 1128'					U7	BUCHED	
Flowline route will be as show	n on attached map.				JU	N 2.5 2019	
					DISTRICT	TI-ARTESIAO.C.D.	
14. I hereby certify that the foregoing is	Electronic Submission #4	PERATING L	.C, sent to the Ca	arlsbad	-		
Name(Printed/Typed) ROBYN RUSSELL			Title REGUL	ATORY AN	ALYST		
Signature (Electronic S	<del></del>		Date 05/28/20				
	THIS SPACE FO	R FEDERA	L OR STATE	OFFICE U	SE		
Approved By Caylly	ly t		Title	- 6		05/29/2019 Date	
Conditions of approval, if any are attached certify that the applicant holds legal or equ which would entitle the applicant to condu	ct operations thereon.		Office (				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s	U.S.C. Section 1212, make it a statements or representations as	crime for any pe to any matter w	rson knowingly and thin its jurisdiction.	willfully to m	ake to any department or	agency of the United	

#### Revisions to Operator-Submitted EC Data for Sundry Notice #466693

**Operator Submitted** 

**BLM Revised (AFMSS)** 

Sundry Type:

ROW NOI

Lease:

NMLC029020L

NMLC029020L

ROW NOI

Agreement:

Operator:

COG OPERATING LLC 600 W. ILLINOIS AVE MIDLAND, TX 79701 Ph: 432-683-7443

COG OPERATING LLC 600 W ILLINOIS AVENUE MIDLAND, TX 79701 Ph: 432.685.4385

Admin Contact:

ROBYN RUSSELL REGULATORY ANALYST E-Mail: rrussell@concho.com

ROBYN RUSSELL REGULATORY ANALYST E-Mail: rrussell@concho.com

Ph: 432-685-4385

Ph: 432-685-4385

Tech Contact:

ROBYN RUSSELL REGULATORY ANALYST E-Mail: rrussell@concho.com

**ROBYN RUSSELL** REGULATORY ANALYST E-Mail: rrussell@concho.com

Ph: 432-685-4385

Ph: 432-685-4385

Location:

State: County:

MM

**EDDY** 

NM EDDY

Field/Pool:

LOCO HILLS; GLORIETA-YESO

LOCO HILLS-QU-GB-SA

Well/Facility:

3.然分别 域内

SHAWNEE FEDERAL 4 Sec 15 T17S R30E Mer NMP NWSE 1690FSL 1870FEL

SHAWNEE FEDERAL 4 Sec 15 T17S R30E NWSE 1690FSL 1870FEL

#### **LPC: Conditions of Approval**

Timing Limitation Stipulation/Condition of Approval for Lesser Prairie-Chicken: Oil and gas activities including 3-D geophysical exploration, and drilling will not be allowed in lesser prairie-chicken habitat during the period from March 1 through June 15 annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Additionally, no new drilling will be allowed within up to 200 meters of leks known at the time of permitting. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.

Upon abandonment, a low profile abandoned well marker will be installed to prevent raptor perching.

The proponent of the proposed action is a Participating Cooperator in the Candidate Conservation Agreement (CCA) for the lesser prairie-chicken (*Tympanuchus pallidicinctus*) and dunes sagebrush lizard (*Sceloporus arenicolus*).

The goal of the Bureau of Land Management (BLM), U.S. Fish and Wildlife Service (USFWS), Center of Excellence for Hazardous Materials Management (CEHMM) and the Participating Cooperator is to reduce and/or eliminate threats to the LPC. By agreeing to conduct the conservation measures described by the CCA, and contribute funding or providing in-kind services for conservation.

## BLM Serial #: Company Reference:

Seed Mixture for LPC Sand/Shinnery Sites

The holder shall seed all disturbed areas with the seed mixture listed below. The seed mixture shall be planted in the amounts specified in pounds of pure live seed (PLS)\* per acre. There shall be <u>no</u> primary or secondary noxious weeds in the seed mixture. Seed will be tested and the viability testing of seed will be done in accordance with State law(s) and within nine (9) months prior to purchase. Commercial seed will be either certified or registered seed. The seed container will be tagged in accordance with State law(s) and available for inspection by the authorized officer.

Seed will be planted using a drill equipped with a depth regulator to ensure proper depth of planting where drilling is possible. The seed mixture will be evenly and uniformly planted over the disturbed area (smaller/heavier seeds have a tendency to drop the bottom of the drill and are planted first). The holder shall take appropriate measures to ensure

this does not occur. Where drilling is not possible, seed will be broadcast and the area shall be raked or chained to cover the seed. When broadcasting the seed, the pounds per acre are to be doubled. The seeding will be repeated until a satisfactory stand is established as determined by the authorized officer. Evaluation of growth will not be made before completion of at least one full growing season after seeding.

Species to be planted in pounds of pure live seed\* per acre:

Species	<u>lb/acre</u>		
Plains Bristlegrass	5lbs/A		
Sand Bluestem	5lbs/A		
Little Bluestem	3lbs/A		
Big Bluestem	6lbs/A		
Plains Coreopsis	2lbs/A		
Sand Dropseed	1lbs/A		

<sup>\*</sup>Pounds of pure live seed:

Pounds of seed x percent purity x percent germination = pounds pure live seed

### **Hydrology:**

Tank battery locations will be lined and bermed. A 20 mil permanent liner will be installed with a 4 oz. felt backing to prevent tears or punctures. Tank battery berms must be large enough to contain 1 ½ times the content of the largest tank or 24 hour production, whichever is greater. Automatic shut off, check valves, or similar systems will be installed for tanks to minimize the effects of catastrophic line failures used in production or drilling.

Prior to pipeline installation/construction a leak detection plan will be developed. The method(s) could incorporate gauges to detect pressure drops, situating valves and lines so they can be visually inspected periodically or installing electronic sensors to alarm when a leak is present. The leak detection plan will incorporate an automatic shut off system that will be installed for proposed pipelines to minimize the effects of an undesirable event.