u	PARTMENT OF THE I UREAU OF LAND MANA	GEMENT	DCD As ILlease Senai No.	January 31, 2018
SUNDRY Do not use thi	NOTICES AND REPO is form for proposals to	RTS ON WELLS	NMLC064894/	
abandoned wel	s form for proposals to II. Use form 3160-3 (AP	D) for such proposals.	6. If Indian, Allottee	or Tribe Name
SUBMIT IN TRIPLICATE - Other instructions on page 2			7. If Unit or CA/Agr NMNM71016	eement, Name and/or No.
 Type of Well Image: Oil Well Image: Oil Well Image: Other Content 	1. Type of Well). INIT CVX JV PC 1H
2. Name of Operator BOPCO LP	Contact: STEPHANIE RABADUE 9. API Well No. E-Mail: stephanie_rabadue@xtoenergy.com 30-015-36635-00-S1			-00-S1
3a. Address 6401 HOLIDAY HILL RD BLD MIDLAND, TX 79707	1 HOLIDAY HILL RD BLDG 5 SUITE 200 Ph: 432-620-6714 WILDCAT		r Exploratory Area	
4. Location of Well (Footage, Sec., T	C, R., M., or Survey Description	ı)	11. County or Parish	, State
Sec 17 T25S R30E SESE 350	Sec 17 T25S R30E SESE 350FSL 350FEL			ΓΥ, NM
12. CHECK THE AF	PPROPRIATE BOX(ES)	TO INDICATE NATURE O	F NOTICE, REPORT, OR OT	HER DATA
TYPE OF SUBMISSION		TYPE O	FACTION	<u></u>
Notice of Intent	☐ Acidize	🗖 Deepen	Production (Start/Resume)	Uwater Shut-Off
_	Alter Casing	Hydraulic Fracturing	□ Reclamation	Well Integrity
Subsequent Report	Casing Repair	New Construction	□ Recomplete	Other Surface Disturban
Final Abandonment Notice	 Change Plans Convert to Injection 	Plug and Abandon Plug Back	Temporarily Abandon Water Disposal	
It the proposal is to deepen direction?			und and turns contributed double of all north	inont markans and sonas
Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fi	rk will be performed or provide l operations. If the operation re- pandonment Notices must be fi- inal inspection.	e the Bond No. on file with BLM/BI/ esults in a multiple completion or reco led only after all requirements, include	ared and true vertical depths of all pert A. Required subsequent reports must b completion in a new interval, a Form 31 ling reclamation, have been completed 19. and	inent markers and zones. be filed within 30 days 60-4 must be filed once
Attach the Bond under which the wor following completion of the involved testing has been completed. Final At	rk will be performed or provide l operations. If the operation re bandonment Notices must be fi inal inspection. uests to install a 12" burie	e the Bond No. on file with BLM/BI/ sults in a multiple completion or rec led only after all requirements, include ed pipeline through section 17	 A. Required subsequent reports must b ompletion in a new interval, a Form 31 ling reclamation, have been completed , 19, and a. Unit #001 to a Lucid 	inent markers and zones. be filed within 30 days 60-4 must be filed once 1 and the operator has
Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for final BOPCO, L.P. respectfully requires 20-T25S-R30E, NMPM, Eddy pipeline tie-in. Pipeline Specifics ? Number of Lines: 1 Size: 12" or less Material: Steel	rk will be performed or provide l operations. If the operation re bandonment Notices must be fi inal inspection. uests to install a 12" burie County, New Mexico to t	e the Bond No. on file with BLM/BI/ sults in a multiple completion or rec led only after all requirements, include ed pipeline through section 17	A. Required subsequent reports must b ompletion in a new interval, a Form 31 ling reclamation, have been completed , 19, and a Unit #001 to a Lucid	inent markers and zones. be filed within 30 days 60-4 must be filed once and the operator has
Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fi BOPCO, L.P. respectfully requination 20-T25S-R30E, NMPM, Eddy pipeline tie-in. Pipeline Specifics ? Number of Lines: 1 Size: 12" or less Material: Steel Contents: Gas MAOP/Hydro: 750psi/1440psi Length: 9491.41'	rk will be performed or provide l operations. If the operation re bandonment Notices must be fi inal inspection. uests to install a 12" burie County, New Mexico to t	e the Bond No. on file with BLM/BI/ esults in a multiple completion or rec- led only after all requirements, include ed pipeline through section 17 transport gas from Poker Lake	A. Required subsequent reports must b completion in a new interval, a Form 31 ling reclamation, have been completed , 19, and e Unit #001 to a Lucid RE	inent markers and zones. be filed within 30 days 160-4 must be filed once and the operator has CEIVED 2.5 2019
Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fi BOPCO, L.P. respectfully requ 20-T25S-R30E, NMPM, Eddy pipeline tie-in. Pipeline Specifics ? Number of Lines: 1 Size: 12" or less Material: Steel Contents: Gas MAOP/Hydro: 750psi/1440psi	rk will be performed or provide l operations. If the operation re bandonment Notices must be fi inal inspection. uests to install a 12" burie County, New Mexico to t dection 17-25S-30E)	e the Bond No. on file with BLM/BI/ esults in a multiple completion or rec- led only after all requirements, include ed pipeline through section 17 transport gas from Poker Lake Accepted for record - MMO	A. Required subsequent reports must b completion in a new interval, a Form 31 ling reclamation, have been completed , 19, and 2 Unit #001 to a Lucid REC DUSTRICT	inent markers and zones. be filed within 30 days 160-4 must be filed once and the operator has CEIVED 3.5 2019 11-AFTESIAO.C.D.
Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fi BOPCO, L.P. respectfully requisite 20-T25S-R30E, NMPM, Eddy pipeline tie-in. Pipeline Specifics ? Number of Lines: 1 Size: 12" or less Material: Steel Contents: Gas MAOP/Hydro: 750psi/1440psi Length: 9491.41' POB: Poker Lake Unit 001 (Se COMPLE CONSTRUCTION OF CONSTRUCTION OF CONSTRUCTION 14. Thereby certify that the foregoing is	rk will be performed or provide loperations. If the operation re bandonment Notices must be fi inal inspection. uests to install a 12" burie County, New Mexico to to County, New Mexico to to Ection 17-25S-30E) CDIPDOI-BLUE Strue and correct. Electronic Submission # For	e the Bond No. on file with BLM/BI/ esults in a multiple completion or rec- led only after all requirements, include ed pipeline through section 17 transport gas from Poker Lake Accepted for record - MMO	A. Required subsequent reports must b completion in a new interval, a Form 31 ling reclamation, have been completed , 19, and a Unit #001 to a Lucid RE 2D JUN DISTRICT DUI-EA. See attach will Information System ad	inent markers and zones. be filed within 30 days 60-4 must be filed once and the operator has CEIVED 3.5 2019 1-AFTESIAO.C.D.
Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fi BOPCO, L.P. respectfully requ 20-T25S-R30E, NMPM, Eddy pipeline tie-in. Pipeline Specifics ? Number of Lines: 1 Size: 12" or less Material: Steel Contents: Gas MAOP/Hydro: 750psi/1440psi Length: 9491.41' POB: Poker Lake Unit 001 (Se PPALE CCR 05/29/2 14. 1 hereby certify that the foregoing is	rk will be performed or provide loperations. If the operation re bandonment Notices must be fi inal inspection. uests to install a 12" burie County, New Mexico to to County, New Mexico to to Ection 17-25S-30E) CDIPDOI-BLUE Strue and correct. Electronic Submission # For	e the Bond No. on file with BLM/BI/ esults in a multiple completion or rec- led only after all requirements, include ed pipeline through section 17 transport gas from Poker Lake Accepted for record - MMIO	A. Required subsequent reports must b completion in a new interval, a Form 31 ling reclamation, have been completed , 19, and a Unit #001 to a Lucid RE 20 20 20 20 20 20 20 20 20 20 20 20 20	inent markers and zones. be filed within 30 days 60-4 must be filed once and the operator has CEIVED 3.5 2019 1-AFTESIAO.C.D.
Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fi BOPCO, L.P. respectfully requ 20-T25S-R30E, NMPM, Eddy pipeline tie-in. Pipeline Specifics ? Number of Lines: 1 Size: 12" or less Material: Steel Contents: Gas MAOP/Hydro: 750psi/1440psi Length: 9491.41' POB: Poker Lake Unit 001 (Se PPALE CCR 05/29/2 14. 1 hereby certify that the foregoing is	rk will be performed or provide loperations. If the operation re bandonment Notices must be fi inal inspection. uests to install a 12" burie County, New Mexico to to County, New Mexico to to Count	e the Bond No. on file with BLM/BI/ esults in a multiple completion or rec- led only after all requirements, include ed pipeline through section 17 transport gas from Poker Lake Accepted for record - MMIO	A. Required subsequent reports must b completion in a new interval, a Form 31 ling reclamation, have been completed , 19, and e Unit #001 to a Lucid CD JUN DISTRICT DUSTRICT DUSTRICT DUSTRICT DUSTRICT DUSTRICT DUSTRICT Ad II Information System ad on 09/04/2018 (18PP2579SE) LATORY ANALYST	inent markers and zones. be filed within 30 days 160-4 must be filed once and the operator has CEIVED 3.5 2019 11-AFTESIAO.C.D.
Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fi BOPCO, L.P. respectfully requisive 20-T25S-R30E, NMPM, Eddy pipeline tie-in. Pipeline Specifics ? Number of Lines: 1 Size: 12" or less Material: Steel Contents: Gas MAOP/Hydro: 750psi/1440psi Length: 9491.41' POB: Poker Lake Unit 001 (Se Contents: Contents of the foregoing is Contents is a content of the foregoing is Name (Printed/Typed) STEPHAN	rk will be performed or provide l operations. If the operation re bandonment Notices must be fi inal inspection. uests to install a 12" burie County, New Mexico to to County, New Mexico to County, New Mexico to to County, New Mexico to to County,	e the Bond No. on file with BLM/BI/ esults in a multiple completion or rec- led only after all requirements, include ed pipeline through section 17 transport gas from Poker Lake Accepted for record - MMO - <u>NM-PDD-2D(9-9</u> 4433613 verified by the BLM We BOPCO LP, sent to the Carlsba ressing by PRISCILLA PEREZ of Title REGUL	A. Required subsequent reports must b completion in a new interval, a Form 31 ling reclamation, have been completed a Unit #001 to a Lucid UNITRICT DISTRICT DUITEA See attache UI Information System ad on 09/04/2018 (18PP2579SE) ATORY ANALYST 2018	the filed within 30 days 60-4 must be filed once and the operator has CEIVED 2.5 2019 1-AFTESIAO.C.D.
Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fi BOPCO, L.P. respectfully requisive 20-T25S-R30E, NMPM, Eddy pipeline tie-in. Pipeline Specifics ? Number of Lines: 1 Size: 12" or less Material: Steel Contents: Gas MAOP/Hydro: 750psi/1440psi Length: 9491.41' POB: Poker Lake Unit 001 (Se Contents: Contents of the foregoing is Contents is a content of the foregoing is Name (Printed/Typed) STEPHAN	rk will be performed or provide l operations. If the operation re bandonment Notices must be fi inal inspection. uests to install a 12" burie County, New Mexico to to County, New Mexico to County, New Mexico to to County, New Mexico to to County,	e the Bond No. on file with BLM/BI/ esults in a multiple completion or rec- led only after all requirements, include ed pipeline through section 17 transport gas from Poker Lake Accepted for record - NMIO - <u>NM-PDJD-2D/9-9</u> 4433613 verified by the BLM We BOPCO LP, sent to the Carlsba essing by PRISCILLA PEREZ o Title REGUI Date 09/01/2	A. Required subsequent reports must b completion in a new interval, a Form 31 ling reclamation, have been completed a Unit #001 to a Lucid UNITRICT DISTRICT DUITEA See attache UI Information System ad on 09/04/2018 (18PP2579SE) ATORY ANALYST 2018	inent markers and zones. be filed within 30 days 160-4 must be filed once and the operator has CEIVED 3.5 2019 11-AFTESIAO.C.D.
Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fi BOPCO, L.P. respectfully requ 20-T25S-R30E, NMPM, Eddy pipeline tie-in. Pipeline Specifics ? Number of Lines: 1 Size: 12" or less Material: Steel Contents: Gas MAOP/Hydro: 750psi/1440psi Length: 9491.41' POB: Poker Lake Unit 001 (Se MAOP/Hydro: 750psi/1440psi Length: 9491.41' POB: Poker Lake Unit 001 (Se MAOP/Lydro: 750psi/1440psi Length: 9491.41' POB: Stephener (Second Science) It. I hereby certify that the foregoing is Signature (Electronic Second Science)	rk will be performed or provide loperations. If the operation re- bandonment Notices must be fi- inal inspection. uests to install a 12" burie County, New Mexico to to County, New Mexico to to Cou	e the Bond No. on file with BLM/BI/ esults in a multiple completion or rec- led only after all requirements, include ed pipeline through section 17 transport gas from Poker Lake Accepted for record - MMO -NM-PDDD-DD909-9 H433613 verified by the BLM We BOPCO LP, sent to the Carlsba cessing by PRISCILLA PEREZ of Title REGUI Date 09/01/2 OR FEDERAL OR STATE	A. Required subsequent reports must b completion in a new interval, a Form 31 ling reclamation, have been completed a Unit #001 to a Lucid UNITRICT DISTRICT DUITEA See attache UI Information System ad on 09/04/2018 (18PP2579SE) ATORY ANALYST 2018	inent markers and zones. The filed within 30 days 60-4 must be filed once and the operator has CEIVED 3.5 2019 11-ARTESIAO.C.D. 2.5 5 July 11-ARTESIAO.C.D. 11-ARTESIAO.C.D. 11-ARTESIAO.C.D. 11-ARTESIAO.C.D. 11-ARTESIAO.C.D. 11-ARTESIAO.C.D. 11-ARTESIAO.C.D. 11-ARTESIAO.C.D. 11-ARTESIAO.C.D. 11-ARTESIAO.C.D. 11-ARTESIAO.C.D. 11-ARTESIAO.C.D. 11-ARTESIAO.C.D. 11-ARTESIAO.C.D.

Additional data for EC transaction #433613 that would not fit on the form

32. Additional remarks, continued

POT: Lucid Pipeline (Section 19-25S-30E)

Plats for the route are attached.

.

<u>Company Reference</u>: Bopco, LP <u>WELL NO. & NAME</u>: Poker Lake Unit CVX JV PC 1H <u>PROJECT</u>: Sundry Notice for Buried Pipeline

BURIED PIPELINE STIPULATIONS

A copy of the application (Grant, APD, or Sundry Notice) and attachments, including conditions of approval, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.

2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, <u>et seq</u>. or the Resource Conservation and Recovery Act, 42 U.S.C.6901, <u>et seq</u>.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil or other pollutant, wherever found, shall be the responsibility of holder, regardless of fault. Upon failure of holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

1

5. All construction and maintenance activity will be confined to the authorized right-of-way.

6. The pipeline will be buried with a minimum cover of 36 inches between the top of the pipe and ground level.

7. The maximum allowable disturbance for construction in this right-of-way will be <u>30</u> feet:

- Blading of vegetation within the right-of-way will be allowed: maximum width of blading operations will not exceed <u>20</u> feet. The trench is included in this area. (*Blading is defined as the complete removal of brush and ground vegetation.*)
- Clearing of brush species within the right-of-way will be allowed: maximum width of clearing operations will not exceed <u>30</u> feet. The trench and bladed area are included in this area. (*Clearing is defined as the removal of brush while leaving ground vegetation (grasses, weeds, etc.) intact. Clearing is best accomplished by holding the blade 4 to 6 inches above the ground surface.*)
- The remaining area of the right-of-way (if any) shall only be disturbed by compressing the vegetation. (*Compressing can be caused by vehicle tires, placement of equipment, etc.*)

9. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

10. Vegetation, soil, and rocks left as a result of construction or maintenance activity will be randomly scattered on this right-of-way and will not be left in rows, piles, or berms, unless otherwise approved by the Authorized Officer. The entire right-of-way shall be recontoured to match the surrounding landscape. The backfilled soil shall be compacted and a 6 inch berm will be left over the ditch line to allow for settling back to grade.

11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.

12. The holder will reseed all disturbed areas. Seeding will be done according to the attached seeding requirements, using the following seed mix.

() seed mixture 1	() seed mixture 3
(X) seed mixture 2	() seed mixture 4
() seed mixture 2/LPC	() Aplomado Falcon Mixture

13. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be color which simulates "Standard Environmental Colors" – **Shale Green**, Munsell Soil Color No. 5Y 4/2.

14. The pipeline will be identified by signs at the point of origin and completion of the right-ofway and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. All signs and information thereon will be posted in a permanent, conspicuous manner, and will be maintained in a legible condition for the life of the pipeline.

15. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder before maintenance begins. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway. As determined necessary during the life of the pipeline, the Authorized Officer may ask the holder to construct temporary deterrence structures.

16. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

17. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes associated roads, pipeline corridor and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.

18. <u>Escape Ramps</u> - The operator will construct and maintain pipeline/utility trenches [that are not otherwise fenced, screened, or netted] to prevent livestock, wildlife, and humans from becoming entrapped. At a minimum, the operator will construct and maintain escape ramps, ladders, or other methods of avian and terrestrial wildlife escape in the trenches according to the following criteria:

- a. Any trench left open for eight (8) hours or less is not required to have escape ramps; however, before the trench is backfilled, the contractor/operator shall inspect the trench for wildlife, remove all trapped wildlife, and release them at least 100 yards from the trench.
 - b. For trenches left open for eight (8) hours or more, earthen escape ramps (built at no more than a 30 degree slope and spaced no more than 500 feet apart) shall be placed in the trench.
- 19. Special Stipulations:

Hydrology:

Any water erosion that may occur due to construction or during the life of the pipeline system will be quickly corrected and proper measures will be taken to prevent erosion. When crossing ephemeral drainages the soil crown should be level with the surface to allow water to flow without impedance. A leak detection plan *will be submitted to the BLM Carlsbad Field Office*

for approval prior to pipeline installation. The method could incorporate gauges to detect pressure drops, situating valves and lines so they can be visually inspected periodically or installing electronic sensors to alarm when a leak is present. The leak detection plan will incorporate an automatic shut off system that will be installed for proposed pipelines to minimize the effects of an undesirable event. Regular monitoring is required to quickly identify leaks for their immediate and proper treatment.

Rangeland Management Mitigation:

Any damage to structures that provide water to livestock throughout the life of the well, caused by operations from the well site, must be immediately corrected by the operator. The operator must notify the BLM office (575-234-5972) and the private surface landowner or the grazing allotment holder if any damage occurs to structures that provide water to livestock.

- Livestock operators would be contacted and adequate crossing facilities would be provided as needed to ensure livestock are not prevented from reaching water sources because of the open trench.
- Wildlife and livestock trails would remain open and passable by adding soft plugs (areas where the trench is excavated and replaced with minimal compaction) during the construction phase. Soft plugs with ramps on either side would be left at all well-defined livestock and wildlife trails along the open trench to allow passage across the trench and provide a means of escape for livestock and wildlife that may enter the trench.
- Trenches would be backfilled as soon as feasible to minimize the amount of open trench. The Operator would avoid leaving trenches open overnight to the extent possible and open trenches that cannot be backfilled immediately would have escape ramps (wooden) placed at no more than 2,500 feet intervals and sloped no more than 45 degrees.

4

Seed Mixture 2, for Sandy Sites

The holder shall seed all disturbed areas with the seed mixture listed below. The seed mixture shall be planted in the amounts specified in pounds of pure live seed (PLS)* per acre. There shall be no primary or secondary noxious weeds in the seed mixture. Seed will be tested and the viability testing of seed will be done in accordance with State law (s) and within nine (9) months prior to purchase. Commercial seed will be either certified or registered seed. The seed container will be tagged in accordance with State law(s) and available for inspection by the authorized officer.

Seed will be planted using a drill equipped with a depth regulator to ensure proper depth of planting where drilling is possible. The seed mixture will be evenly and uniformly planted over the disturbed area (smaller/heavier seeds have a tendency to drop the bottom of the drill and are planted first). The holder shall take appropriate measures to ensure this does not occur. Where drilling is not possible, seed will be broadcast and the area shall be raked or chained to cover the seed. When broadcasting the seed, the pounds per acre are to be doubled. The seeding will be repeated until a satisfactory stand is established as determined by the authorized officer. Evaluation of growth will not be made before completion of at least one full growing season after seeding.

Species to be planted in pounds of pure live seed* per acre:

Species	lb/acre
Sand dropseed (Sporobolus cryptandrus)	1.0
Sand love grass (Eragrostis trichodes)	1.0
Plains bristlegrass (Setaria macrostachya)	2.0

*Pounds of pure live seed:

Pounds of seed x percent purity x percent germination = pounds pure live seed