		UNITED STATE DEPARTMENT OF THE BUREAU OF LAND MANA	INTERIOR			OMB N Expires	APPROVED NO. 1004-0137 January 31, 2018	
	SUNDR Do not use abandoned	Y NOTICES AND REPO this form for proposals to well. Use form 3160-3 (AF	DRTS on WE	Hend Fie	ld Of	 Lease Serial No. Lease Serial No. LC065928A 6. If Indian, Allottee 	or Tribe Name	
SUNDRY NOTICES AND REPORTS ON MEDIS (I) If ICIU Do not use this form for proposals to drift or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. A refess SUBMIT IN TRIPLICATE - Other instructions on page 2					<u>resisi</u>	 If Unit or CA/Agreement, Name and/or No. NMNM138710 		
1. Type of Well			8. Well Na		8. Well Name and No	·		
2. Name of Ope	Gas Well	Other Contact:	ERY	9. API Well No.		FEDERAL COM 706F		
	RATING LLC	E-Mail: aavery@c	concho.com			30-015-45163-		
600 W ILLINOIS AVENUE Ph: 575-74 MIDLAND, TX 79701				· ·		· · · ·		
Sec 33 T26	. –	., T., R., M., or Survey Descripțio. 300FSL 2376FWL 78 W Lon			 County or Parish, State EDDY COUNTY, NM 			
12	. CHECK THE	APPROPRIATE BOX(ES)) TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR OT	HER DATA	
TYPE OF	E OF SUBMISSION				TYPE OF ACTION			
□ Notice of	Intent	 Acidize Alter Casing 	🗖 Deep	pen raulic Fracturing	Production (Start/Resume) Reclamation		□ Water Shut-Off □ Well Integrity	
🛛 Subseque	ent Report	Casing Repair		Construction	□ Recomp		Other	
Final Abandonment Notice		 Change Plans Convert to Injection 	-	Plug and Abandon Plug Back		rily Abandon isposal	Hydraulic Fracture	
Attach the Bo following con testing has be determined th 3/8/19 Tes test.	ond under which the npletion of the invol en completed. Final lat the site is ready for st annulus to 150	0# Set Composite Bridge p	e the Bond No. on esults in a multiple iled only after all r olug @ 16,935'	file with BLM/BIA e completion or reco requirements, includ and test csg to	Required sub impletion in a n ing reclamation 11,181#. Go	sequent reports must be w interval, a Form 31 have been completed	e filed within 30 days	
Attach the Bo following con testing has be determined th 3/8/19 Tes test. 3/29/19 to & 14,193,4 4/30/19 to 5 5/13/19 -5/	nd under which the npletion of the invol en completed. Final at the site is ready for st annulus to 150 4/9/19 Perf 10,18 40 gal fluid. 5/1/19 Drilled ou 16/19 Set 2 7/8"	work will be performed or provid- ved operations. If the operation re Abandonment Notices must be fi or final inspection.	e the Bond No. on esults in a multiple iled only after all r (113,316 gal 7 BTD @16,880', acker @ 9,395' oduction.	file with BLM/BIA completion or recor- requirements, includ and test csg to 1/2%; frac w/ 13	Required sub impletion in a n ing reclamation 11,181#. Go 9,422,098# sa ift system.	sequent reports must be w interval, a Form 31 , have been completed od and	Filed within 30 days 50-4 must be filed once and the operator has RECEIVED JUL 2 3 2019	
Attach the Bo following con testing has be determined th 3/8/19 Tes test. 3/29/19 to 4 & 14,193,4 4/30/19 to 5 5/13/19 -5/ 5/28/19 Be	nd under which the npletion of the invol en completed. Final at the site is ready for st annulus to 150 4/9/19 Perf 10,18 40 gal fluid. 5/1/19 Drilled ou 16/19 Set 2 7/8"	work will be performed or provid- ved operations. If the operation re Abandonment Notices must be fi or final inspection. 0# Set Composite Bridge p 30-16,920' (1216). Acdz w/ at CFP's. Clean down to PE 6.5# L-80 tbg @ 9,405 ' pa k & testing. Date of first pro	e the Bond No. on esults in a multiple iled only after all r (113,316 gal 7 3TD @16,880' acker @ 9,395' oduction.	file with BLM/BIA e completion or recor- requirements, includ and test csg to 1/2%; frac w/ 13 . Installed gas I . Installed gas I	Required sub impletion in a n ing reclamation 11,181#. Go 422,098# sa ift system.	sequent reports must be winterval, a Form 310 have been completed od and CD DISTRIC	Filed within 30 days 50-4 must be filed once and the operator has RECEIVED JUL 2 3 2019	
Attach the Bo following con testing has be determined th 3/8/19 Tes test. 3/29/19 to 4 & 14,193,4 4/30/19 to 5 5/13/19 -5/ 5/28/19 Be	nd under which the npletion of the invol en completed. Final lat the site is ready for st annulus to 150 4/9/19 Perf 10,18 40 gal fluid. 5/1/19 Drilled ou 16/19 Set 2 7/8" egan flowing bac	work will be performed or provid- ved operations. If the operation re Abandonment Notices must be fi or final inspection. 0# Set Composite Bridge p 30-16,920' (1216). Acdz w/ tt CFP's. Clean down to PE 6.5# L-80 tbg @ 9,405 ' pa k & testing. Date of first pro	e the Bond No. on esults in a multiple iled only after all r (113,316 gal 7 3TD @16,880', acker @ 9,395' oduction.	in file with BLM/BIA completion or recor- requirements, includ and test csg to 1/2%; frac w/ 13 . Installed gas I . Compted for recor-	Required sub impletion in a n ing reclamation 11,181#. Go ,422,098# sa ift system. ift system.	sequent reports must be winterval, a Form 310 , have been completed od and CD DISTRIC	Filed within 30 days 50-4 must be filed once and the operator has RECEIVED JUL 2 3 2019	
Attach the Bo following con testing has be determined th 3/8/19 Tes test. 3/29/19 to 4 & 14,193,4 4/30/19 to 5 5/13/19 -5/ 5/28/19 Be	nd under which the npletion of the invol en completed. Final lat the site is ready for st annulus to 150 4/9/19 Perf 10,18 40 gal fluid. 5/1/19 Drilled ou 16/19 Set 2 7/8" egan flowing bac	work will be performed or provid- ved operations. If the operation re Abandonment Notices must be fi or final inspection. 0# Set Composite Bridge p 30-16,920' (1216). Acdz w/ at CFP's. Clean down to PE 6.5# L-80 tbg @ 9,405 ' pa k & testing. Date of first pro	e the Bond No. on esults in a multiple iled only after all r (113,316 gal 7 3TD @16,880', acker @ 9,395' oduction.	in file with BLM/BIA completion or recor- requirements, includ and test csg to 1/2%; frac w/ 13 . Installed gas I . Installed gas I . Compted for recor- to by the BLM Wei C, sent to the Ca SCILLA PEREZ of	Required sub impletion in a n ing reclamation 11,181#. Go ,422,098# sa ift system. ift system. 	sequent reports must be winterval, a Form 310 , have been completed od and CD DISTRIC	Filed within 30 days 50-4 must be filed once and the operator has RECEIVED JUL 2 3 2019	
Attach the Bo following com testing has be determined th 3/8/19 Tes test. 3/29/19 to 4 & 14,193,4 4/30/19 to 5 5/13/19 -5/ 5/28/19 Be	nd under which the npletion of the invol en completed. Final lat the site is ready for st annulus to 150 4/9/19 Perf 10,18 40 gal fluid. 5/1/19 Drilled ou 16/19 Set 2 7/8" egan flowing bac	work will be performed or provid- ved operations. If the operation re Abandonment Notices must be fi or final inspection. 0# Set Composite Bridge p 30-16,920' (1216). Acdz w/ it CFP's. Clean down to PE 6.5# L-80 tbg @ 9,405 ' pa k & testing. Date of first pro	e the Bond No. on esults in a multiple iled only after all r (113,316 gal 7 3TD @16,880', acker @ 9,395' oduction.	in file with BLM/BIA completion or recor- requirements, includ and test csg to 1/2%; frac w/ 13 . Installed gas I . Installed gas I . Compted for recor- to by the BLM Wei C, sent to the Ca SCILLA PEREZ of	Required sub impletion in a n ing reclamation 11,181#. Go ,422,098# sa ift system. 	sequent reports must be winterval, a Form 310 , have been completed od and CD DISTRIC System 19PP2552SE)	Filed within 30 days 50-4 must be filed once and the operator has RECEIVED JUL 2 3 2019	
Attach the Bo following com testing has be determined th 3/8/19 Tes test. 3/29/19 to 4 & 14,193,4 4/30/19 to 4 5/13/19 -5/ 5/28/19 Be 4. I hereby cert Name (Printed	nd under which the npletion of the invol en completed. Final lat the site is ready for st annulus to 150 4/9/19 Perf 10,18 40 gal fluid. 5/1/19 Drilled ou 16/19 Set 2 7/8" egan flowing bac	work will be performed or provid- ved operations. If the operation re Abandonment Notices must be fi or final inspection. 0# Set Composite Bridge p 30-16,920' (1216). Acdz w/ at CFP's. Clean down to PE 6.5# L-80 tbg @ 9,405 ' pa k & testing. Date of first pro g is true and correct. Electronic Submission # For COG (ommitted to AFMSS for proc DA AVERY	e the Bond No. on esults in a multiple iled only after all r olug @ 16,935' (113,316 gal 7 BTD @16,880' acker @ 9,395' oduction. #470255 verified OPERATING LL cessing by PRIS	and test csg to and test csg to 1/2%; frac w/ 13 . Installed gas I . Installed gas I . ccepted for rec for local by the BLM Wel C, sent to the Ca CILLA PEREZ of Title AUTHO Date 06/24/20	Required sub impletion in a n ing reclamation 11,181#. Go 422,098# sa ift system. ift	sequent reports must be ew interval, a Form 310 , have been completed od and CD DISTRIC System 19PP2552SE) RESENTATIVE	Filed within 30 days 50-4 must be filed once and the operator has RECEIVED JUL 2 3 2019	
Attach the Bo following com testing has be determined th 3/8/19 Tes test. 3/29/19 to 4 & 14,193,4 4/30/19 to 4 5/13/19 -5/ 5/28/19 Be	nd under which the npletion of the invol en completed. Final lat the site is ready for st annulus to 150 4/9/19 Perf 10,18 40 gal fluid. 5/1/19 Drilled ou 16/19 Set 2 7/8" egan flowing bac	work will be performed or provid- ved operations. If the operation re Abandonment Notices must be fi or final inspection. 0# Set Composite Bridge p 30-16,920' (1216). Acdz w/ at CFP's. Clean down to PE 6.5# L-80 tbg @ 9,405 ' pa k & testing. Date of first provid k & testing. Date of first provid For COG Committed to AFMSS for prov DA AVERY ic Submission)	e the Bond No. on esults in a multiple iled only after all r olug @ 16,935' (113,316 gal 7 BTD @16,880' acker @ 9,395' oduction. #470255 verified OPERATING LL cessing by PRIS	file with BLM/BIA completion or recor- requirements, includ and test csg to 1/2%; frac w/ 13 . Installed gas I . Installed gas I . ccepted for recor- to by the BLM Wel C, sent to the Ca SCILLA PEREZ of Title AUTHO Date 06/24/20	Required sub impletion in a n ing reclamation 11,181#. Go 422,098# sa ift system. 	sequent reports must be ew interval, a Form 310 , have been completed od and CD DISTRIC System 19PP2552SE) RESENTATIVE	e filed within 30 days 50-4 must be filed once and the operator has FRECENED JUL 2 3 2019 TRAFTESIAO.C.	
Attach the Bo following com testing has be determined th 3/8/19 Tes test. 3/29/19 to 4 & 14,193,4 4/30/19 to 4 5/13/19 -5/ 5/28/19 Be 4. I hereby cert Name (Printed Signature	ond under which the npletion of the invol en completed. Final lat the site is ready for st annulus to 150 4/9/19 Perf 10,18 40 gal fluid. 5/1/19 Drilled ou 16/19 Set 2 7/8" egan flowing bac ify that the foregoin <i>C</i> <i>d/Typed)</i> AMANE (Electron	work will be performed or provid- ved operations. If the operation re Abandonment Notices must be fi or final inspection. 0# Set Composite Bridge p 30-16,920' (1216). Acdz w/ at CFP's. Clean down to PE 6.5# L-80 tbg @ 9,405 ' pa k & testing. Date of first provid k & testing. Date of first provid For COG Committed to AFMSS for prov DA AVERY ic Submission)	e the Bond No. on esults in a multiple iled only after all r olug @ 16,935' (113,316 gal 7 BTD @16,880' acker @ 9,395' oduction. A control () A control () A control () A control () A control () A control () COR FEDERA S not warrant or	file with BLM/BIA completion or recor- requirements, includ and test csg to 1/2%; frac w/ 13 . Installed gas I . Installed gas I . ccepted for recor- to by the BLM Wel C, sent to the Ca SCILLA PEREZ of Title AUTHO Date 06/24/20	Required sub impletion in a n ing reclamation 11,181#. Go 422,098# sa ift system. 	equent reports must be winterval, a Form 310 , have been completed od and CD DISTRIC System 19PP2552SE) RESENTATIVE E OF Record Shepard	e filed within 30 days 50-4 must be filed once and the operator has FRECENED JUL 2 3 2019 TRAFTESIAO.C.	
Attach the Bo following com testing has be determined th 3/8/19 Tes test. 3/29/19 to 4 & 14,193,4 4/30/19 to 5 5/13/19 -5/ 5/28/19 Be 4. I hereby cert Name (Printed Signature Approved By_ ich would entith le 18 U.S.C. Sec	ond under which the npletion of the invol en completed. Final iat the site is ready for st annulus to 150 4/9/19 Perf 10,18 40 gal fluid. 5/1/19 Drilled ou 16/19 Set 2 7/8" egan flowing bac " (Electron (Electron oval, if any, are attach licant holds legal or e the applicant to con- stion 1001 and Title	work will be performed or provid- ved operations. If the operation re Abandonment Notices must be fi or final inspection. 0# Set Composite Bridge p 30-16,920' (1216). Acdz w/ at CFP's. Clean down to PE 6.5# L-80 tbg @ 9,405 ' pa k & testing. Date of first provide k & testing. Date of first provide g is true and correct. Electronic Submission # For COG Content of the state of the state ommitted to AFMSS for provide DA AVERY ic Submission) THIS SPACE For the state of the	e the Bond No. on esults in a multiple iled only after all r olug @ 16,935' (113,316 gal 7 BTD @16,880' acker @ 9,395' oduction. A Correction. Correction. A COR FEDERA S not warrant or the subject lease a crime for any per	in file with BLM/BIA completion or recor- requirements, includ and test csg to 1/2%; frac w/ 13 . Installed gas I . Inst	Required sub impletion in a n ing reclamation 11,181#. Go ,422,098# sa ift system. 	sequent reports must be ewinterval, a Form 310 , have been completed od and CD DISTRIC System 19PP2552SE) RESENTATIVE E OF Record Shepard eld Office	Filed within 30 days 50-4 must be filed once and the operator has FILE 2 3 2019 TILARTESIAO.C. JUNat 2 5 20	
Attach the Bo following com testing has be determined th 3/8/19 Tes test. 3/29/19 to 4 & 14,193,4 4/30/19 to 5 5/13/19 -5/ 5/28/19 Be 14. I hereby cert Name (Printed Signature	nd under which the npletion of the invol en completed. Final iai the site is ready for st annulus to 150 4/9/19 Perf 10,18 40 gal fluid. 5/1/19 Drilled ou 16/19 Set 2 7/8" egan flowing bac n r r r r r r r r r r r r r r r r r r r	work will be performed or provid- ved operations. If the operation re Abandonment Notices must be fir or final inspection. 0# Set Composite Bridge p 30-16,920' (1216). Acdz w/ tt CFP's. Clean down to PE 6.5# L-80 tbg @ 9,405 ' pa k & testing. Date of first pro g is true and correct. Electronic Submission # For COG 0 ommitted to AFMSS for proc DA AVERY ic Submission) THIS SPACE F(ched. Approval of this notice doe equitable title to those rights in th aduct operations thereon. 43 U.S.C. Section 1212, make it a	e the Bond No. on esults in a multiple iled only after all r olug @ 16,935' (113,316 gal 7 3TD @16,880' acker @ 9,395' oduction.	file with BLM/BIA e completion or rece requirements, includ and test csg to 1/2%; frac w/ 13 Installed gas I C / /2 for /recepted for /rec by the BLM Wel C, sent to the Ca SCILLA PEREZ of Title AUTHO Date 06/24/20 L OR STATE Title AC Office	Required sub impletion in a n ing reclamation 11,181#. Go 422,098# sa ift system. 422,098# sa ift system. 422,099 0 iff iCE US ift system. 422,098# sa ift system. 422,098	sequent reports must be winterval, a Form 310 , have been completed od and CD DISTRIC System 19PP2552SE) RESENTATIVE E OF Record Shepard eld Office te to any department or	e filed within 30 days 50-4 must be filed once and the operator has JUL 2 3 2019 TMARTESIAO.C. JUNat2 5 20 agency of the United	